

Invacare® Storm®4 & Storm®4 X-plore AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com

LINX™



Invacare® Storm®4 & Storm®4 X-plore AA2

Electric wheelchair with rear wheel drive for indoor and outdoor use



Description:

- New LINX electronics as standard, programmable and upgradeable.
- Modulite seat with a choice of :
 - Rigid or adjustable seat tension
 - Rigid or adjustable backrest in tension
 - Adjustable seat width from 380 to 530 mm
 - Seat depth from 410 to 510 mm, continuously adjustable
- Optional True Track Plus motors
- Chair weight: from 175 kg
- Maximum user weight: 150kg.
- 2 year warranty excluding batteries and wearing parts



Date :

User name :

Customer Code :

Dealer stamp:



Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of Charge

CODE	DESIGNATION	NC : Non Compatible NC : 9999 : non compatible with reference 9999	EUROS
ATC0016	☐ <i>Invacare® Storm®4 AA2</i>		10 325,12
ATC0019	☐ <i>Invacare® Storm®4 X-plore AA2</i>	NC : 1030	11 612,35

Invacare® Modulite Seat Unit

SEATING TYPE

ATC2111	☐ Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms	◆	 2111
ATC2112	☐ Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms	○	 2112

SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME

	330mm (choose seat width 380 mm 2121 and inward curved armrests 2183)	NC : 2143, 2701, 2703, 2705	
ATC2121	☐ 380 mm	NC : 2143, 2701, 2703, 2705	○
ATC2122	☐ 430 mm	NC : 2701, 2703, 2705	◆
ATC2123	☐ 480 mm	NC : 2702, 2704, 2706	○
ATC2124	☐ 530 mm	NC : MatrX backrest, 2143, 2702, 2704, 2706	○

SEAT DEPTH SETTING

ATC2132	☐ 410 mm	NC : 2196, 2197, 2198, Bodypoint	○
ATC2134	☐ 460 mm		◆
ATC2136	☐ 510 mm - Seat rail extended by 35 mm for a chair ordered with a depth of 510 mm and a Flex 3 backrest	NC : 2143	○

SEAT CUSHION

ATC2142	☐ MatrX Flo-tech Cushion - Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		◆	 2143
ATC2143	☐ MatrX Flo-tech Contour Visco; (2-way stretch material) - 430 x 430 mm [max. user weight 125 kg]	NC : 2155	76,78	
ATC2147	☐ MatrX Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg) Extended lead time: + 4 days	NC : 2155	293,84	
ATC2144	☐ MatrX Vi Cushion (Mesh fabric)	NC : 2155	293,84	 2147 2144

BACKREST SUPPORT			
ATC2162	☐ Backposts short (540 mm)		○
ATC2163	☐ Backposts tall (480 mm)	NC : 2173	○
PUSH HANDLES for BACKPOSTS			
ATC2107	☐ Backposts with push handles		◆
ATC2108	☐ Backposts without push handles	NC : 1307, 1332, 2223, 2220, 2219, 2245	○
BACKREST UPHOLSTERY / CUSHION			
ATC2171	☐ Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 1445, 2152, 2155, 2229, 2230, 2247	◆
ATC2179	☐ Flex3 Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 2151, 2155, 2192, 2193, 2194, 1445, 2322, 2323, 2324, 2325, 2326, 2327, Elan headrest	203,79
ATC2173	☐ Flex3 adjustable Backrest Plates with Laguna Backrest cushion	NC : 2128	○
ATC2174	☐ Matrx Posture Back, height 400 mm (Mesh fabric)		798,10
ATC2175	☐ Matrx Posture Back, height 500 mm (Mesh fabric)		798,10
ATC2176	☐ Matrx Elite Back , height 500 mm (Mesh fabric)		717,54
ATC2177	☐ Matrx Elite TR Back, height 500 mm (Mesh fabric)		717,54
ATC2178	☐ Matrx Elite Deep Back, height 500 mm (Mesh fabric)		717,54
Find the trunk supports and all the accessories on the Matrx measurement sheet!			
UPHOLSTERY COLOUR			
ATC2151	☐ Black Fabric		◆
ATC2152	☐ LK Version, Black with orange seam		○
ATC2153	☐ Black Plush		○
ATC2155	☐ Black Spacer Fabric		○
ARMREST (Pair)			
ATC2191	☐ T-Arm detachable, Standard - Adjustment range 245 - 315 mm		◆
ATC2181	☐ T-Arm detachable, Extended height - Adjustment range 295 - 365 mm		60,66
ATC2198	☐ Padded Armrest with integrated cloth guard	NC : 2195, 2196, 2197, hip support	247,39
ATC2183	☐ Inrigged Armrests - Reduces SW by 25 mm each side	NC : hip support	○
ATC2193	☐ Flip-up Armrest - For 150 kg max user weight	NC : 1445	○
ATC2192	☐ Following Armrest Adjustment range from 230 - 300 mm For 150 kg max user weight	NC : 1445	302,37
ATC2194	☐ Following Armrest Adjustment range from 300 - 360 mm For 150 kg max user weight	NC : 1445	302,37
ARMPAD (Pair)			
ATC2195	☐ Short Armpad (325 mm)		◆
ATC2196	☐ Long Armpad (375 mm)		78,67
ATC2197	☐ Long Ergonomic Armpad (397 mm)		113,74
Hemiplegic gutters			
	☐ Hemiplegic gutter in special manufacture		On demand
	☐ Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps		On demand
HIP SUPPORTS			
ATC2184	☐ Hip Support LH, pad size 140 x 100 mm	NC : Bodypoint	290,05
ATC2186	☐ Hip Support LH, pad size 230 x 100 mm	NC : Bodypoint	290,05
ATC2188	☐ Hip Support LH, pad size 330 x 100 mm	NC : Bodypoint	290,05
ATC2185	☐ Hip Support RH, pad size 140 x 100 mm	NC : Bodypoint	290,05
ATC2187	☐ Hip Support RH, pad size 230 x 100 mm	NC : Bodypoint	290,05
ATC2189	☐ Hip Support RH, pad size 330 x 100 mm	NC : Bodypoint	290,05



FOLDING BACKREST



2171



2173



2191



2198





Hemi gutter



Concave gutter hemi

MOUNTING HARDWARE FOR HIP SUPPORTS				
ATC2164	☐	Mounting hardware for hip supports (6,1" / 155 mm high)		◆
ATC2165	☐	Mounting hardware for hip supports (8,1" / 206 mm high)		○
HEADREST/NECKREST (Black wipedown cover)				
ATC1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts		43,60
ATC1350	☐	Neckrest depth adjustable		◆
ATC1432	☐	Headrest sideways adjustable		○
ATC1427	☐	Headrest with cheek support		314,69
ATC2324	☐	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)		383,89
ATC2325	☐	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)		427,49
ATC1445	☐	Lateral Support with extended arm, multi-adjustable pad	NC : Matrx backrests	301,42
SEAT HEIGHT & SEAT RISER				
SEAT HEIGHT				
ATC1023	☐	Fix Seat Height 450 mm		◆
ATC1025	☐	Fix Seat Height 480 mm		○
ATC1030	☐	Electr. Seat Riser (400 - 650 mm)	NC : Version X-plore	1 895,73
ATC1040	☐	Electr. Seat Riser (440 - 690 mm) incl. Adapter		1 895,73
SEAT TILT				
ATC1002	☐	Manual Seat Tilt by spindle		◆
ATC1014	☐	Electrical Tilt 0° to 25°		787,68
BACKREST RECLINER				
ATC0977	☐	Powered Recliner		◆
LEGRESTS / FOOTRESTS				
Tilt-adjustable central legrest with calf support and angle-adjustable paddle				
PW-2006	☐	Manual LNX (adjustable from 1.5° to 63°)	NC : hip support	On demand
PW-2007	☐	Electric LNX with compensation, positioned at 90° adjustable to +7°/-7°.		On demand
FOOTREST HANGER TYPE / PAIRS				
ATC0533	☐	Hanger Vari A pair		◆
ATC0531	☐	Hanger ADE 0° - 80° pair	NC : 0522	878,67
FOOTPLATE TYPE / PAIRS				
ATC0504	☐	Angle Adjustable Footplate pair		◆
ATC0513	☐	Angle and depth adjustable Footplate pair		107,11
REMOTES LiNX				
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS				
ATC2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators	NC : 2331, 2232, 2229, 2270	-984,83
ATC2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2331, 2232, 2229, 2270	-984,83
ATC2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220	◆
ATC2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500	NC : 2220, 2270	576,30
REM400 TOGGLE OPTION				
ATC2270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)		340,28
REMOTE MOUNTING POSITION				
ATC1207	☐	Standard Bracket RH	NC : 1404	○
ATC1208	☐	Standard Bracket LH	NC : 1405	○
ATC1707	☐	Swing Away Bracket RH	NC : 1404	◆
ATC1708	☐	Swing Away Bracket LH	NC : 1405	○
ATC2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	685,31
ATC2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	685,31
ATC2227	☐	Bracket RH, mounted for Attendant	NC : 2219, 2220, 1287, 2128	33,85
ATC2228	☐	Bracket LH, mounted for Attendant	NC : 2219, 2220, 1286, 2128	33,85
ATZ2229	☐	Individual mounting option per request (Special)		On demand
LiNX REM500 (DISPLAY ONLY) BRACKETS				
ATC2209	☐	Swing away RH, multi-adjustable	NC : 1404	◆
ATC2210	☐	Swing away LH, multi-adjustable	NC : 1405	○
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		On demand
ATC2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	685,31
ATC2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	685,31
ATZ2239	☐	Individual mounting option per request (Special)		On demand



PRICE CUT!



DUAL CONTROL LiNX + BRACKETS				
ATC2220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1221, 1222	677,02
ATC2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94
ATC2245	☐	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228	1 563,98
ATC1207	☐	Standard Bracket RH		◆
ATC1208	☐	Standard Bracket LH		○
ATC1221	☐	Bracket RH, detachable		◆
ATC1222	☐	Bracket LH, detachable		○
If multiple joysticks are to be mounted on the retractable center mount bracket (2213/2214), select option 2215				
LiNX - COMPACT REMOTES + BRACKETS				
ATC2231	☐	Proportional Compact Remote DLX-CR400		1 191,47
ATC2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF		1 312,80
ATC2207	☐	RH Mount	NC : 1404	◆
ATC2208	☐	LH Mount	NC : 1405	○
ATC2213	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405, 1415	717,54
ATC2214	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405, 1339	717,54
ATZ2215	☐	Individual mounting option per request (Special)		On demand
CHIN CONTROL + BRACKETS				
ATC2229	☐	Proportional Chin Joystick (ASL138)	NC : 2128	3 011,37
ATC1289	☐	Swing Away Bracket RH, side manual (ASL628)		◆
ATC1288	☐	Swing Away Bracket LH, side manual (ASL628)		○
ATC1287	☐	Swing Away Bracket RH, powered	NC : 2227, 1404, 1415, 1312	1 445,50
ATC1286	☐	Swing Away Bracket LH, powered	NC : 2228, 1405, 1339, 1363	1 445,50
HEAD CONTROL ATOM Technology				
ATC2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
ATC2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
MICRO EXTREMITY CONTROL				
ATC2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82
ATC2235	☐	Tray Mount RH (100x150 mm)		○
ATC2236	☐	Tray Mount LH (100x150 mm)		○
ATC2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ATC2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ATC2241	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	717,54
ATC2242	☐	Centre Mount, swing-away to LH, Nucleus		717,54
ATZ2215	☐	Individual Mounting option per request (Special)		On demand
LiNX 10-WAY SWITCH				
ATC2251	☐	10-Way Switch DLX-SW10-A f. direct Powered Seating Access		530,81
ATC2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○
ATC2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○
ATC2227	☐	Bracket RH, mounted for attendant	NC : 1287	○
ATC2228	☐	Bracket LH, mounted for attendant	NC : 1286	○
ATC2225	☐	Without mounting		○
ATC2252	☐	Loom providing jack sockets for “Drive” and “Mode”		87,20
LiNX ACCESSORIES				
ATC2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint	236,02
ATC2207	☐	RH Mount		○
ATC2208	☐	LH Mount		○
FURTHER COMPONENTS / ACCESSORIES				
ATC2300	☐	To be enclosed only		○
ATZ2301	☐	To be connected and programmed (Special)		On demand


REM500


REM050

2219
2245


2231
2232


1288 1286
1289 1287


2230


2247

2233


2251


2253

BUDDY BUTTONS						
ATC1685	☐	Red Buddy Button	130,81			
ATC1686	☐	Yellow Buddy Button	130,81			
ATC1687	☐	Green Buddy Button	130,81			
ATC1690	☐	Blue Buddy Button	130,81			
EGG SWITCH						
ATC2254	☐	Egg Switch, black	103,32			
PIKO BUTTONS						
ATC1711	☐	Red Piko Button	130,81			
ATC1712	☐	Yellow Piko Button	130,81			
ATC1713	☐	Green Piko Button	130,81			
ATC1714	☐	Orange Piko Button	130,81			
ATC1715	☐	Blue Piko Button	130,81			
ATC1716	☐	Black Piko Button	130,81			
BODYPOINT JOYSTICK KNOBS						
ATC2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00			
ATC2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00			
ATC2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00			
ATC2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00			
DRIVE UNIT DETAILS						
SHROUD COLOURS						
ATC0202	☐	Blue	○			
ATC0228	☐	Black	○			
ATC0220	☐	Champagne	○			
ATC0204	☐	Transparent Cherry Red	217,06			
ATZ0299	☐	Special Shroud Colour (RAL code required)	764,93			
CASTORS						
ATC0851	☐	3.00 - 6 Pneumatic, Grey	◆			
ATC0853	☐	3.00 - 6 Puncture Proof sealed, Grey	130,81			
ATC0855	☐	3.00 - 6 Puncture Proof (solid inlay), Grey	150,71			
DRIVE WHEEL						
ATC0771	☐	3.00 - 8 Pneumatic, Grey	◆			
ATC0773	☐	3.00 - 8 Puncture Proof(sealed), Grey	130,81			
ATC0750	☐	3.00 - 8 Puncture Proof (solid inlay), Grey	238,86			
PERFORMANCES						
MOTORTYPE						
ATC1277	☐	6 km/h OPS Drive Motor	◆			
ATC1285	☐	10 km/h OPS Drive Motor	◆			
ATC1223	☐	10 km/h Setting for DuraWatt High Speed Motor	○			
BATTERY						
ATC1364	☐	73,5 Ah Gel	◆			
ATB1313	☐	Opti Charge Charger 10A (IP44)	◆			
ATA1314	☐	10A Opticharge Charger (UK)	○			
REAR SUSPENSION						
ATC1240	☐	Suspension low (up to 80kg user weight)	○			
ATC1241	☐	Suspension middle (from 70kg up to 100kg user weight)	◆			
ATC1242	☐	Suspension hard (from 90kg up to 150kg user weight)	○			
SUSPENSION Storm4 X-plore						
ATC1233	☐	REAR SUSPENSION	◆			
ATC1238	☐	Front suspension (up to 100 kg)	◆			
ATC1239	☐	Front suspension (above 100 kg)	○			
G-TRAC						
G-Trac						
ATC1215	☐	G-Trac Module	1 035,07			
POSITIONING OPTIONS						
Consider Bodypoint positioning accessories: belts, harnesses, ankle supports.						
OPTIONS						
LIGHT SYSTEM						
ATC1437	☐	LED Light system with indicators	650,24			
ATC1254	☐	Without Light system	◆			
ANTI-TIPPER						
ATC1205	☐	Anti-tipper (standard version)	◆			
ATC1204	☐	Flip-down anti-tipper	144,08			
KERB RIDER						
ATC1244	☐	Kerb Rider	NC : 1450			
			291,00			

TRANSPORTATION KIT																																														
ATC1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory) The Dahl Docking Station allows the wheelchair to be docked in one of the following vehicles approved according to the requirements of the European Directive EEC-2007-46: VW Crafter, VW Transporter/Caravelle T5, Mercedes Vito/Viano 639, MB Sprinter 906, Ford Transit, Opel Vivaro and Renault Traffic, Citroen Jumpy, Peugeot Expert, Fiat Scudo, VW Caddy, Citroen Berlingo, Peugeot Partner... A headrest is required when transporting the person in an electric wheelchair a power wheelchair, please select one as an option in the seat accessories.																																												
TAXI HOOK																																														
ATC1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)																																												
LAP BELT																																														
ATC1329	☐	Lap Belt with Auto Lock																																												
ATC2113	☐	Lap belt with auto lock (flexible mount in side rails)		19,91																																										
ATC1332	☐	H-Belt		271,09																																										
BODYPOINT PELVIC BELTS																																														
ATC2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L		156,40																																										
ATC2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M		156,40																																										
ATC2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L		133,65																																										
ATC2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M		133,65																																										
ATC2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L		116,59																																										
ATC2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M		116,59																																										
REARVIEW MIRROR																																														
ATC1415	☐	Rearview mirror RH		70,14																																										
ATC1339	☐	Rearview mirror LH		70,14																																										
BAG HOOKS																																														
ATC2128	☐	Bag hooks (on Modulite Seat)		150,71																																										
CANEHOLDER																																														
ATC1312	☐	RH		68,25																																										
ATC1363	☐	LH		68,25																																										
FENDER																																														
ATC1416	☐	Fender for castors		116,59																																										
ATC1417	☐	Fender for rear/drive wheels		144,08																																										
TRAY																																														
ATC1404	☐	Swing Away RH		503,32																																										
ATC1405	☐	Swing Away LH		503,32																																										
Tool kit																																														
ATC1333	☐	Tool kit		30,33																																										
Accessories																																														
SP1522428	☐	Storm®4 labelled stickers for front arms - Blue (pair)		40,76																																										
SP1523651	☐	Storm®4 labelled stickers for front arms - black (pair)		40,76																																										
SP1529145	☐	Storm®4 labelled stickers for front arms - Champagne (pair)		40,76																																										
SP1529393	☐	Storm®4 labelled stickers for front arms - Red (pair)		40,76																																										
SP1529397	☐	Storm®4 labelled stickers for front arms - Green (pair)		40,76																																										
<table><tr><th colspan="2">Invacare® Storm 4 & X-plore AA2</th><th colspan="4">Hauteur d'assise sol/plaque d'assise (en mm)</th></tr><tr><th rowspan="2">Assise</th><th rowspan="6">Type d'assise (fixe ou avec lift)</th><th>Assise RECARO Storm 4 ATC1152</th><th>Assise RECARO Storm 4 X-plore ATC1152</th><th>Assise Modulite Standard ATC2110</th><th>Assise Modulite modulable rigide ATC2111</th><th>Assise Modulite modulable souple ATC2112</th></tr><tr><td>450 mm</td><td>450 mm</td><td>450 mm</td><td>450 mm</td><td>480 mm</td></tr><tr><td colspan="2">ATB1023 : Hauteur d'assise fixe 450 mm</td><td>450 mm</td><td>450 mm</td><td>450 mm</td><td>480 mm</td></tr><tr><td colspan="2">ATB1025 : Hauteur d'assise fixe 480</td><td>480 mm</td><td>480 mm</td><td>480 mm</td><td>510 mm</td></tr><tr><td colspan="2">ATB1030 : Lift de 400 à 650 mm</td><td>400 à 650 mm</td><td>nc</td><td>400 à 650 mm</td><td>430 à 680 mm</td></tr><tr><td colspan="2">ATB1040 : Lift de 440 à 690 mm</td><td>440 à 690 mm</td><td>440 à 690 mm</td><td>440 à 690 mm</td><td>470 à 720 mm</td></tr></table>					Invacare® Storm 4 & X-plore AA2		Hauteur d'assise sol/plaque d'assise (en mm)				Assise	Type d'assise (fixe ou avec lift)	Assise RECARO Storm 4 ATC1152	Assise RECARO Storm 4 X-plore ATC1152	Assise Modulite Standard ATC2110	Assise Modulite modulable rigide ATC2111	Assise Modulite modulable souple ATC2112	450 mm	450 mm	450 mm	450 mm	480 mm	ATB1023 : Hauteur d'assise fixe 450 mm		450 mm	450 mm	450 mm	480 mm	ATB1025 : Hauteur d'assise fixe 480		480 mm	480 mm	480 mm	510 mm	ATB1030 : Lift de 400 à 650 mm		400 à 650 mm	nc	400 à 650 mm	430 à 680 mm	ATB1040 : Lift de 440 à 690 mm		440 à 690 mm	440 à 690 mm	440 à 690 mm	470 à 720 mm
Invacare® Storm 4 & X-plore AA2		Hauteur d'assise sol/plaque d'assise (en mm)																																												
Assise	Type d'assise (fixe ou avec lift)	Assise RECARO Storm 4 ATC1152	Assise RECARO Storm 4 X-plore ATC1152	Assise Modulite Standard ATC2110	Assise Modulite modulable rigide ATC2111	Assise Modulite modulable souple ATC2112																																								
		450 mm	450 mm	450 mm	450 mm	480 mm																																								
ATB1023 : Hauteur d'assise fixe 450 mm		450 mm	450 mm	450 mm	480 mm																																									
ATB1025 : Hauteur d'assise fixe 480		480 mm	480 mm	480 mm	510 mm																																									
ATB1030 : Lift de 400 à 650 mm		400 à 650 mm	nc	400 à 650 mm	430 à 680 mm																																									
ATB1040 : Lift de 440 à 690 mm		440 à 690 mm	440 à 690 mm	440 à 690 mm	470 à 720 mm																																									

RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg	298,58	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	559,24	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	317,54	 1654130