

Invacare® TDX® SP2^{NB} AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB}* AA1

Mixt Power wheelchair 6 wheels



Description :

- 4 poles motors 2 x 340 W as standard
- LiNX electronic as standard
- Weight : from 125kg
- Max user weight : 150 kg
- Warranty: 2 years except batteries and wear parts

***NB: Narrow Base. Overall width of the motor base 610 mm.**
(1)May require the replacement of some parts depending on the configuration of the chair.

Date :

User Name :

Customer Code:

Dealer stamp :



Customization Service Invacare Unique

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE		DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	Euros	
ARL0015	☐	Invacare® TDX® SP2 ^{NB} AA1 Power Module : 90 A Motors : 340W, 4 poles - Autonomy : +/- 26 km (50Ah)		4 834,12	
STANDARD MODULITE SEAT					
ARL2110	☐	Standard Modulite Seat - Seat width 430mm, adjustable armrests from 44 to 48cm	NC : 0977, 1445, 1092, 1093, 1094, 2113, 1332, 0556, 0589, 2192, 2193, 2194, 2229, Bodypoint belts - Hip support	☒	 2110
Seat depth					
ARL2132	☐	410 mm	NC : 2196, 2197, 2198	☐	
ARL2134	☐	460 mm		☒	
ARL2136	☐	510 mm	NC : 2143	☐	
ARL21328	☐	560 mm	NC : 2141, 2143		138,39
Seat cushion					
ARL2142	☐	Seat cushion <i>Flo-tech Lite</i> (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / <i>Contour</i> (for width 530 mm, height 100 mm, max weight 152 kg)		☒	 2143
ARL2143	☐	Seat cushion <i>Flo-tech Contour Visco</i> 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155		76,78
ARL2147	☐	Seat cushion <i>Matrx Libra</i> , (height 90mm, max weight 136kg)	NC : 2155		298,84
ARL2144	☐	Seat cushion <i>Matrx Vi</i> (micro ventilated cover)			298,84
Backrest support					
ARL2161	☐	Height 480mm		☒	
ARL2171	☐	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 2152, 2155, 1445, 1446	☒	
ARL2174	☐	<i>Matrx Posture Back</i> , height 400 mm - incl. Back pocket			798,10
ARL2175	☐	<i>Matrx Posture Back</i> , height 500 mm - incl. Back pocket			798,10
ARL2176	☐	<i>Matrx Elite</i> , height 500 mm - incl. Back pocket			717,54
ARL2177	☐	<i>Matrx Elite TR</i> , height 500 mm - incl. Back pocket			717,54
ARL2178	☐	<i>Matrx Elite Deep</i> , height 500 mm - incl. Back pocket			717,54
MODULITE MODULAR SEAT					
Seat type					
ARL2111	☐	Rigid Modulite Seat, width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE			122,27
ARL2112	☐	Flexible Modulite Seat, tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE			138,39
Seat width (Factory preset)					
		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2138+2142/2147/2144		
ARL2121	☐	380 mm	NC : 2143, 2138+2142/2147/2144, 2701, 2703, 2705	☐	
ARL2122	☐	430 mm	2138+2142/2147/2144, 2701, 2703, 2705	☒	
ARL2123	☐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	☐	
ARL2124	☐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706		138,39



2111

2112



2171



2147 2144

Seat width (Factory preset)				
ARL2129	☐	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆
ARL2130	☐	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	246,45
Seat Depth (Factory preset)				
ARL2132	☐	410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	○
ARL2134	☐	460 mm	NC : 0556+wedge-thight	◆
ARL2136	☐	510 mm	NC : 2143, 0556+wedge-thight	○
ARL2138	☐	560 mm (only with seat width 530 mm)	NC : 2143	138,39
Seat cushion				
ARL2142	☐	Seat cushion <i>Flo-tech Lite</i> (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / <i>Contour</i> (for width 530 mm, height 100 mm, max weight 152 kg)		◆
ARL2143	☐	Seat cushion <i>Flo-tech Contour Visco</i> 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78
ARL2147	☐	Seat cushion <i>Matrx Libra</i> , (height 90mm, max weight 136kg)	NC : 2155	293,84
ARL2144	☐	Seat cushion <i>Matrx Vi</i> (micro ventilated cover)	NC : 2155	293,84
Backposts				
ARL2162	☐	Height 540 mm		○
ARL2163	☐	Height 480 mm	NC : 2173	○
Pusch handles				
ARL2107	☐	Pusch handles		◆
ARL2108	☐	Without pusch handles - only for <i>Flex 3 backrests</i>	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	233,18
Backrest support				
ARL2171	☐	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 2152, 2155, 1445, 2230, 2247 Elan headrest	◆
ARL2179	☐	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 2151, 2155, 2192, 2193, 2194, 1445, 2229, 2230, 2247, Elan headrest	226,54
ARL2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	189,57
ARL2174	☐	<i>Matrx Posture Back</i> , height 400 mm - incl. Back pocket		798,10
ARL2175	☐	<i>Matrx Posture Back</i> , height 500 mm - incl. Back pocket		798,10
ARL2176	☐	<i>Matrx Elite</i> , height 500 mm - incl. Back pocket		717,54
ARL2177	☐	<i>Matrx Elite TR</i> , height 500 mm - incl. Back pocket		717,54
ARL2178	☐	<i>Matrx Elite Deep</i> , height 500 mm - incl. Back pocket		717,54
COMMON OPTIONS FOR MODULITE SEATING				
Backrest cushion and / or seat upholstery (depending on configuration)				
ARL2151	☐	Nylon noir		◆
ARL2152	☐	Dartex noir		71,09
ARL2155	☐	Mesh black		100,47
Armrest				
ARL2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆
ARL2181	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, hip support	284,36
ARL2198	☐	Enveloping armrest, Dartex coating, by pair		70,14
ARL2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : hip support	137,44
ARL2193	☐	Lifting armrest, ajustable height 230 - 360 mm		135,55
ARL2192	☐	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445, 1446	372,51
ARL2194	☐	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445, 1446	372,51
Armpad				
ARL2195	☐	Standard armpad, length 325 mm, by pair		◆
ARL2196	☐	Long armpad, length 375 mm, by pair		91,00
ARL2197	☐	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	133,65
Hemiplegic gutter				
	☐	Hemi concave gutter with palmar support flat or bent horn and reversible rotator Right or left 360 °, by 18 °		On demand
	☐	Hemiplegic gutter in special manufacturing		On demand

2143

2147

2144

2171

2173

2191

2198

2192

2195

2196

2197

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199

2199



2199

2199


2199

2199

2199

Seat accessories					 Wedge-thigh  1432  1427
ARL2184	☐	Left wedge-thigh, 140x100 mm	NC : Bodypoint	332,70	
ARL2186	☐	Left wedge-thigh, 230x100 mm	NC : Bodypoint	332,70	
ARL2188	☐	Left wedge-thigh, 330x100 mm	NC : Bodypoint	332,70	
ARL2185	☐	Right wedge-thigh 140x100 mm	NC : Bodypoint	332,70	
ARL2187	☐	Right wedge-thigh 230x100 mm	NC : Bodypoint	332,70	
ARL2189	☐	Right wedge-thigh 330x100 mm	NC : Bodypoint	332,70	
Wedge-tight support height					 1427
ARL2164	☐	Wedge-tight support 155 mm		◆	
ARL2165	☐	Wedge-tight support 206 mm		○	
Headrest and accessories					 2324  2327  1445
ARL1432	☐	Neckrest depth and width adjustable	NC : 2229, 2230, 2247	273,93	
ARL1427	☐	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	361,14	
ARL2324	☐	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247	383,89	
ARL2325	☐	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247	427,49	
ARL2327	☐	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247	559,24	
ARL1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts		51,18	
ARL1445	☐	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	385,78	
SEAT ADJUSTMENTS FOR MODULITE SEAT					
Seat lifter / Seat tilt					 0975  0977 PRICE CUT!
ARL1091	☐	Manual from 0° to 8,5°	NC : 2054	◆	
ARL1092	☐	Powered tilt 0° à 20°	NC : 2054, 2201	473,93	
ARL1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054, 2201	473,93	
ARL1093	☐	Powered tilt with CoG shift 0° à 30°	NC : 2201	906,16	
ARL1094	☐	Electric with compensation from 0 ° to 30 ° + <i>Lift 300 mm</i> - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	NC : 2201	1 895,73	
Height floor-plate for electric from 0 ° to 20 °					
ARL0354	☐	450 mm		◆	
ARL0364	☐	475 mm		○	
Seat Tilt Option (only if option 1093 or 1094 has been selected)					
ARL2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		488,15	
Backrest recliner					
ARL0975	☐	Manual Settable Recliner (in 3.75° steps)		◆	
ARL0977	☐	Electric from 0° to 30°	NC : 2201	816,11	
FOOTREST / LEGRESTS					
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)					 0533  0531
ARL0556	☐	Centre mount legrest, angle settable	NC : 1094+2054, 0517	563,03	
ARL0589	☐	LNx Power centre mount legrest, length compensating	NC : 1094+2054, 2201	1 969,67	
Footplates (pair)					
ARL2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○	
ARL0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆	
ARL0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		143,13	
ARL0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		143,13	
Footrest Hanger Type / Pairs					
ARL0526	☐	Standard hanger 80° pair	NC : 0504	○	
ARL0533	☐	Hanger Vari A pair		◆	
ARL0532	☐	Hanger ADManual 0° - 80° pair	NC : 0512	311,85	
ARL0531	☐	Hanger ADElectric 0° - 80° pair	NC : 0512, 2201	1 733,65	
Footplate type / Pairs					
ARL0512	☐	Fixed Footplate pair		◆	
ARL0504	☐	Angle Adjustable Footplate pair		○	
ARL0513	☐	Angle and depth adjustable Footplate pair		122,27	
REMOTE LINX					
Main control unit only for Electronic LiNX					  REM110  REM211  REM216  REM400  REM500  Bluetooth  Bluetooth  2270
ARL2201	☐	Remote LiNX - DLX - REM110 = Drive only - 1 Drive function with Drive only power module	NC : 2229, 2230, 2247, 2257, 2233, 2240, 2270, 2245	◆	
ARL2203	☐	Remote <i>LiNX</i> REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	○	
ARL2204	☐	Remote <i>LiNX</i> REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	○	
ARL2205	☐	Remote <i>LiNX</i> REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	1 309,00	
ARL2206	☐	Screen control <i>LiNX</i> REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	1 969,67	
REM400 option					
ARL2270	☐	"Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		390,52	

Remote mounting position (REM211/216/400)				
ARL1207	☐	Reversible right fixation, no retractable	NC : 1404	○
ARL1208	☐	Reversible left fixation, no retractable	NC : 1405	○
ARL1707	☐	Retractable on right + height adjustable, consolidated	NC : 1404	◆
ARL1708	☐	Retractable on left + height adjustable, consolidated	NC : 1405	○
ARL2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	787,68
ARL2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	787,68
ARL2227	☐	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	161,14
ARL2228	☐	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286, 2128	161,14
AVZ2239	☐	Custom Installation, thank you specify your request:		On demand only
Mounting the LiNX REM500 Control Screen				
ARL2209	☐	Swing away RH, multi-adjustable	NC : 1404, 1415	◆
ARL2210	☐	Swing away LH, multi-adjustable	NC : 1405, 1339	○
PW-4005	☐	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand only
ARL2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	749,76
ARL2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	749,76
AVZ2239	☐	Custom Installation, thank you specify your request:		On demand only
Dual LiNX remote (User + third person)				
ARL2220	☐	Dual Control <i>LiNX</i> (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 1221, 1222, 2227, 2228	677,02
ARL2219	☐	Dual Compact LiNX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2227, 2228	1 315,64
ARL2245	☐	Dual intuitive <i>LiNX</i> control- dedicated driving profile	NC : 1207, 1208, 2227, 2228	1 638,86
ARL1207	☐	Fixing on the right - only with REM050 and Compact		◆
ARL1208	☐	Fixing on the left - only with REM050 and Compact		○
ARL1221	☐	Right fixations, removable - only with intuitive LiNX control		◆
ARL1222	☐	Left fixations, removable - only with intuitive LiNX control		○
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215				
Compact Proportional Joysticks - Only with REM400 and REM500				
ARL2231	☐	LiNX Compact proportionel joystick (deflection force: 160 g)		1 371,56
ARL2232	☐	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 509,00
ARL2207	☐	Fixing on the right	NC : 1404	◆
ARL2208	☐	Fixing on the left - only with REM050 and Compact	NC : 1405	○
ARL2213	☐	Central fixing, retractable on the right	NC : 1404, 1405, 1415	825,59
ARL2214	☐	Central fixing, retractable on the left	NC : 1404, 1405, 1339	825,59
AVZ2215	☐	Custom Installation, thank you specify your request:		On demand only
Chin control - Only with REM400 and REM500				
ARL2229	☐	Proportional Chin Joystick (ASL138) + egg switch	NC : 2128	3 463,51
ARL1289	☐	Swing Away Bracket RH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)		◆
ARL1288	☐	Swing Away Bracket LH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)		○
ARL1287	☐	Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312	1 662,56
ARL1286	☐	Swing Away Bracket LH, powered	NC : 2125, 2228, 1405, 1339, 1363	1 662,56
Additional options LiNX				
ARL2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	6 494,79
ARL2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	6 494,79
Four-Switch Proximity Array (with ATOM technology)				
ARL2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240	7 358,29
ARL2275	☐	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○
ARL2276	☐	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○
ARV2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only
Micro extremity control				
ARL2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240	3 872,04
ARL2235	☐	Tray Mount RH (100x150 mm)		○
ARL2236	☐	Tray Mount LH (100x150 mm)		○
ARL2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ARL2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ARL2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	825,59
ARL2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		825,59
AVZ2215	☐	Individual Mounting option per request (Special)		On demand only


2209
2210


REM050


2219


2245


2231


1288 1286
1289 1287




2230


2247


2257


2233

Heavy Duty Remote Joystick						2240
ARL2240	☐	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128	3 115,64		
ARL2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○		
ARL2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○		
ARL2213	☐	Centre Mount, swing-away to RH, Nucleus		○		
ARL2214	☐	Centre Mount, swing-away to LH, Nucleus		○		
ARL2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59		
ARL2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59		
ARV2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only		
Additional options LiNX						2251
ARL2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)		610,43		
ARL2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○		
ARL2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○		
ARL2227	☐	Bracket RH, mounted for attendant	NC : 1287, 2128	○		
ARL2228	☐	Bracket LH, mounted for attendant	NC : 1286, 2128	○		
ARL2225	☐	Without mounting		○		
ARL2252	☐	Loom providing jack sockets for “Drive” and “Mode” (includes connection for 10-Way Switch)		99,53		
Accessories LiNX						2253
ARL2253	☐	USB Charger Port DLX-USB02-A	NC : 2110, Bodypoint	271,09		
ARL2207	☐	Fixing on the right	NC : 1404	○		
ARL2208	☐	Fixing on theleft	NC : 1405	○		
Others accessories and contactors						
ARL2300	☐	To be included with the armchair		○		
AVZ2301	☐	To connect and program (Special)		On demand only		
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)						
ARL1685	☐	Red Buddy Button		149,76		
ARL1686	☐	Yellow Buddy Button		149,76		
ARL1687	☐	Green Buddy Button		149,76		
ARL1690	☐	Blue Buddy Button		149,76		
Egg switch (option 2252 required if no REM400)						
ARL2254	☐	Egg switch, black		119,43		
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)						2258
ARL1711	☐	Mini contactor Red		149,76		
ARL1712	☐	Mini contactor Yellow		149,76		
ARL1713	☐	Mini contactor Green		149,76		
ARL1714	☐	Mini contactor Orange		149,76		
ARL1715	☐	Mini contactor Blue		149,76		
ARL1716	☐	Mini contactor Black		149,76		
Remote Stop Switch						2721 2722
ARL2258	☐	Remote Stop Switch (ASL504)		955,45		
Bodypoint						2723 2724
ARL2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00		
ARL2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00		
ARL2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00		
ARL2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00		
DRIVE UNIT OPTIONS						
Shroud Colors						
ARL2601	☐	SpaceStation Silver		○		
ARL2602	☐	Island Blue		○		
ARL2603	☐	Grape JellyBean		○		
ARL2607	☐	Rockstar Red		○		
ARL2608	☐	Lights Out Black – Matte		○		
ARL2609	☐	Invacare® Blue		○		
ARL0228	☐	Wet Black		○		
Side Shroud Colors						
ARL2611	☐	SpaceStation Silver		66,35		
ARL2612	☐	Island Blue		66,35		
ARL2613	☐	Grape JellyBean		66,35		
ARL2617	☐	Rockstar Red		66,35		
ARL2618	☐	Lights Out Black – Matte		66,35		
ARL2619	☐	Invacare® Blue		66,35		
ARL2620	☐	Wet Black		66,35		
ARL2621	☐	Without Rim insert		◆		
Performance						
Forks						
ARL2631	☐	Single sided fork (new) incl. black castor		456,87		
ARL2632	☐	Double sided fork		◆		
Rear wheels type Storm®4						
ARL0704	☐	14"x3" Black Tires, Pneumatic		◆		
ARL0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8		71,09		
ARL0733	☐	14"x3" Black Tires with Gel Foam Inserts		○		

Motor type / Speed Options				
ARL1282	☐	OPS Drive 6 km/h (4-pole)	◆	
ARL1283	☐	OPS Drive 10 km/h (4-pole)	○	
Battery				
ARL1257	☐	50 Ah Gel	◆	
Charger				
ARL1313	☐	OptiCharge Charger 10A	◆	
GYROSCOPE				
G-Trac				
ARL1215	☐	<i>G-Trac modul</i> (Directional control of the trajectory while driving)	1 188,63	
POSITIONNING OPTIONS				
For Bodypoint accessories, please refer to the Bodypoint specific pricelist.				
OPTIONS				
Lights				  1493  1329  2701, 2702  2703, 2704  2705, 2706  1404 1405  1440530  1654130
ARL1367	☐	Standard security light system equipment <i>Storm®3 type</i> - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)	721,33	
ARL1437	☐	LED Security light system equipment <i>Storm®3 type</i> - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)	721,33	
ARL1254	☐	Without light system	◆	
Transportation Kit				
ARL1450	☐	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!	738,39	
Kerb rider				
ARL1493	☐	4-Point tie-down (For wheelchair transportation without user)	◆	
ARL1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)	○	
Fixation belt				
ARL1329	☐	Fixation Belt with Auto Lock	NC : Bodypoint belt ◆	
ARL2113	☐	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : 2110, Bodypoint 57,82	
ARL1332	☐	H-Belt	NC : 2110 311,85	
Ceintures de positionnement Bodypoint (fixations incluses)				
ARL2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)	156,40	
ARL2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)	156,40	
ARL2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)	133,65	
ARL2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)	133,65	
ARL2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)	116,59	
ARL2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)	116,59	
Rearview mirror				
ARL1415	☐	Right	79,62	
ARL1339	☐	Left	79,62	
Caneholder				
ARL1312	☐	Right	77,73	
ARL1363	☐	Left	77,73	
Swing away tray				
ARL1404	☐	Right	579,15	
ARL1405	☐	Left	579,15	
Ramps				
1440530,00	☐	Mono fiberglass ramp 2000x820 mm - weight 16.3 kg (weight max.300kg)	1 787,68	
1654130,00	☐	Mono folding ramp in aluminum: foldable in two in length, simple to position, carrying handle. 13.9 kg capacity maximum: 300 kg	426,54	