

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB}* AA2

Mixt Power wheelchair 6 wheels



Descriptive :

- Weight : from 125kg
- Max user weighth : 150 kg
- Warranty: 2 years except batteries and wear parts
- New manipulator supports

Date :

User Name :

Customer Code:

Dealer stamp :



Customization Service Invacare Unique

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

☐ please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE		DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS	
ARM0016	☐	Invacare® TDX® SP2 ^{NB} AA2 Power Module : 90 A Motors : 640W, 4 poles - Autonomy : +/- 26 km (50Ah)		5 260,66	

MODULITE MODULAR SEAT

Seat type

ARM2111	☐	Rigid Modulite Seat, width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		◆	 2111
ARM2112	☐	Flexible Modulite Seat, tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		138,39	 2112

Seat width (Factory preset)

		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2138+2142/2147/2144		
ARM2121	☐	380 mm	NC : 2143, 2138+2142/2147/2144, 2701, 2703, 2705	○	
ARM2122	☐	430 mm	NC : 2138/2142/2147, 2701, 2703, 2705	◆	
ARM2123	☐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○	
ARM2124	☐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	138,39	

Seat width (Factory preset)

ARM2129	☐	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆	
ARM2130	☐	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	246,45	

Seat Depth (Fcatory preset)

ARM2132	☐	410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	○	
ARM2134	☐	460 mm	NC : 0556+wedge-thight	◆	
ARM2136	☐	510 mm	NC : 2143, 0556+wedge-thight	○	
ARM2138	☐	560 mm(only with seat width 530 mm)	NC : 2143	138,39	

Seat cushion

ARM2142	☐	Seat cushion <i>Flo-tech Lite</i> (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / <i>Contour</i> (for width 530 mm, height 100 mm, max weight 152 kg)		◆	 2142
ARM2143	☐	Seat cushion <i>Flo-tech Contour Visco</i> 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78	
ARM2147	☐	Seat cushion <i>Matrx Libra</i> , (height 90mm, max weight 136kg)	NC : 2155	298,84	
ARM2144	☐	Seat cushion <i>Matrx Vi</i> (micro ventilated cover)	NC : 2155	298,84	

Backposts


ARM2162	☐	Height 540 mm		○	
ARM2163	☐	Height 480 mm	NC : 2173	○	




2147 2144

Pusch handles				
ARM2107	☐	Pusch handles		◆
ARM2108	☐	Without pusch handles - only for <i>Flex 3 backrests</i>	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	233,18
Backrest support				
ARM2171	☐	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 1288, 1289, 1445, 2152, 2155, Elan headrest	◆
ARM2179	☐	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 2151,2153,2155,2192 2193,2194,1445,1446,2229, Elan headrest	226,54
ARM2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	○
ARM2174	☐	<i>Matrx Posture Back</i> , height 400 mm - incl. Back pocket		798,10
ARM2175	☐	<i>Matrx Posture Back</i> , height 500 mm - incl. Back pocket		798,10
ARM2176	☐	<i>Matrx Elite</i> , height 500 mm - incl. Back pocket		717,54
ARM2177	☐	<i>Matrx Elite TR</i> , height 500 mm - incl. Back pocket		717,54
ARM2178	☐	<i>Matrx Elite Deep</i> , height 500 mm - incl. Back pocket		717,54
COMMON OPTIONS FOR MODULITE SEATING				
Backrest cushion and / or seat upholstery (depending on configuration)				
ARM2151	☐	Nylon noir		◆
ARM2152	☐	Dartex noir		71,09
ARM2155	☐	Mesh black		100,47
Armrest				
ARM2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆
ARM2181	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, wedge-thight	284,36
ARM2198	☐	Enveloping armrest, Dartex coating, by pair		70,14
ARM2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : wedge-thight	137,44
ARM2193	☐	Lifting armrest, ajustable height 230 - 360 mm		149,76
ARM2192	☐	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	372,51
ARM2194	☐	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	372,51
Armpad				
ARM2195	☐	Standard armpad, length 325 mm, by pair		◆
ARM2196	☐	Long armpad, length 375 mm, by pair		91,00
ARM2197	☐	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	129,86
Hemiplegic gutter				
	☐	Hemiplegic gutter in special manufacturing		On demand only
	☐	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator in 18° steps		On demand only
Seat accessories				
ARM2184	☐	Left wedge-thight, 140x100 mm	NC : Bodypoint	332,70
ARM2186	☐	Left wedge-thight, 230x100 mm	NC : Bodypoint	332,70
ARM2188	☐	Left wedge-thight, 330x100 mm	NC : Bodypoint	332,70
ARM2185	☐	Right wedge-thight 140x100 mm	NC : Bodypoint	332,70
ARM2187	☐	Right wedge-thight 230x100 mm	NC : Bodypoint	332,70
ARM2189	☐	Right wedge-thight 330x100 mm	NC : Bodypoint	332,70
Wedge-tight support height				
ARM2164	☐	Wedge-tight support 155 mm		◆
ARM2165	☐	Wedge-tight support 206 mm		○
Headrest and accessories				
ARM1350	☐	Neckrest depth adjustable, Dartex coating	NC : 2229, 2230, 2247	◆
ARM1432	☐	Neckrest depth and width adjustable	NC : 2229, 2230, 2247	○
ARM1427	☐	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	361,14
ARM2324	☐	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247	383,89
ARM2325	☐	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247	427,49
ARM2327	☐	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247	559,24
ARM1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts		51,18
ARM1445	☐	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	385,78

SEAT ADJUSTMENTS FOR MODULITE SEAT					PRICE CUT!  0977
Seat lifter / Seat tilt					
ARM1092	☐	Powered tilt 0° à 20°	NC : 2054	○	
ARM1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054	○	
ARM1093	☐	Powered tilt with CoG shift 0° à 30°		◆	
ARM1094	☐	Electric with compensation from 0 ° to 30 ° + <i>Lift 300 mm</i> - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily		1 895,73	
Height floor-plate for electric from 0 ° to 20 °					
ARM0354	☐	450 mm		○	
ARM0364	☐	475 mm		○	
Seat Tilt Option (only if option 1093 or 1094 has been selected)					
ARM2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		488,15	
Backrest recliner					
ARM0977	☐	Electric from 0° to 30°		◆	
FOOTREST / LEGRESTS					
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)					
ARM0556	☐	Centre mount legrest, angle settable	NC : 1094+2054, 0517	563,03	
ARM0589	☐	LNx Power centre mount legrest, length compensating	NC : 1094+2054	1 969,67	
Footplates (pair)					
ARM2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○	
ARM0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆	
ARM0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		143,13	
ARM0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		143,13	
Footrest Hanger Type / Pairs					
ARM0533	☐	Hanger Vari A pair		◆	
ARM0531	☐	Hanger ADElectric 0° - 80° pair		1 010,43	
Footplate type / Pairs					
ARM0504	☐	Angle Adjustable Footplate pair		◆	
ARM0513	☐	Angle and depth adjustable Footplate pair		107,11	
REMOTE LINX					
Main control unit only for Electronic LiNX					
ARM2203	☐	Remote <i>LiNX</i> REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆	
ARM2204	☐	Remote <i>LiNX</i> REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○	
ARM2205	☐	Remote <i>LiNX</i> REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	1 309,00	
ARM2206	☐	Screen control <i>LiNX</i> REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	1 969,67	
REM400 option					
ARM2270	☐	"Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		390,52	
Remote mounting position (REM211/216/400)					
ARM1207	☐	Reversible right fixation, no retractable	NC : 1404	○	
ARM1208	☐	Reversible left fixation, no retractable	NC : 1405	○	
ARM1707	☐	Retractable on right + height adjutable, consolidated	NC : 1404	◆	
ARM1708	☐	Retractable on left + height adjutable, consolidated	NC : 1405	○	
ARM2213	☐	Montage central, escamotable à droite	NC : 1404, 1405, 1415	787,68	
ARM2214	☐	Montage central, escamotable à gauche	NC : 1404,1405, 1339	787,68	
ARM2227	☐	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	145,97	
ARM2228	☐	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286, 2128	145,97	
AVZ2239	☐	Custom Installation, thank you specify your request:		On demand only	
Mounting the LiNX REM500 Control Screen					
ARM2209	☐	Swing away RH, multi-adjustable	NC : 1404, 1415	◆	
ARM2210	☐	Swing away LH, multi-adjustable	NC : 1405, 1339	○	
PW-4005	☐	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand only	
ARM2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	749,76	
ARM2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	749,76	
AVZ2239	☐	Custom Installation, thank you specify your request:		On demand only	

Dual LiNX remote (User + third person)						2219
ARM2220	☐	Dual Control <i>LiNX</i> (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 1221, 1222, 2227, 2228	677,02		
ARM2219	☐	Dual Compact LiNX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2227, 2228	1 255,92		
ARM2245	☐	Dual intuitive <i>LiNX</i> control- dedicated driving profile	NC : 1207, 1208, 2227, 2228	1 563,98		
ARM1207	☐	Fixing on the right - only with REM050 and Compact		◆		
ARM1208	☐	Fixing on the left - only with REM050 and Compact		○		
ARM1221	☐	Right fixations, removable - only with intuitive LiNX control		◆		
ARM1222	☐	Left fixations, removable - only with intuitive LiNX control		○		
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215						2231
Compact Proportional Joysticks - Only with REM400 and REM500						
ARM2231	☐	LiNX Compact proportionel joystick (deflection force: 160 g)		1 309,00		
ARM2232	☐	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 509,00		
ARM2207	☐	Fixing on the right	NC : 1404	◆		
ARM2208	☐	Fixing on the left - only with REM050 and Compact	NC : 1405	○		
ARM2213	☐	Central fixing, retractable on the right	NC : 1404, 1405, 1415	825,59		
ARM2214	☐	Central fixing, retractable on the left	NC : 1404, 1405, 1339	825,59		
AVZ2215	☐	Custom Installation, thank you specify your request:		On demand only		
Chin control - Only with REM400 and REM500						1286 1287 1288 1289
ARM2229	☐	Proportional Chin Joystick (ASL138) + egg switch		3 463,51		
ARM1289	☐	Swing Away Bracket RH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427, 2322	◆		
ARM1288	☐	Swing Away Bracket LH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427, 2322	○		
ARM1287	☐	Swing Away Bracket RH, powered	NC : 2125,2227,1404, 1415, 1312	1 662,56		
ARM1286	☐	Swing Away Bracket LH, powered	NC : 2125,2227,1405, 1339, 1363	1 662,56		
Additional options LiNX						2230
ARM2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240	6 494,79		
ARM2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240	6 494,79		2247
Four-Switch Proximity Array (with ATOM technology)						2257
ARM2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240	7 048,34		
ARM2275	☐	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○		
ARM2276	☐	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○		
ARV2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only		
Wireless Accessories for ATOM						2250
ARM2250	☐	Wireless Mouse Emulator (ASL558)		1 730,81		
Micro extremity control						2233
ARM2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240	3 872,04		
ARM2235	☐	Tray Mount RH (100x150 mm)		○		
ARM2236	☐	Tray Mount LH (100x150 mm)		○		
ARM2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○		
ARM2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○		
ARM2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	825,59		
ARM2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		825,59		
AVZ2215	☐	Individual Mounting option per request (Special)		On demand only		
Heavy Duty Remote Joystick						2240
ARM2240	☐	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128	3 115,64		
ARM2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○		
ARM2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○		
ARM2213	☐	Centre Mount, swing-away to RH, Nucleus		○		
ARM2214	☐	Centre Mount, swing-away to LH, Nucleus		○		
ARM2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59		
ARM2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		825,59		
ARV2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only		

Additional options LiNX					 2251
ARM2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)	NC : 2209, 2213	610,43	
ARM2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○	
ARM2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○	
ARM2227	☐	Bracket RH, mounted for attendant	NC : 1287, 2128	○	
ARM2228	☐	Bracket LH, mounted for attendant	NC : 1286, 2128	○	
ARM2225	☐	Without mounting		○	
ARM2252	☐	Loom providing jack sockets for “Drive” and “Mode” (includes connection for 10-Way Switch)		99,53	
Accessories LiNX					 2253
ARM2253	☐	USB Charger Port DLX-USB02-A	NC : 2110, Belt bodypoint	271,09	
ARM2207	☐	Fixing on the right	NC : 1404	○	
ARM2208	☐	Fixing on theleft	NC : 1405	○	
Others accessories and contactors					
ARM2300	☐	To be included with the armchair		○	
AVZ2301	☐	To connect and program (Special)		On demand only	
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)					
ARM1685	☐	Red Buddy Button		149,76	
ARM1686	☐	Yellow Buddy Button		149,76	
ARM1687	☐	Green Buddy Button		149,76	
ARM1690	☐	Blue Buddy Button		149,76	
Egg switch (option 2252 required if no REM400)					
ARM2254	☐	Egg switch, black		149,76	
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)					
ARM1711	☐	Mini contactor Red		149,76	
ARM1712	☐	Mini contactor Yellow		149,76	
ARM1713	☐	Mini contactor Green		149,76	
ARM1714	☐	Mini contactor Orange		149,76	
ARM1715	☐	Mini contactor Blue		149,76	
ARM1716	☐	Mini contactor Black		149,76	
Remote Stop Switch					 2258
ARM2258	☐	Remote Stop Switch (ASL504)		955,45	
Bodypoint					 2721 2722  2723  2724
ARM2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00	
ARM2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00	
ARM2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00	
ARM2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00	
DRIVE UNIT OPTIONS					
Shroud Colors					
ARM2601	☐	SpaceStation Silver		○	
ARM2602	☐	Island Blue		○	
ARM2603	☐	Grape JellyBean		○	
ARM2607	☐	Rockstar Red		○	
ARM2608	☐	Lights Out Black – Matte		○	
ARM2609	☐	Invacare® Blue		○	
ARM0228	☐	Wet Black		○	
Side Shroud Colors					
ARM2611	☐	SpaceStation Silver		66,35	
ARM2612	☐	Island Blue		66,35	
ARM2613	☐	Grape JellyBean		66,35	
ARM2617	☐	Rockstar Red		66,35	
ARM2618	☐	Lights Out Black – Matte		66,35	
ARM2619	☐	Invacare® Blue		66,35	
ARM2620	☐	Wet Black		66,35	
ARM2621	☐	Without Rim insert		◆	
Performance					
Forks					
ARM2631	☐	Single sided fork (new) incl. black castor		456,87	
ARM2632	☐	Double sided fork		◆	
Rear wheels type Storm®4					
ARM0704	☐	14"x3" Black Tires, Pneumatic		◆	
ARM0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8		71,09	
ARM0733	☐	14"x3" Black Tires with Gel Foam Inserts		○	
Motor type / Speed Options					
ARM1282	☐	OPS Drive 6 km/h (4-pole)		◆	
ARM1283	☐	OPS Drive 10 km/h (4-pole)		○	
Battery					
ARM1257	☐	50 Ah Gel		◆	
Charger					
ARM1313	☐	OptiCharge Charger 10A		◆	
GYROSCOPE					
G-Trac					
ARM1215	☐	<i>G-Trac modul</i> (Directional control of the trajectory while driving)		1 188,63	

POSITIONNNG OPTIONS					For Bodypoint accessories, please refer to the Bodypoint specific pricelist.			
OPTIONS								
Lights								
ARM1367	☐	Standard security light system equipment Storm®3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)			721,33			
ARM1437	☐	LED Security light system equipment Storm®3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)			785,78			
ARM1254	☐	Without light system			◆			
Transportation Kit								
ARM1450	☐	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!			738,39			
Taxi hanger								
ARM1494	☐	Accroche-taxis conformes à la norme ISO7176-19 : 2001 pour le transport des personnes			◆			
Fixation belt								
ARM1329	☐	Fixation Belt with Auto Lock	NC : Belt bodypoint		◆		1329	
ARM2113	☐	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : Belt bodypoint		57,82			
ARM1332	☐	H-Belt			311,85			
Ceintures de positionnement Bodypoint (fixations incluses)								
ARM2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)			156,40		2701, 2702	
ARM2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)			156,40			
ARM2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)			133,65			
ARM2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)			133,65			
ARM2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)			125,12			
ARM2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)			116,59			
Rearview mirror								
ARM1415	☐	Right			79,62		2128	
ARM1339	☐	Left			79,62			
Back Hook								
ARM2128	☐	Bag hooks (on Modulite Seat) (max load up to 6 kg = impact on max user weight)			172,51			
Caneholder								
ARM1312	☐	Right			77,73		1404 1405	
ARM1363	☐	Left			77,73			
Swing away tray								
ARM1404	☐	Right			579,15		1440530	
ARM1405	☐	Left			579,15			
RAMPS								
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg			1 787,68		1654130	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg			426,54			