

Invacare® TDX® SP2 AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2 AA1

Mixt Power wheelchair 6 wheels

CE

Description :

- 2-year warranty excluding batteries and wearing parts.

Date :

User Name :

Customer Code:

Dealer stamp :

Customization Service Invacare Unique
Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

☐ Sélectionner les options choisies par une croix dans les cases ☒ Configuration standard ☐ Options sans supplément de prix

CODE		DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS	
ARH0015	☐	Invacare® TDX® SP2 AA1		8 234,12	
ARH0071	☐	Invacare®TDX® SP2 AA1 - Low Rider version - including 73.5 Ah batteries - Reduced seat height 420 mm - 30° seat tilt and lift included - Armrests not adjustable in width	NC : 1091, 1092, 1093, 1095, 1145, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2229, 2134+0589, 2121	10 930,81	
ARH0072	☐	Invacare®TDX® SP2 AA1 - Low Rider version - including 60Ah batteries - Reduced seat height 403 mm - 30° seat tilt and lift included	NC : 1091, 1092, 1093, 1095, 1145, 1260, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2134+0589, 2121	10 930,81	
Invacare® Modulite Seat Unit					
ARH2110	☐	One Piece Seat Plate, width 430 mm Adjustable by arms 440 - 480 mm	NC : 0556,0589, 0977, 1092, 1093, 1094, 1095, 1332, 2108, 2113,2192, 2193, 2194, thigh braces, 2128, Bodypoint	◆	 2110
SEAT DEPTH SETTING					
ARH2132	☐	410 mm	NC : 2196, 2197,2198	○	 2143  2147 2144
ARH2134	☐	460 mm		◆	
ARH2136	☐	510 mm	NC : 2143	○	
SEAT CUSHIONS					
ARH2141	☐	Standard Foam Cushion 50 mm thick	NC : 2152, 2153, 2155, Bodypoint	◆	 2171
ARH2142	☐	Matrx Flo-tech Cushion Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		○	
ARH2143	☐	Matrx Flo-tech Contour Visco; (2-way stretch material) 430 x 430 mm [max. user weight 125 kg]	NC : 2155	76,78	
ARH2147	☐	Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg). Extended lead time: + 4 days	NC : 2155	293,84	
ARH2144	☐	Matrx Vi Cushion (Mesh fabric)	NC : 2155	293,84	
BACKREST SUPPORT					
ARH2161	☐	Backrest frame, detachable, height 480 mm	NC : 1307	◆	
ARH2171	☐	Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 2152, 2153, 2155, 1445, 2230, 2247, 2322, 2323, 2324, 2325, 2326, 2327, Elan Headrests	◆	
ARH2174	☐	Matrx Posture Back, height 400 mm (Mesh fabric)		798,10	
ARH2175	☐	Matrx Posture Back, height 500 mm (Mesh fabric)		798,10	
ARH2176	☐	Matrx Elite E2 Back , height 500 mm (Mesh fabric)		717,54	
ARH2177	☐	Matrx Elite TR Back, height 500 mm (Mesh fabric)		717,54	
ARH2178	☐	Matrx Elite Deep E2 Back, height 500 mm (Mesh fabric)		717,54	
Find the trunk supports and all the accessories on the Matrx measurement sheet!					

MODULITE MODULAR SEAT					
Seat type					
ARH2111	☐	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms		107,11	 2111  2112
ARH2112	☐	Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms		120,38	
Seat width (Factory preset)					
		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2701, 2703, 2705, 2138+2142/2147/2144		
ARH2121	☐	380 mm	NC : 2143, 0071, 0072, 2138+2142/2147/2144, 2701, 2703, 2705	○	
ARH2122	☐	430 mm	NC : 2138, 2701, 2703, 2705	◆	
ARH2123	☐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○	
ARH2124	☐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	○	
Seat width (Factory preset)					
ARH2129	☐	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆	
ARH2130	☐	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	○	
Seat Depth (Fcatory preset)					
ARH2132	☐	410 mm	NC : 2196, 2197, 2198, 0556+thigh wedge, Bodypoint	○	
ARH2134	☐	460 mm	NC : 0556+thigh wedge	◆	
ARH2136	☐	510 mm	NC : 2143, 0556+thigh wedge	○	
ARH2138	☐	560 mm(only with seat width 530 mm)	NC : 2143	○	
Seat cushion					
ARH2142	☐	Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆	 2143  2147  2144
ARH2143	☐	Seat cushion Flo-tech Contour Visco 430 x 430 mm (height 90 mm, max weight 100 kg)	NC : 2155	76,78	
ARH2147	☐	Seat cushion Matrx Libra, (height 90mm, max weight 136kg)	NC : 2155	298,84	
ARH2144	☐	Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	298,84	
Backposts					
ARH2162	☐	Height 540 mm		◆	
ARH2163	☐	Height 480 mm	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	○	
Push handles					
ARH2107	☐	Pusch handles		◆	
ARH2108	☐	Without pusch handles - only for Flex 3 backrests		○	
Backrest support					
ARH2171	☐	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 1445, 2152, 2153,2155, 2230, 2247, 2324, 2325,2327, Elan headrest	◆	 2171  2173
ARH2179	☐	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan Headrest	196,21	
ARH2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	164,93	
ARH2174	☐	Matrx Posture Back, height 400 mm - incl. Back pocket		798,10	
ARH2175	☐	Matrx Posture Back, height 500 mm - incl. Back pocket		798,10	
ARH2176	☐	Matrx Elite, height 500 mm - incl. Back pocket		717,54	
ARH2177	☐	Matrx Elite TR Back, height 500 mm (Mesh fabric)		717,54	
ARH2178	☐	Matrx Elite Deep, height 500 mm - incl. Back pocket		717,54	

COMMON OPTIONS FOR MODULITE SEATING

Backrest cushion and / or seat upholstery (depending on configuration)

ARH2151	☐	Nylon noir		◆
ARH2152	☐	Dartex noir		○
ARH2153	☐	Extra LK (black with orange seam)		○
ARH2155	☐	Mesh black		○

Armrest

ARH2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆
ARH2198	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, cale-cuisses	247,39
ARH2181	☐	Enveloping armrest, Dartex coating, by pair		60,66
ARH2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : cale-cuisses	○
ARH2193	☐	Lifting armrest, ajustable height 230 - 360 mm		○
ARH2192	☐	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	302,37
ARH2194	☐	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	302,37

Manchettes

ARH2195	☐	Standard armpad, length 325 mm, by pair		◆
ARH2196	☐	Long armpad, length 375 mm, by pair		78,67
ARH2197	☐	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	113,74

Hemiplegic gutter

	☐	Hemiplegic gutter in special manufacturing		On Demand
	☐	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps		On Demand

Seat accessories

ARH2184	☐	Left thigh wedge, 140x100 mm	NC : Bodypoint	290,05
ARH2186	☐	Left thigh wedge, 230x100 mm	NC : Bodypoint	290,05
ARH2188	☐	Left thigh wedge, 330x100 mm	NC : Bodypoint	290,05
ARH2185	☐	Right thigh wedge 140x100 mm	NC : Bodypoint	290,05
ARH2187	☐	Right thigh wedge 230x100 mm	NC : Bodypoint	290,05
ARH2189	☐	Right thigh wedge 330x100 mm	NC : Bodypoint	290,05

Wedge-thigh support height

ARH2164	☐	Wedge-thigh support 155 mm		◆
ARH2165	☐	Wedge-thigh support 206 mm		○

Appuis-têtes et autres accessoires

ARH1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2161	43,60
ARH1432	☐	Adjustable headrest in depth , height and sideways, Dartex-coated	NC : 2229, 2230, 2247	237,91
ARH1427	☐	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	314,69
ARH2324	☐	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247	383,89
ARH2325	☐	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247	427,49
ARH2327	☐	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247	559,24
ARH1445	☐	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	336,49




2191



2198



1432



1427



2325






2327





1445

SEAT ADJUSTMENTS FOR MODULITE SEAT					 FOLDABLE BACKREST PRICE CUT!
Seat lifter / Seat tilt					
ARH1091	☐	Manually settable Seat Tilt	NC : 2054	◆	
ARH1092	☐	Powered tilt 0° à 20°	NC : 2054, 2201	412,32	
ARH1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054, 2201	412,32	
ARH1093	☐	Powered tilt with CoG shift 0° à 30°	NC : 2201	787,68	
ARH1094	☐	Electric with compensation from 0 ° to 30 ° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	NC : 2201	1 895,73	
Height floor-plate for electric from 0 ° to 20 °					
ARH0354	☐	450 mm		◆	
ARH0364	☐	475 mm		○	
Seat Tilt Option (only if option 1093 or 1094 has been selected)					
ARH2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		424,64	
Backrest recliner					
ARH0975	☐	Manual from 0° to 30° in steps of 3.75° REMOVABLE BACKREST WITHOUT TOOLS		◆	
ARH0977	☐	Electric from 0° to 30° FOLDING BACKREST WITHOUT TOOLS	NC : 2201	709,00	
SEAT AND BACKREST MAX					
ARH1145	☐	Seat Max and backrest Max	NC : 1332, 2113, 0526, 1404, 1405, 2253, 2205, 2206, 2229, 2128, 2258, Bodypoint	1 483,41	
Seat width					
ARH0378	☐	550 mm		◆	
ARH0380	☐	610 mm		○	
Seat depth					
ARH0396	☐	560 mm		○	
ARH0397	☐	595 mm		◆	
ARH0398	☐	630 mm		○	
Armrests					
ARH0635	☐	Removable armrests, height adjustable 250 to 340 mm		○	
Armrests, pair, reinforced bracket					
ARH0647	☐	Short Armpad (325 mm)		○	
ARH0649	☐	Long Armpad (375 mm)		◆	
HEADREST					
ARH1432	☐	Headrest, sideways adjustable		237,91	
ARH1427	☐	Headrest with cheek support, sideways adjustable		314,69	
SEAT TILT					
Inclinaison d'assise					
ARH1091	☐	Manually settable Seat Tilt		◆	
ARH1092	☐	Powered "fixed pivot" Tilt 20° *(up to 136 kg)	NC : 2201	412,32	
ARH1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty (up to 180 kg)	NC : 2201	412,32	
SEAT HEIGHT SETTING					
ARH1024	☐	Fix Seat Height 470 mm		◆	
ARH1046	☐	Fix Seat Height 495 mm		○	
BACKREST RECLINER					
ARH0958	☐	Settable Recliner, by spindle (0 - 25°)		◆	
ARH0947	☐	Electrical Recliner (with high pivot, shearing compensation)	NC : 2201	708,06	
LEGRESTS / FOOTRESTS					
CENTRE MOUNTED LEGRESTS					
ARH0556	☐	Hanger, centre mounted, angle settable - Length: 280 - 385 mm	NC : 0517	○	
ARH0589	☐	LNx Power centre mount legrest, length compensating - Length: 340 - 410 mm	NC : 2201	1 713,74	
FOOTPLATES / FOOT PLATFORM					
ARH2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○	
ARH0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆	
ARH0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17	
ARH0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17	

SIDE MOUNTED LEGREST PAIRS LH/RH					 0533 0531	
ARH0526	☐	Standard hanger 80° pair	NC : 0504	○		
ARH0503	☐	Hanger Vari F pair		◆		
ARH0533	☐	Hanger Vari A pair		271,09		
ARH0531	☐	Hanger ADE 0° - 80° pair	NC : 2201	1 507,11		
FOOTPLATE TYPE / PAIRS						
ARH0504	☐	Angle Adjustable Footplate pair		◆		
ARH0513	☐	Angle and depth adjustable Footplate pair		107,11		
REMOTES LiNX						
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS					 REM110 REM211 REM216 REM400 Bluetooth	
ARH2201	☐	Remote LiNX DLX-REM110 = Drive only	NC : 2229, 2230, 2247, 2257, 2233, 2240, 2270, 2245	-984,83		
ARH2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	-984,83		
ARH2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	-984,83		
ARH2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220	◆		
ARH2206	☐	Rehab Remote LiNX without joystick for alternative access users. DLX-REM500	NC : 2220, 2270	576,30		
REM400 TOGGLE OPTION					 2270	
ARH2270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)		340,28		
REMOTE MOUNTING POSITION					 2209 2210	
ARH1207	☐	Standard Bracket RH	NC : 1404	○		
ARH1208	☐	Standard Bracket LH	NC : 1405	○		
ARH1707	☐	Swing Away Bracket RH	NC : 1404	◆		
ARH1708	☐	Swing Away Bracket LH	NC : 1405	○		
ARH2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	685,31		
ARH2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	685,31		
ARH2227	☐	Bracket RH, mounted for Attendant	NC : 2219, 2220, 1287, 1228, 2128, 2108	33,85		
ARH2228	☐	Bracket LH, mounted for Attendant	NC : 2219, 2220, 1286, 2128, 2108	33,85		
ARW2239	☐	Individual mounting option per request (Special)		On Demand		
LiNX REM500 (DISPLAY ONLY) BRACKETS						 2209 2210
ARH2209	☐	Swing away RH, multi-adjustable	NC : 1404, 1415	◆		
ARH2210	☐	Swing away LH, multi-adjustable	NC : 1405, 1339	○		
PW-4005	☐	Centre Mount, swing-away to RH, Nucleus		On Demand		
ARH2213	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1415	652,13		
ARH2214	☐	Individual mounting option per request (Special)	NC : 1404,1405, 1339	652,13		
ARW2239	☐	Montage personnalisé, merci de nous préciser votre demande :		On Demand		
DUAL CONTROL LiNX + BRACKETS					 REM050 2219 2245	
ARH2220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 2227, 2228, 1221, 1222	677,02		
ARH2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94		
ARH2245	☐	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228	1 563,98		
ARH1207	☐	Standard Bracket RH		◆		
ARH1208	☐	Standard Bracket LH		○		
ARH1221	☐	Bracket RH, detachable		◆		
ARH1222	☐	Bracket LH, detachable		○		
If several joysticks are to be mounted on the retractable support for mounting in the central position (2213/2214), select option 2215					 2231 2232	
LiNX - COMPACT REMOTES + BRACKETS						
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)						
ARH2231	☐	Proportional Compact Remote DLX-CR400		1 192,42		
ARH2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF		1 312,80		
ARH2207	☐	RH Mount	NC : 1404	◆		
ARH2208	☐	LH Mount	NC : 1405	○		
ARH2213	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405, 1415	717,54		
ARH2214	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405, 1339	717,54		
ARW2215	☐	Individual mounting option per request (Special)		On Demand		

CHIN CONTROL + BRACKETS					
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)					
ARH2229	☐	Proportional Chin Joystick (ASL138)	NC : 2128	3 011,37	
ARH1289	☐	Swing Away Bracket RH, side manual (ASL628) - Requires ELAN Headrest	NC : 1350, 1432, 1427	◆	
ARH1288	☐	Swing Away Bracket LH, side manual (ASL628) - Requires ELAN Headrest	NC : 1350, 1432, 1427	○	
ARH1287	☐	Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312	1 445,50	
ARH1286	☐	Swing Away Bracket LH, powered	NC : 2125, 2228, 1405, 1339, 1363	1 445,50	
HEAD CONTROL ATOM Technology					
ARH2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34	
ARH2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34	
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)					
ARH2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	6 129,86	
ARH2275	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)		○	
ARH2276	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)		○	
ARW2215	☐	Individual mounting option per request (Special) - Requires additional information/specification		On Demand	
LiNX - PROPORTIONAL REMOTES / INPUTS & BRACKETS					
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)					
ARH2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82	
ARH2240	☐	Commande joystick renforcé proportionnel ASL133		2 709,95	
ARH2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○	
ARH2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○	
ARH2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARH2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARH2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm	NC : 1404, 1405, 2310, 2311	717,54	
ARH2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		717,54	
ARW2215	☐	Individual mounting option per request (Special) - Requires additional information/specification		On Demand	
ALTERNATIVE SEATING CONTROL - LiNX 10-WAY SWITCH					
ARH2251	☐	10-Way Switch DLX-SW10-A f. direct Powered Seating Access		530,81	
ARH2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○	
ARH2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○	
ARH2227	☐	Bracket RH, mounted for attendant	NC : 1287	○	
ARH2228	☐	Bracket LH, mounted for attendant	NC : 1286	○	
ARH2225	☐	Without mounting		○	
ARH2252	☐	Loom providing jack sockets for “Drive” and “Mode”		87,20	
LiNX ACCESSORIES					
LiNX ACCESSORIES					
ARH2253	☐	USB Charger Port DLX-USB02-A	NC : 2110, Bodypoint	236,02	
ARH2207	☐	RH Mount	NC : 1404	○	
ARH2208	☐	LH Mount	NC : 1405	○	
FURTHER COMPONENTS / ACCESSORIES					
ARH2300	☐	To be enclosed only		○	
ARW2301	☐	To be connected and programmed (Special)		Sur devis	
BUDDY BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected					
ARH1685	☐	Red Buddy Button		130,81	
ARH1686	☐	Yellow Buddy Button		130,81	
ARH1687	☐	Green Buddy Button		130,81	
ARH1690	☐	Blue Buddy Button		130,81	
EGG SWITCH - Accessory loom 2252 required, if no REM400 or REM500 is selected					
ARH2254	☐	Egg Switch, black		103,32	
PIKO BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected					
ARH1711	☐	Red Piko Button		130,81	
ARH1712	☐	Yellow Piko Button		130,81	
ARH1713	☐	Green Piko Button		130,81	
ARH1714	☐	Orange Piko Button		130,81	
ARH1715	☐	Blue Piko Button		130,81	
ARH1716	☐	Black Piko Button		130,81	

REMOTE STOP SWITCH					
ARH2258	☐	Remote Stop Switch (ASL504)	831,28	 2258	
BODYPOINT JOYSTICK KNOBS					
ARH2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00	 2721 2722  2723  2724	
ARH2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00		
ARH2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00		
ARH2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00		
DRIVE UNIT DETAILS					
SHROUD COLOURS					
ARH2601	☐	SpaceStation Silver	☐	 2601 2602 2603 2607 2608 2609 0228	
ARH2602	☐	Island Blue	☐		
ARH2603	☐	Grape JellyBean	☐		
ARH2607	☐	Rockstar Red	☐		
ARH2608	☐	Lights Out Black – Matte	☐		
ARH2609	☐	Invacare® Blue	☐		
ARH0228	☐	Wet Black	☐		
RIM INSERT COLOURS					
ARH2620	☐	Wet Black	☐	 2611 2612 2613 2617 2618 2619 2620	
ARH2611	☐	SpaceStation Silver	☐		
ARH2612	☐	Island Blue	☐		
ARH2613	☐	Grape JellyBean	☐		
ARH2617	☐	Rockstar Red	☐		
ARH2618	☐	Lights Out Black – Matte	☐		
ARH2619	☐	Invacare® Blue	☐		
ARH2620	☐	Black	☐		
ARH2621	☐	Without Rim insert	☐		
PERFORMANCE					
FORKS					
ARH2631	☐	Single sided fork (new) incl. black castor	399,05		
ARH2632	☐	Double sided fork	☐		
CENTRE / DRIVE WHEELS					
ARH0704	☐	14"x3" Black Tires, Pneumatic	☐		
ARH0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8	☐		
ARH0733	☐	14"x3" Black Tires with Gel Foam Inserts	☐		
MOTOR TYPE / SPEED OPTIONS					
ARH1282	☐	OPS Drive 6 km/h (4-pole)	☐		
ARH1285	☐	OPS Drive 10 km/h (4-pole)	☐		
ARH1223	☐	10 km/h Setting for OPS Drive High Speed Motor	☐		
BATTERY					
ARH1260	☐	73,5 Ah Gel	☐		
CHARGER					
ARH1313	☐	OptiCharge Charger 10A (IP44)	☐		
ARH1314	☐	Opti Charge Charger 10A (IP44) (EDO : UK Plug)	☐		
GYROSCOPE					
G-Trac					
ARH1215	☐	G-Trac Module	1 035,07		
OPTIONS					
LIGHT					
ARH1367	☐	Light system with indicators (Choose REM216, REM400 or REM500)	627,49		
ARH1437	☐	LED Light system (Choose REM216, REM400 or REM500)	650,24		
ARH1254	☐	Without Light system	☐		
TRANSPORTATION KIT					
ARH1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory) - Docking Station for car implementation has to be ordered separately with DAHL Engineering	☐	 	

TIE-DOWNS				
ARH1493	☐	4-Point tie-down (For wheelchair transportation without user)		◆
ARH1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)		○
LAP BELT				
ARH1329	☐	Lap Belt with Auto Lock - X-tra long for Max Seat		◆
ARH2113	☐	Lap Belt with Auto Lock - Flexible mount in side rails		○
ARH1332	☐	H-Belt -		271,09
BODYPOINT PELVIC BELTS - Includes mounting kit				
ARH2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L - Padded length 620 mm		156,40
ARH2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M - Padded length 460 mm		156,40
ARH2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L - Padded length 620 mm		133,65
ARH2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M - Padded length 460 mm		133,65
ARH2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L - Padded length 620 mm		116,59
ARH2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount, Size M - Padded length 460 mm		116,59
REARVIEW MIRROR				
ARH1415	☐	RH Mirror		70,14
ARH1339	☐	LH Mirror		70,14
BAG HOOKS				
ARH2128	☐	Bag hooks (on Modulite Seat) - Max load up to 6 kg = impact on max user weight		150,71
CANEHOLDER				
ARH1312	☐	Caneholder RH		68,25
ARH1363	☐	Caneholder LH		68,25
TRAY				
ARH1404	☐	Tray, Swing Away RH		503,32
ARH1405	☐	Tray, Swing Away LH		503,32
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54


1493



1329




2701, 2702

2703, 2704

2705, 2706


2128


1404
1405


1440530

1654130