

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2 AA2

Mixt Power wheelchair 6 wheels



Description :

- Weight : from 154kg
- Max user weight : 160kg or 180kg according to the configuration
- Warranty: 2 years except batteries and wear parts



Date :

User Name :

Customer Code:

Dealer stamp :



Customization Service Invacare Unique
Please indicate your quote number or special manufacturing number :


Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge


CODE		DESIGNATION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	Euros	
ARJ0016	☐	Invacare® TDX® SP2 AA2 Modulite		10 325,12	
ARJ0073	☐	Invacare® TDX® SP2 AA2 Modulite Low Rider Version - 73,5 Ah battery included - Lower seat height 420 mm - Seat tilt 30° & lift included (1094) - Non width adjustable armrests	NC : 1092, 1093, 1095, 1145, 2184, 2185, 2186, 2187, 2188, 2189, 2121	13 021,80	
ARJ0074	☐	Invacare® TDX® SP2 AA2 Modulite Low Rider Version - 60 Ah battery included - Lower seat height 403 mm - Seat tilt 30° & lift included (1094) - Non width adjustable armrests	NC : 1092, 1093, 1095, 1145, 2184, 2185, 2186, 2187, 2188, 2189, 2121	13 021,80	

MODULITE MODULAR SEAT

Seat type					
ARJ2111	☐	Rigid Modulite Seat, width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		◆	
ARJ2112	☐	Flexible Modulite Seat, tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		○	
Seat width (Factory preset)					
		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2701, 2703, 2705, 2138+2142/2147/2144		
ARJ2121	☐	380 mm	NC : 2143, 2701, 2703, 2705, 0073, 0074, 2138+2142/2147/2144	○	
ARJ2122	☐	430 mm	NC : 2138, 2701, 2703, 2705	◆	
ARJ2123	☐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○	
ARJ2124	☐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	○	
Seat width (Factory preset)					
ARJ2129	☐	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆	
ARJ2130	☐	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	○	
Seat Depth (Fcatory preset)					
ARJ2132	☐	410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	○	
ARJ2134	☐	460 mm	NC : 0556+wedge-thight	◆	
ARJ2136	☐	510 mm	NC : 2143, 0556+wedge-thight	○	
ARJ2138	☐	560 mm(only with seat width 530 mm)	NC : 2143	○	
Seat cushion					
ARJ2142	☐	Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆	
ARJ2143	☐	Seat cushion Flo-tech Contour Visco 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78	
ARJ2147	☐	Seat cushion Matrx Libra , (height 90mm, max weight 136kg)	NC : 2155	293,84	
ARJ2144	☐	Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	293,84	
Backposts					
ARJ2162	☐	Height 540 mm		○	2147
ARJ2163	☐	Height 480 mm	NC : 2173	○	2144



Push handles					
ARJ2107	☐	Pusch handles		◆	
ARJ2108	☐	Without pusch handles - only for <i>Flex 3 backrests</i>	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	○	
Backrest support					 2171  2173
ARJ2171	☐	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan headrest	◆	
ARJ2179	☐	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan Headrest	196,21	
ARJ2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	○	
ARJ2174	☐	<i>Matrx Posture Back</i> , height 400 mm - incl. Back pocket		798,10	
ARJ2175	☐	<i>Matrx Posture Back</i> , height 500 mm - incl. Back pocket		798,10	
ARJ2176	☐	<i>Matrx Elite</i> , height 500 mm - incl. Back pocket		717,54	
ARJ2177	☐	<i>Matrx Elite TR</i> , height 500 mm - incl. Back pocket		717,54	
ARJ2178	☐	<i>Matrx Elite Deep</i> , height 500 mm - incl. Back pocket		717,54	
COMMON OPTIONS FOR MODULITE SEATING					 2191  2198  Hemi gutter Concave gutter hemi   1432  1427  2325  2327  1445
Backrest cushion and / or seat upholstery (depending on configuration)					
ARJ2151	☐	Nylon noir		◆	
ARJ2152	☐	Dartex noir		○	
ARJ2153	☐	Extra LK (black with orange seam)		○	
ARJ2155	☐	Mesh black		○	
Armrest					
ARJ2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆	
ARJ2181	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, wedge-thight	60,66	
ARJ2198	☐	Envoloping armrest, Dartex coating, by pair		247,39	
ARJ2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : wedge-thight	○	
ARJ2193	☐	Lifting armrest, ajustable height 230 - 360 mm		○	
ARJ2192	☐	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	302,37	
ARJ2194	☐	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	302,37	
Armpad					
ARJ2195	☐	Standard armpad, length 325 mm, by pair		◆	
ARJ2196	☐	Long armpad, length 375 mm, by pair		78,67	
ARJ2197	☐	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	113,74	
Hemiplegic gutter					
	☐	Hemiplegic gutter in special manufacturing		On demand	
	☐	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps		On demand	
Seat accessories					
ARJ2184	☐	Left wedge-thight, 140x100 mm	NC : Bodypoint	290,05	
ARJ2186	☐	Left wedge-thight, 230x100 mm	NC : Bodypoint	290,05	
ARJ2188	☐	Left wedge-thight, 330x100 mm	NC : Bodypoint	290,05	
ARJ2185	☐	Right wedge-thight 140x100 mm	NC : Bodypoint	290,05	
ARJ2187	☐	Right wedge-thight 230x100 mm	NC : Bodypoint	290,05	
ARJ2189	☐	Right wedge-thight 330x100 mm	NC : Bodypoint	290,05	
Wedge-tight support height					
ARJ2164	☐	Wedge-tight support 155 mm		◆	
ARJ2165	☐	Wedge-tight support 206 mm		○	
Headrest and accessories					
ARJ1350	☐	Neckrest depth adjustable, Dartex coating	NC : 2230, 2247	◆	
ARJ1432	☐	Neckrest depth and width adjustable	NC : 2230, 2247	○	
ARJ1427	☐	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2230, 2247	314,69	
ARJ2324	☐	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247	383,89	
ARJ2325	☐	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247	427,49	
ARJ2327	☐	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247	559,24	
ARJ1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts		43,60	
ARJ1445	☐	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	336,49	

SEAT ADJUSTMENTS FOR MODULITE SEAT					PRICE CUT! 
Seat lifter / Seat tilt					
ARJ1092	☐	Powered tilt 0° à 20°	NC : 2054	○	
ARJ1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054	○	
ARJ1093	☐	Powered tilt with CoG shift 0° à 30°		◆	
ARJ1094	☐	Electric with compensation from 0 ° to 30 ° + <i>Lift 300 mm</i> - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily		1 895,73	
Height floor-plate for electric from 0 ° to 20 °					
ARJ0354	☐	450 mm		◆	
ARJ0364	☐	475 mm		○	
Seat Tilt Option (only if option 1093 or 1094 has been selected)					
ARJ2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		424,64	
Backrest recliner					
ARJ0977	☐	Electric from 0° to 30°		◆	
SEAT AND BACKREST MAX					
ARJ1145	☐	Seat Max et backrest Max	NC : 1332, 2113, 0526, 1404, 1405, 2253, 2220, 2206, 2205, 2229, 2128, 2258, Bodypoint	1 483,41	
Seat width					
ARJ0378	☐	550 mm		◆	
ARJ0380	☐	610 mm		○	
Seat depth					
ARJ0396	☐	560 mm		○	
ARJ0397	☐	595 mm		◆	
ARJ0398	☐	630 mm		○	
Armrests					
ARJ0635	☐	Removable armrests, height adjustable from 250 to 340 mm		○	
Armrests, pair, reinforced bracket					
ARJ0647	☐	Short armrests (325 mm) pair		○	
ARJ0649	☐	Long armrests (375 mm) pair		◆	
Seat Accessories only for Max					
ARJ1427	☐	<i>Kontour</i> multi-adjustable headrest with <i>Dartex</i> -coated side ear cups		314,69	
ARJ1432	☐	Adjustable headrest in depth , height and sideways, <i>Dartex</i> -coated		◆	
SEAT AND BACKREST MAX ADJUSTEMENTS					
Seat tilt					
ARJ1092	☐	Electric from 0 ° to 20 ° (Max user weight 136kg)		○	
ARJ1095	☐	Electric from 0 ° to 20 ° (Max user weight 180kg)		◆	
Floor-seat height for seat inclination					
ARJ1024	☐	470 mm		◆	
ARJ1046	☐	495 mm		○	
BACKREST RECLINER					
ARJ0947	☐	Electric from 0° to 20°		◆	
FOOTREST / LEGRESTS					
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)					
ARJ0556	☐	Centre mount legrest, angle settable		○	
ARJ0589	☐	LNx Power centre mount legrest, length compensating		1 713,74	
Footplates (pair)					
ARJ2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○	
ARJ0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆	
ARJ0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17	
ARJ0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17	
Footrest Hanger Type / Pairs					
ARJ0533	☐	Hanger Vari A pair		◆	
ARJ0531	☐	Hanger ADElectric 0° - 80° pair		879,62	
Footplate type / Pairs					
ARJ0504	☐	Angle Adjustable Footplate pair		◆	
ARJ0513	☐	Angle and depth adjustable Footplate pair		107,11	
ARJ0522	☐	Footplate		118,48	

REMOTE LINX					  REM110  REM216  REM400  REM500   2270  2209 2210  REM050  2219  2231 2232  2229
Main control unit only for Electronic LiNX					
ARJ2203	☐	Remote <i>LiNX</i> REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	-984,83	
ARJ2204	☐	Remote <i>LiNX</i> REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	-984,83	
ARJ2205	☐	Remote <i>LiNX</i> REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	◆	
ARJ2206	☐	Screen control <i>LiNX</i> REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	576,30	
REM400 option					
ARJ2270	☐	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		340,28	
Remote mounting position (REM211/216/400)					
ARJ1207	☐	Reversible right fixation, no retractable	NC : 1404	○	
ARJ1208	☐	Reversible left fixation, no retractable	NC : 1405	○	
ARJ1707	☐	Retractable on right + height adjustable, consolidated	NC : 1404	◆	
ARJ1708	☐	Retractable on left + height adjustable, consolidated	NC : 1405	○	
ARJ2213	☐	Central mounting, removable right	NC : 1404, 1405, 1415	685,31	
ARJ2214	☐	Central mounting, removable left	NC : 1404,1405, 1339	685,31	
ARJ2227	☐	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	33,85	
ARJ2228	☐	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286	33,85	
AVZ2239	☐	Custom Installation, thank you specify your request:		On demand	
Mounting the LiNX REM500 Control Screen					
ARJ2209	☐	Swing away RH, multi-adjustable	NC : 1404, 1415	◆	
ARJ2210	☐	Swing away LH, multi-adjustable	NC : 1405, 1339	○	
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		Special manufacturing On demand	
ARJ2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	652,13	
ARJ2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	652,13	
ARW2239	☐	Custom Installation, thank you specify your request:		On demand	
Dual LiNX remote (User + third person)					
ARJ2220	☐	Dual Control <i>LiNX</i> (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 2108, 2205, 2206, 2227, 2228, 1221, 1222	677,02	
ARJ2219	☐	Dual Compact LiNX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2108, 2227, 2228	1 091,94	
ARJ2245	☐	Dual intuitive <i>LiNX</i> control- dedicated driving profile	NC : 1207, 1208, 2108, 2227, 2228	1 563,98	
ARJ1207	☐	Fixing on the right - only with REM050 and Compact		◆	
ARJ1208	☐	Fixing on the left - only with REM050 and Compact		○	
ARJ1221	☐	Right fixations, removable - only with intuitive LiNX control		◆	
ARJ1222	☐	Left fixations, removable - only with intuitive LiNX control		○	
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215					
Compact Proportional Joysticks - Only with REM400 and REM500					
ARJ2231	☐	LiNX Compact proportionel joystick (deflection force: 160 g)		1 192,42	
ARJ2232	☐	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 312,80	
ARJ2207	☐	Fixing on the right	NC : 1404	◆	
ARJ2208	☐	Fixing on the left - only with REM050 and Compact	NC : 1405	○	
ARJ2213	☐	Central fixing, retractable on the right	NC : 1404, 1405, 1415	717,54	
ARJ2214	☐	Central fixing, retractable on the left	NC : 1404, 1405, 1339	717,54	
ARW2215	☐	Custom Installation, thank you specify your request:		On demand	
Chin control - Only with REM400 and REM500					
ARJ2229	☐	Proportional Chin Joystick (ASL138) + egg switch		3 011,37	
ARJ1289	☐	Swing Away Bracket RH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125	NC : 1350, 1432, 1427	◆	
ARJ1288	☐	Swing Away Bracket LH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427	○	
ARJ1287	☐	Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312	1 445,50	
ARJ1286	☐	Swing Away Bracket LH, powered	NC : 1405, 1339, 1363	1 445,50	

Additional options LiNX						2230
ARJ2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34		
ARJ2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34		
Four-Switch Proximity Array (with ATOM technology)						2247
ARJ2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	6 129,86		
ARJ2275	☐	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○		
ARJ2276	☐	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○		2257
ARW2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand		
Micro extremity control						
ARJ2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82		2233
ARJ2235	☐	Tray Mount RH (100x150 mm)		○		
ARJ2236	☐	Tray Mount LH (100x150 mm)		○		
ARJ2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○		2240
ARJ2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○		
ARJ2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	717,54		
ARJ2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		717,54		2251
ARW2215	☐	Individual Mounting option per request (Special)		On demand		
Heavy Duty Remote Joystick						
ARJ2240	☐	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)		2 709,95		2253
ARJ2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○		
ARJ2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○		
ARJ2213	☐	Centre Mount, swing-away to RH, Nucleus		○		2252
ARJ2214	☐	Centre Mount, swing-away to LH, Nucleus		○		
ARJ2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54		
ARJ2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54		2253
ARW2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand		
Additional options LiNX						
ARJ2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)		530,81		2253
ARJ2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○		
ARJ2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○		
ARJ2227	☐	Bracket RH, mounted for attendant	NC : 1287	○		2252
ARJ2228	☐	Bracket LH, mounted for attendant	NC : 1286	○		
ARJ2225	☐	Without mounting		○		
ARJ2252	☐	Loom providing jack sockets for “Drive” and “Mode” (includes connection for 10-Way Switch)		87,20		2253
Accessories LiNX						
ARJ2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint	236,02		
ARJ2207	☐	Fixing on the right	NC : 1404	○		
ARJ2208	☐	Fixing on theleft	NC : 1405	○		
Others accessories and contactors						2252
ARJ2300	☐	To be included with the armchair		○		
ARW2301	☐	To connect and program (Special)		On demand		
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)						2252
ARJ1685	☐	Red Buddy Button		130,81		
ARJ1686	☐	Yellow Buddy Button		130,81		
ARJ1687	☐	Green Buddy Button		130,81		2252
ARJ1690	☐	Blue Buddy Button		130,81		
Egg switch (option 2252 required if no REM400)						
ARJ2254	☐	Egg switch, black		103,32		2252
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)						
ARJ1711	☐	Mini contactor Red		130,81		
ARJ1712	☐	Mini contactor Yellow		130,81		
ARJ1713	☐	Mini contactor Green		130,81		2252
ARJ1714	☐	Mini contactor Orange		130,81		
ARJ1715	☐	Mini contactor Blue		130,81		
ARJ1716	☐	Mini contactor Black		130,81		2252

Remote Stop Switch				 2258  2721 2722  2723  2724	
ARJ2258	☐	Remote Stop Switch (ASL504)	NC : Bodypoint		831,28
Bodypoint					
ARJ2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A			100,00
ARJ2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A			100,00
ARJ2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00	
ARJ2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00	
DRIVE UNIT OPTIONS					
Shroud Colors					
ARJ2601	☐	SpaceStation Silver		○	
ARJ2602	☐	Island Blue		○	
ARJ2603	☐	Grape JellyBean		○	
ARJ2607	☐	Rockstar Red		○	
ARJ2608	☐	Lights Out Black – Matte		○	
ARJ2609	☐	Invacare® Blue		○	
ARJ0228	☐	Wet Black		○	
Side Shroud Colors					
ARJ2611	☐	SpaceStation Silver		○	
ARJ2612	☐	Island Blue		○	
ARJ2613	☐	Grape JellyBean		○	
ARJ2617	☐	Rockstar Red		○	
ARJ2618	☐	Lights Out Black – Matte		○	
ARJ2619	☐	Invacare® Blue		○	
ARJ2620	☐	Wet Black		○	
ARJ2621	☐	Without Rim insert		◆	
Performance					
Forks					
ARJ2631	☐	Single sided fork (new) incl. black castor		399,05	
ARJ2632	☐	Double sided fork		◆	
Rear wheels type Storm®4					
ARJ0704	☐	14"x3" Black Tires, Pneumatic		◆	
ARJ0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8		○	
ARJ0733	☐	14"x3" Black Tires with Gel Foam Inserts		○	
Motor type / Speed Options					
ARJ1282	☐	OPS DRIve 6 km/h (4-pole)		○	
ARJ1285	☐	OPS Drive 10 km/h (4-pole)		○	
ARJ1223	☐	OPS Drive 10 km/h (4-pole) - programmable up to 12 km/h		○	
Battery					
ARJ1260	☐	73,5 Ah Gel		◆	
Charger					
ARJ1313	☐	OptiCharge Charger 10A		◆	
GYROSCOPE					
G-Trac					
ARJ1215	☐	G-Trac modul (Directional control of the trajectory while driving)		1 035,07	
POSITIONNNG OPTIONS					
For Bodypoint accessories, please refer to the Bodypoint specific pricelist.					
OPTIONS					
Lights					 
ARJ1367	☐	Standard security light system equipement Storm®3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)	NC : 1438	627,49	
ARJ1437	☐	LED Security light system equipement Storm®3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)		650,24	
ARJ1254	☐	Without light system		◆	
Transportation Kit					
ARJ1450	☐	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!		○	
Kerb rider					
ARJ1494	☐	Kerb rider		◆	
Fixation belt					 1329
ARJ1329	☐	Fixation Belt with Auto Lock		◆	
ARJ2113	☐	Fixation beltwith auto lock with adjustable attachment points on the seat		○	
ARJ1332	☐	H-Belt		271,09	

Bodypoint positioning belts (fixings included)					 2701, 2702  2703, 2704  2705, 2706
ARJ2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)		156,40	
ARJ2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)		156,40	
ARJ2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)		133,65	
ARJ2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)		133,65	
ARJ2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)		116,59	
ARJ2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)		116,59	
Rearview mirror					 2128
ARJ1415	☐	Right		70,14	
ARJ1339	☐	Left		70,14	
Back Hook					
ARJ2128	☐	Bag hooks (on Modulite Seat) (max load up to 6 kg = impact on max user weight)		150,71	
Caneholder					 1404 1405
ARJ1312	☐	Right		68,25	
ARJ1363	☐	Left		68,25	
Swing away tray					
ARJ1404	☐	Right		503,32	
ARJ1405	☐	Left		503,32	
RAMPS					 1440530  1654130
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	