

Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx

Mid Power wheelchair 6 wheels



Description:

- Weight: from 154kg
- Max weight user: 136kg
- 2-year warranty excluding batteries and wearing parts.

Date :

User Name :

Customer Code:

Dealer stamp :




Customization Service Invacare Unique
Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.

☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible avec la référence 9999	Euros
ARP0080	☐ <i>Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx</i> - Code LPPR 9125996 ☐ Power module: 90 A - Motors: 340W, 4 poles - Range: +/- 26 km (50Ah)		11 345,97



	Customized settings:	Measured from:
A	Seat Height	Seat plate to floor
B	Seat Width	Front seat plate edge LH to seat plate edge RH
C	Seat Depth	Front of seat plate (incl. curve) to bracket of backrest (lowest point)
D	Finished Back Height	Seat plate to top of back
E	Armrest Height LH	Seat plate to top of tube
F	Armrest Height RH	Seat plate to top of tube
G	Centre mount legrest	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Side mount Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Side mount Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Pivot Plus Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Pivot Plus Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length

SEATING TYPE			
SEATING TYPE			
ARP2020	☐ Ultra Low Maxx Powered Positioning System		☐
POWERED POSITIONING OPTIONS			
SEAT TILT and combined SEAT TILT & SEAT LIFTER			
ARP2052	☐ Ultra Low Maxx CG Tilt (0 to 50°)		☐
ARP2053	☐ Ultra Low Maxx CG Tilt (0 to 45°) combined w 300 mm Seat Lifter - Increased STF Height by 4 mm	NC : 2263, 2264	☒
A - SEAT HEIGHT SETTING		SEAT-TO-FLOOR HEIGHT MAY INCREASE DUE TO SETTINGS!	
ARP0337	☐ 440 mm		☒
ARP0331	☐ 460 mm		☐
ARP0339	☐ 490 mm		☐

ANTERIOR and POSTERIOR TILT OPTIONS				
ARP2057	☐	Ultra Low Maxx CG Tilt Standard Mount - No anterior or posterior tilt		◆
ARP2054	☐	Ultra Low Maxx CG tilt 5° Fixed Anterior Assist mount - Will reduce max tilt angle by 5°		447,39
ARP2055	☐	Ultra Low Maxx CG tilt 10° Fixed Anterior Assist mount - Will reduce max tilt angle by 10°		530,81
ARP2056	☐	Ultra Low Maxx CG tilt 5° Fixed Posterior-tilt Assist mount - Will increase max tilt angle by 5°		447,39
BACKREST RECLINER				
ARP2060	☐	Powered Recline 90 to 170° , Standard Mount		◆
ARP2063	☐	Powered Recline, 8° Precline mount, 82° to 162°		○
ARP2066	☐	Powered Recline, 30° Precline mount, 60° to 140°		530,81
SEAT DIMENSIONS				
SEAT FRAME WIDTH RANGE				
ARP2021	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"		◆
ARU2003	☐	480 mm - 555 mm (increments of 25 mm) / 19" - 22"		○
ARU2022	☐	505 mm - 610 mm (increments of 25 mm) / 20" - 24"	NC : 2174, 2175	○
SEAT FRAME DEPTH RANGE				
ARP2008	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"		◆
ARP2024	☐	480 mm - 580 mm (increments of 25 mm) / 19" - 23"		○
B - SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME				
ARP2025	☐	405 mm	NC : 2022, 2041, 2042, 2701, 2703, 2705	○
ARP2026	☐	430 mm	NC : 2022, 2041, 2142, 2701, 2703, 2705	○
ARP2027	☐	455 mm	NC : 2022, 2701, 2703, 2705	○
ARP2028	☐	480 mm	NC : 2022, 2702, 2704, 2706	○
ARP2029	☐	505 mm	NC : 2702, 2704, 2706	○
ARP2030	☐	530 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2702, 2704, 2706	○
ARP2031	☐	555 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2702, 2704, 2706	○
ARP2032	☐	580 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2147, 2702, 2704, 2706	○
ARP2033	☐	610 mm	NC : 2021, 2034, 2035, 2036, 2174, 2175, 1404, 1405, 2147, 2702, 2704, 2706	○
C - SEAT DEPTH SETTING				
ARP2035	☐	405 mm	NC : 2024, 0586, 0589, Bodypoint Belt	○
ARP2036	☐	430 mm	NC : 2024	○
ARP2037	☐	455 mm	NC : 2024	○
ARP2038	☐	480 mm		○
ARP2039	☐	505 mm	NC : 2023	○
ARP2040	☐	530 mm	NC : 2023	○
ARP2041	☐	555 mm	NC : 2023	○
ARP2042	☐	580 mm	NC : 2023	○
SEAT CUSHION				
ARP2144	☐	Matrx Vi Cushion [Mesh fabric]		293,84
ARP2145	☐	Matrx Flo-Tech Lite black smooth cover, 75 mm thick - Up to 127 kg	NC : 2041, 2042, 2030, 2031, 2032, 2033	◆
ARP2146	☐	Matrx Flo-tech Contour, black smooth cover, 100 mm thick - Up to 191 kg	NC : 2042	○
ARP2147	☐	Matrx Libra Cushion, 90 mm thick - Standard: up to 136kg/ HD: up to 227kg - Extended lead time: + 4 days		340,28
BACK CANE HEIGHT - STRAIGHT OR ANGLED BACK CANES				
ARP2050	☐	High Back, height 405 mm / 16" [Mesh fabric]		◆
ARP2051	☐	High Back, height 455 mm / 18" [Mesh fabric]		○
ARP2320	☐	High Back, height 505 mm / 20" [Mesh fabric]		○
ARP2550	☐	Matrx Elite E2 Back, height 355mm / 14" / 16 - 18" wide	NC : 2030, 2031, 2032, 2033	○
ARP2551	☐	Matrx Elite E2 Back, height 405 mm / 16"	NC : 2030, 2031, 2032, 2033	○
ARP2552	☐	Matrx Elite E2 Back, height 455 mm / 18"	NC : 2030, 2031, 2032, 2033	○
ARP2553	☐	Matrx Elite E2 Back, height 505 mm / 20"	NC : 2030, 2031, 2032, 2033	○
ARP2554	☐	Matrx Elite HD Back, height 405 mm /16"	NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2555	☐	Matrx Elite HD Back, height 505 mm / 20"	NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2556	☐	Matrx Elite TR Back, height 405 mm / 16" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	608,53
ARP2557	☐	Matrx Elite TR Back, height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	608,53
ARP2177	☐	Matrx Elite TR Back, height 505 mm / 20" [Mesh fabric]	NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2563	☐	Matrx Elite TR HD Back, height 505 mm / 20" [Mesh fabric]	NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2558	☐	Matrx Elite Deep E2 Back, height 405 mm / 16" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	608,53

ARP2559	☐	Matrx Elite Deep E2 Back, height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	608,53
ARP2178	☐	Matrx Elite Deep E2 Back, height 505 mm / 20" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	608,53
ARP2174	☐	Matrx PB Back, height 405 mm / 16" [Mesh fabric]		723,22
ARP2175	☐	Matrx PB Back, height 505 mm / 20" [Mesh fabric]		723,22
ARP2560	☐	Matrx PB Deep Back, height 405mm / 16"		723,22
ARP2561	☐	Matrx PB Deep Back, height 505 mm / 20"		723,22
ARP2562	☐	Matrx Elite Deep HD Back, height 505 mm / 20"		608,53
D - FINISHED BACK HEIGHT				
ARP2506	☐	505 mm - unique with : 2550		○
ARP2501	☐	535 mm - unique with : 2550		○
ARP2070	☐	555 mm - unique with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		○
ARP2071	☐	585 mm - unique with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		○
ARP2072	☐	610 mm - unique with : 2051, 2552, 2557, 2559		○
ARP2073	☐	635 mm - unique with : 2051, 2552, 2557, 2559		○
ARP2074	☐	660 mm - unique with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		○
ARP2502	☐	685 mm - unique with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		○
ARMRESTS FOR ESR RECLINE SYSTEM				
ARP2095	☐	Cantilever Flip-Back Arm, width, height and angle adjustable, 240 - 330 mm (9.5" - 13")		◆
ARP2096	☐	Cantilever Flip-Back Arm, width, height and angle adjustable, 340 - 405 mm (13.5 -16")		○
ARP2097	☐	Two-post Recline Arm, Flip Back, adjustable height 230 - 330 mm (9-13")		302,37
ACCESSORIES FOR ARMRESTS				
ARP2308	☐	Spacers for armrest spacing reinforced with 25 mm per side		159,24
ARP2309	☐	Spacers for armrest spacing reinforced with 25 mm per side		159,24
ARM PAD Left Hand				
ARP2012	☐	Desk arm pad with startex cover visco foam [255mm]; 40 mm thick		◆
ARP2013	☐	Full length arm pad with startex cover visco foam [355mm], 40 mm thick		○
ARP2014	☐	Ergonomic arm trough; 30 mm thick	NC : 2347, 2348, 2349, 2350, 1404, 1405	163,98
ARM PAD Right Hand				
ARP2016	☐	Desk arm pad with startex cover visco foam [255mm]; 40 mm thick		◆
ARP2017	☐	Full length arm pad with startex cover visco foam [355mm]; 40 mm thick		○
ARP2018	☐	Ergonomic arm trough, 30 mm thick	NC : 2351, 2352, 2353, 2354, 1404, 1405	163,98
ARM PAD ACCESSORIES & MOUNTING OPTIONS				
Only in combination with arm trough / Always to be mounted on the opposite side of remote				
ARP2080	☐	Flat Hand Pad Left		159,24
ARP2083	☐	Flat Hand Pad Right		86,26
MULTI-AXIS UPPER EXTREMITY SUPPORTS				
ARP2082	☐	Multi Axis Upper Extremity Support (MACES) Left, lowest armpad height will be increased by 43 mm		309,95
ARP2085	☐	Multi Axis Upper Extremity Support (MACES) Right, lowest armpad height will be increased by 43 mm		309,95
E - Height setting: ARMREST LHSEAT PAN TO TOP OF THE TUBE				
Customized :				
☐ 290 mm				◆
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm				○
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm				○
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm				○
☐ 390 mm ☐ 405 mm				○
F - Height setting: ARMREST RHSEAT PAN TO TOP OF THE TUBE				
Customized :				
☐ 290 mm				◆
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm				○
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm				○
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm				○
☐ 390 mm ☐ 405 mm				○

FOOTPLATES / FOOT PLATFORM				
ARP2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
ARP0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARP0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
ARP0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17
G - Height setting: Centre Mount Legrest, options 0586 & 0589				
SEAT PAN TO FOOTPLATE				
Customized :				
☐ 375 mm				◆
☐ 310 mm ☐ 325 mm ☐ 335 mm ☐ 345 mm				○
☐ 355 mm ☐ 364 mm ☐ 385 mm ☐ 410 mm				○
G- Height setting: Centre Mount w telescoping foot platform				
SEAT PAN TO FOOTPLATE				
Customized :				
☐ 380 mm ☐ 393 mm ☐ 406 mm ☐ 419 mm				○
SIDE MOUNTED FRONT RIGGINGS FOR ULTRA LOW-MAXX				
ARP0537	☐	Hanger Vari A LH		◆
ARP0539	☐	Hanger ADE 0° - 80° LH		343,13
ARP0547	☐	Hanger Vari A RH		◆
ARP0549	☐	Hanger ADE 0° - 80° RH		343,13
H - Height setting: Vari Hanger LH				
SEAT PAN TO FOOTPLATE				
Customized :				
☐ 370 mm				◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm				○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm				○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm				○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm				○
H - Height setting: Vari Hanger LH				
SEAT PAN TO FOOTPLATE				
Customized :				
☐ 370 mm				◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm				○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm				○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm				○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm				○
INDIVIDUAL FOOTPLATE TYPE; LH				
ARP0509	☐	Angle Adjustable Footplate LH		◆
INDIVIDUAL FOOTPLATE TYPE; RH				
ARP0506	☐	Angle Adjustable Footplate RH		◆
LiNX REMOTES				
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS				
ARP2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆
ARP2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARP2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400 Configurable jack sockets		576,30
ARP2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2257, 2233, 2240, 2243, 2255, 2256, 2271 or 2216	NC : 2270	1 713,74
REM400 TOGGLE OPTION				
ARP2270	☐	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial		340,28





REM211 REM216




REM400 REM500





2270

REMOTE MOUNTING POSITION				
ARP2107	☐	Standard Bracket RH	NC : 1404	○
ARP2108	☐	Standard Bracket LH	NC : 1405	○
ARP1707	☐	Swing Away Bracket RH	NC : 1404	◆
ARP1708	☐	Swing Away Bracket LH	NC : 1405	○
ARP2075	☐	Swing Away + height / width adjust. Mount on RH for user, Quad link design	NC : 1415	233,18
ARP2076	☐	Swing Away + height / width adjust. Mount on LH for user, Quad link design	NC : 1339	233,18
ARP2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	563,98
ARP2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	563,98
ARP2227	☐	Bracket RH, mounted for Attendant	NC : 1221, 2219, 2245	161,14
ARP2228	☐	Bracket LH, mounted for Attendant	NC : 1222, 2219, 2245	161,14
ARU2239	☐	Montage personnalisé, merci de nous préciser votre demande :	On Demand	
LiNX REM500 (DISPLAY ONLY) BRACKETS				
ARP2209	☐	Swing away RH, multi-adjustable	NC : 1404	◆
ARP2210	☐	Swing away LH, multi-adjustable	NC : 1405	○
PW-4005	☐	Option 2209/2210 with fixing rod for REM500 extended by 200 mm		On Demand
ARP2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	685,31
ARP2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	685,31
ARU2239	☐	Individual mounting option per request (Special) :	On Demand	
DUAL CONTROL LiNX + BRACKETS				
ARP2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94
ARP2245	☐	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228, 2069	1 563,98
ARP1207	☐	Standard Bracket RH		◆
ARP1208	☐	Standard Bracket LH		○
ARP1221	☐	Bracket RH, detachable		○
ARP1222	☐	Bracket LH, detachable		○
If several joysticks (or Joystick + REM500) should be mounted on one Nucleus, please select special mounting option 2215!				
LiNX - COMPACT REMOTES & BRACKETS				
ARP2231	☐	Proportional Compact Remote DLX-CR400		1 192,42
ARP2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF		1 311,85
ARP2207	☐	RH Mount	NC : 1404	◆
ARP2208	☐	LH Mount	NC : 1405	○
ARP2213	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405	717,54
ARP2214	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405	717,54
ARU2215	☐	Individual mounting option per request (Special) :	On Demand	
ALTERNATIVE JOYSTICKS + INPUTS + BRACKETS				
CHIN CONTROL + BRACKETS				
ARP2229	☐	Proportional Chin Joystick (ASL138)	NC : 2230, 2247, 2233, 2257, 2240	3 011,37
ARP1289	☐	Swing Away Bracket RH, side manual (ASL628)	Requires ELAN Headrest	◆
ARP1288	☐	Swing Away Bracket LH, side manual (ASL628)	Requires ELAN Headrest	○
ARU1287	☐	Swing Away Bracket RH, powered		1 445,50
ARU1286	☐	Swing Away Bracket LH, powered		1 445,50
HEAD CONTROL ATOM Technology				
ARP2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
ARP2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)				
ARP2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	6 129,89
ARP2275	☐	Centre Mount, swing-away to RH, Nucleus	Incl. Eclipse Tray ASL619, 360x180 mm)	○
ARP2276	☐	Centre Mount, swing-away to LH, Nucleus	Incl. Eclipse Tray ASL619, 360x180 mm)	○
ARU2215	☐	Individual mounting option per request (Special) :	On Demand	
WIRELESS ACCESSORIES FOR ATOM				
ARP2250	☐	Wireless Mouse Emulator (ASL558)		1 506,16
LiNX - PROPORTIONAL REMOTES / INPUTS & BRACKETS				
ARP2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82
ARP2235	☐	Tray Mount RH (ASL603, 100x150 mm)		717,54
ARP2236	☐	Tray Mount LH (ASL603, 100x150 mm)		717,54
ARP2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	○
ARP2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	○
ARP2241	☐	Centre Mount, swing-away to RH, Nucleus	Incl. Tray ASL603, 100x150 mm	717,54
ARP2242	☐	Centre Mount, swing-away to LH, Nucleus	Incl. Tray ASL603, 100x150 mm	717,54
ARU2215	☐	Individual mounting option per request (Special) :	On Demand	



2209
2210




2219
2245




2231
2232



2229



2230



2247



2257



2250



2233

Proportional reinforced joystick control						2240	
ARP2240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)		3 366,82			
PEDIATRIC COMPACT							
ARP2243	☐	Proportional Pediatric Compact (ASL132), includes Input Module		3 030,33		2243	
ARP2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○			
ARP2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○			
ARP2213	☐	Centre Mount, swing-away to RH, Nucleus		○			
ARP2214	☐	Centre Mount, swing-away to LH, Nucleus		○			
ARP2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54			
ARP2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54			
ARU2215	☐	Individual mounting option per request (Special) :		On Demand			
SIP'N PUFF HEAD CONTROL							
ARP2255	☐	Sip'n Puff Head Control (ASL109), (Combines simple sip and puff controls with head movements)	Includes Input Module and Lip Switch (ASL301 LIP)	6 731,75		2255 2256	
SIP'N PUFF CONTROL & INPUT MODULE							
ARP2256	☐	Sip'n Puff Control	Includes Sip'n Puff kit, Lip Switch ASL301LIP, Input module	6 731,75		2251	
LiNX INTERFACE OPTIONS (mounted & connected)							
ARP2271	☐	Input Module DLX-IN500-A (sub D, Sip'n Puff)		507,11		2263	
ALTERNATIVE SEATING CONTROL							
ARP2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access		530,81			
ARP2217	☐	Bracket RH, mounted for user		○			
ARP2218	☐	Bracket LH, mounted for user		○			
ARP2226	☐	For Attendant, mounted on back shroud		○			
ARP2225	☐	Without mounting		○			
TOGGLES / BUTTONS							
ARP2261	☐	Stereo Toggle - direct control for tilt only		290,05		2263	
ARP2262	☐	Stereo Button - direct control for tilt only		290,05			
ARP2263	☐	Four-Way Toggle - direct control for tilt & recline		410,43			
ARP2264	☐	Four-Way Button - direct control for tilt & recline		410,43			
ARP2207	☐	RH Mount		○			
ARP2208	☐	LH Mount		○			
ARP2225	☐	Without mounting		○			
LiNX ACCESSORIES							
USB CHARGER PORT							
ARP2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint Belt	236,02		2253	
ARP2207	☐	RH Mount		○			
ARP2208	☐	LH Mount		○			
REMOTE STOP SWITCH							
ARP2258	☐	Remote Stop Switch (ASL504)		831,28		2258	
OUTPUT MODULE							
ARP2272	☐	LiNX Output Module (DLX-OUT500)		590,52		2272	
FURTHER COMPONENTS / ACCESSORIES							
ARP2300	☐	To be enclosed only	Not mounted to the chair	○		2272	
ARU2301	☐	To be connected and programmed (Special)		On Demand			
BUDDY BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected							
ARP1685	☐	Red Buddy Button		130,81		2272	
ARP1686	☐	Yellow Buddy Button		130,81			
ARP1687	☐	Green Buddy Button		130,81			
ARP1690	☐	Blue Buddy Button		130,81			
EGG SWITCH - Accessory loom 2252 required, if no REM400 or REM500 is selected							
ARP2254	☐	Egg Switch, black		103,32		2272	
PIKO BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected							
ARP1711	☐	Red Piko Button		130,81			
ARP1712	☐	Yellow Piko Button		130,81			
ARP1713	☐	Green Piko Button		130,81			
ARP1714	☐	Orange Piko Button		130,81			
ARP1715	☐	Blue Piko Button		130,81			
ARP1716	☐	Black Piko Button		130,81			

BODYPOINT JOYSTICK KNOBS				2721 2722 2723 2724 
ARP2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	100,00	
ARP2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	100,00	
ARP2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A	100,00	
ARP2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	100,00	
DRIVE UNIT DETAILS				
SHROUD COLOURS				
ARP2601	☐	SpaceStation Silver		○
ARP2602	☐	Island Blue		○
ARP2603	☐	Grape JellyBean		○
ARP2607	☐	Rockstar Red		○
ARP2608	☐	Lights Out Black – Matte		○
ARP2609	☐	Invacare® Blue		○
ARP0228	☐	Wet Black		○
RIM INSERT COLOURS				
ARP2611	☐	SpaceStation Silver		○
ARP2612	☐	Island Blue		○
ARP2613	☐	Grape JellyBean		○
ARP2617	☐	Rockstar Red		○
ARP2618	☐	Lights Out Black – Matte		○
ARP2619	☐	Invacare® Blue		○
ARP2620	☐	Wet Black		○
ARP2621	☐	Without Rim insert		○
PERFORMANCE				
Forks				
ARP2631	☐	Single sided fork (new) incl. black castor		399,05
ARP2632	☐	Double sided fork		◆
CENTRE / DRIVE WHEELS				
ARP0704	☐	14"x3" Black Tires, Pneumatic		◆
ARP0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8		○
ARP0733	☐	14"x3" Black Tires with Gel Foam Inserts		○
MOTOR TYPE / SPEED OPTIONS				
ARP1282	☐	OPS Drive 6 km/h (4-pole)		◆
ARP1283	☐	OPS Drive 10 km/h (4-pole)		○
BATTERY				
ARP1257	☐	50 Ah Gel Batteries		◆
CHARGER				
ARP1313	☐	OptiCharge Charger 10A		◆
ARP1313	☐	Opti Charge Charger 10A (IP44) (UK Plug)		○
G-Trac				
ARP1215	☐	G-Trac Module		1 035,07
OPTIONS				
LIGHT				
ARP1367	☐	Light system with Indicators		627,49
ARP1437	☐	LED Light System		650,24
ARP1254	☐	Without Light system		◆
TRANSPORTATION KIT				
ARP1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory) Docking Station for car implementation, please order separately with DAHL Engineering		○
TIE-DOWNS				
ARP1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)		◆
ARP1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) required for variants with combined Lift & Tilt module (Adequate headrest is compulsory)		○
LAP BELT				
ARP2113	☐	Lap belt with auto lock (flexible mount in side rails)	NC : Bodypoint Belt	◆


BODYPOINT PELVIC BELTS - Includes mounting kit				
ARP2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L		156,40
ARP2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M		156,40
ARP2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L		133,65
ARP2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M		133,65
ARP2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount. Size L		116,59
ARP2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount. Size M		116,59
REARVIEW MIRROR				
ARU1415	☐	RH Mirror		70,14
ARU1339	☐	LH Mirror		70,14
TRAY				
ARP1404	☐	Swing Away RH		478,67
ARP1405	☐	Swing Away LH		478,67
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54


2701, 2702


2703, 2704


2705, 2706


1440530


1654130