



Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ;
Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Vicair® Seat Cushions

CE

Date:

Purchase Order:

Customer Code:

Dealer's Stamps:



Seat Cushions

The Vicair 02 cushions are made of air cells. They can be used in institutions or at home when incontinence, skin temperature or humidity are problems for the user. Breathable, light and maintenance free cushions.

Washable at 60°, air cells included. Do not put it in the dryer.

		Prix public unit. HT
Cushion type		
Coussin Vicair® 4 - height 80 mm - Top cover - user max weight : 250 kg	☐	406,14 €
Coussin Vicair® 4 - height 80 mm - Incontinence cover - user max weight : 250 kg	☐	412,29 €
Coussin Vicair® Adjuster 02 - height 60 mm - user max weight : 250 kg	☐	535,87 €
Coussin Vicair® Adjuster 02 - height 100 mm - user max weight : 250 kg	☐	574,84 €
Coussin Vicair® Active 02 - height 60 mm - user max weight : 200 kg	☐	601,11 €
Coussin Vicair® Active 02 - height 90 mm - user max weight : 200 kg	☐	661,22 €
Coussin Vicair® Vector 02 - height 60 mm - user max weight : 250 kg	☐	651,03 €
Coussin Vicair® Vector 02 - height 100 mm - user max weight : 250 kg	☐	718,85 €
Coussin Vicair® Xxtra 02 - height 100 mm - user max weight : 500 kg	☐	706,29 €
Coussin Vicair® Adjuster 12 02 - height 120 mm - user max weight : 250 kg	☐	703,25 €
Coussin Vicair® Centre 02 - height 100 mm - user max weight : 250 kg	☐	635,61 €
Coussin Vicair® Junior 02 - height 60 mm - user max weight : 100 kg	☐	535,00 €
Coussin Vicair® Liberty Basic - height 60 mm - without cover - user max weight : 150 kg	☐	145,69 €
Coussin Vicair® Liberty Basic - height 60 mm - Comfair or Incontinence cover - user max weight : 150 kg	☐	184,62 €
Coussin Vicair® Liberty Profile - height 60 mm - Comfair or Incontinence cover - user max weight : 150 kg	☐	213,77 €
Coussin Vicair® Liberty TC - height 60 mm - user max weight : 150 kg	☐	170,00 €

Vicair® 4

Height 80 mm - 02 Top cover - Comfair
 User max weight : 250 kg

☐ : STANDARD



Cushion depth	Cushion width				
	400 mm	430 mm	450 mm	480 mm	500 mm
400 mm	FOR/CC/4040 ☐	☐	☐	☐	☐
430 mm	☐	FOR/CC/4343 ☐	☐	☐	☐
450 mm	☐	☐	FOR/CC/4545 ☐	☐	☐
480 mm	☐	☐	☐	FOR/CC/4848 ☐	☐
500 mm	☐	☐	☐	☐	FOR/CC/5050 ☐

Height 80 mm - 02 Top Cover - Incontinence
 User max weight : 250 kg

☐ : STANDARD

Cushion depth	Cushion width				
	400 mm	430 mm	450 mm	480 mm	500 mm
400 mm	FOR/CI/4040 ☐	☐	☐	☐	☐
430 mm	☐	FOR/CI/4343 ☐	☐	☐	☐
450 mm	☐	☐	FOR/CI/4545 ☐	☐	☐
480 mm	☐	☐	☐	FOR/CI/4848 ☐	☐
500 mm	☐	☐	☐	☐	FOR/CI/5050 ☐

Vicair® Adjuster O2



Height 60 mm - Comfair Cover
User max weight : 250 kg

 : STANDARD : SPECIAL +270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	OAD6/CC/3535 ☐	OAD6/CC/3835 ☐	OAD6/CC/4035 ☐	OAD6/CC/4335
380 mm	OAD6/CC/3538 ☐	OAD6/CC/3838 ☐	OAD6/CC/4038 ☐	OAD6/CC/4338
400 mm	OAD6/CC/3540 ☐	OAD6/CC/3840 ☐	OAD6/CC/4040 ☐	OAD6/CC/4340
430 mm	OAD6/CC/3543 ☐	OAD6/CC/3843 ☐	OAD6/CC/4043 ☐	OAD6/CC/4343
450 mm	OAD6/CC/3545 ☐	OAD6/CC/3845 ☐	OAD6/CC/4045 ☐	OAD6/CC/4345
480 mm	OAD6/CC/3548 ☐	OAD6/CC/3848 ☐	OAD6/CC/4048 ☐	OAD6/CC/4348
500 mm	OAD6/CC/3550 ☐	OAD6/CC/3850 ☐	OAD6/CC/4050 ☐	OAD6/CC/4350
530 mm	OAD6/CC/3553 ☐	OAD6/CC/3853 ☐	OAD6/CC/4053 ☐	OAD6/CC/4353
Cushion depth	Cushion width			
	450 mm	480 mm	500 mm	530 mm
350 mm	OAD6/CC/4535 ☐	OAD6/CC/4835 ☐	OAD6/CC/5035 ☐	OAD6/CC/5335
380 mm	OAD6/CC/4538 ☐	OAD6/CC/4838 ☐	OAD6/CC/5038 ☐	OAD6/CC/5338
400 mm	OAD6/CC/4540 ☐	OAD6/CC/4840 ☐	OAD6/CC/5040 ☐	OAD6/CC/5340
430 mm	OAD6/CC/4543 ☐	OAD6/CC/4843 ☐	OAD6/CC/5043 ☐	OAD6/CC/5343
450 mm	OAD6/CC/4545 ☐	OAD6/CC/4845 ☐	OAD6/CC/5045 ☐	OAD6/CC/5345
480 mm	OAD6/CC/4548 ☐	OAD6/CC/4848 ☐	OAD6/CC/5048 ☐	OAD6/CC/5348
500 mm	OAD6/CC/4550 ☐	OAD6/CC/4850 ☐	OAD6/CC/5050 ☐	OAD6/CC/5350
530 mm	OAD6/CC/4553 ☐	OAD6/CC/4853 ☐	OAD6/CC/5053 ☐	OAD6/CC/5353

Height 100 mm - Comfair Cover
User max weight : 250 kg

 : STANDARD : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OAD10/CC/3535 ☐	OAD10/CC/3835 ☐	OAD10/CC/4035 ☐	OAD10/CC/4335 ☐	OAD10/CC/4535 ☐	OAD10/CC/4835
380 mm	OAD10/CC/3538 ☐	OAD10/CC/3838 ☐	OAD10/CC/4038 ☐	OAD10/CC/4338 ☐	OAD10/CC/4538 ☐	OAD10/CC/4838
400 mm	OAD10/CC/3540 ☐	OAD10/CC/3840 ☐	OAD10/CC/4040 ☐	OAD10/CC/4340 ☐	OAD10/CC/4540 ☐	OAD10/CC/4840
430 mm	OAD10/CC/3543 ☐	OAD10/CC/3843 ☐	OAD10/CC/4043 ☐	OAD10/CC/4343 ☐	OAD10/CC/4543 ☐	OAD10/CC/4843
450 mm	OAD10/CC/3545 ☐	OAD10/CC/3845 ☐	OAD10/CC/4045 ☐	OAD10/CC/4345 ☐	OAD10/CC/4545 ☐	OAD10/CC/4845
480 mm	OAD10/CC/3548 ☐	OAD10/CC/3848 ☐	OAD10/CC/4048 ☐	OAD10/CC/4348 ☐	OAD10/CC/4548 ☐	OAD10/CC/4848
500 mm	OAD10/CC/3550 ☐	OAD10/CC/3850 ☐	OAD10/CC/4050 ☐	OAD10/CC/4350 ☐	OAD10/CC/4550 ☐	OAD10/CC/4850
530 mm	OAD10/CC/3553 ☐	OAD10/CC/3853 ☐	OAD10/CC/4053 ☐	OAD10/CC/4353 ☐	OAD10/CC/4553 ☐	OAD10/CC/4853
550 mm	OAD10/CC/3555 ☐	OAD10/CC/3855 ☐	OAD10/CC/4055 ☐	OAD10/CC/4355 ☐	OAD10/CC/4555 ☐	OAD10/CC/4855
580 mm	OAD10/CC/3558 ☐	OAD10/CC/3858 ☐	OAD10/CC/4058 ☐	OAD10/CC/4358 ☐	OAD10/CC/4558 ☐	OAD10/CC/4858
600 mm	OAD10/CC/3560 ☐	OAD10/CC/3860 ☐	OAD10/CC/4060 ☐	OAD10/CC/4360 ☐	OAD10/CC/4560 ☐	OAD10/CC/4860
Cushion depth	Cushion width					
	500 mm	530 mm	550 mm	580 mm	600 mm	
350 mm	OAD10/CC/5035 ☐	OAD10/CC/5335 ☐	OAD10/CC/5535 ☐	OAD10/CC/5835 ☐	OAD10/CC/6035 ☐	
380 mm	OAD10/CC/5038 ☐	OAD10/CC/5338 ☐	OAD10/CC/5538 ☐	OAD10/CC/5838 ☐	OAD10/CC/6038 ☐	
400 mm	OAD10/CC/5040 ☐	OAD10/CC/5340 ☐	OAD10/CC/5540 ☐	OAD10/CC/5840 ☐	OAD10/CC/6040 ☐	
430 mm	OAD10/CC/5043 ☐	OAD10/CC/5343 ☐	OAD10/CC/5543 ☐	OAD10/CC/5843 ☐	OAD10/CC/6043 ☐	
450 mm	OAD10/CC/5045 ☐	OAD10/CC/5345 ☐	OAD10/CC/5545 ☐	OAD10/CC/5845 ☐	OAD10/CC/6045 ☐	
480 mm	OAD10/CC/5048 ☐	OAD10/CC/5348 ☐	OAD10/CC/5548 ☐	OAD10/CC/5848 ☐	OAD10/CC/6048 ☐	
500 mm	OAD10/CC/5050 ☐	OAD10/CC/5350 ☐	OAD10/CC/5550 ☐	OAD10/CC/5850 ☐	OAD10/CC/6050 ☐	
530 mm	OAD10/CC/5053 ☐	OAD10/CC/5353 ☐	OAD10/CC/5553 ☐	OAD10/CC/5853 ☐	OAD10/CC/6053 ☐	
550 mm	OAD10/CC/5055 ☐	OAD10/CC/5355 ☐	OAD10/CC/5555 ☐	OAD10/CC/5855 ☐	OAD10/CC/6055 ☐	
580 mm	OAD10/CC/5058 ☐	OAD10/CC/5358 ☐	OAD10/CC/5558 ☐	OAD10/CC/5858 ☐	OAD10/CC/6058 ☐	
600 mm	OAD10/CC/5060 ☐	OAD10/CC/5360 ☐	OAD10/CC/5560 ☐	OAD10/CC/5860 ☐	OAD10/CC/6060 ☐	

Vicair® Adjuster O2

Height 60 mm - Incontinence Cover
User max weight : 250 kg



 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	OAD6/CI/3535 ☐	OAD6/CI/3835 ☐	OAD6/CI/4035 ☐	OAD6/CI/4335 ☐
380 mm	OAD6/CI/3538 ☐	OAD6/CI/3838 ☐	OAD6/CI/4038 ☐	OAD6/CI/4338 ☐
400 mm	OAD6/CI/3540 ☐	OAD6/CI/3840 ☐	OAD6/CI/4040 ☐	OAD6/CI/4340 ☐
430 mm	OAD6/CI/3543 ☐	OAD6/CI/3843 ☐	OAD6/CI/4043 ☐	OAD6/CI/4343 ☐
450 mm	OAD6/CI/3545 ☐	OAD6/CI/3845 ☐	OAD6/CI/4045 ☐	OAD6/CI/4345 ☐
480 mm	OAD6/CI/3548 ☐	OAD6/CI/3848 ☐	OAD6/CI/4048 ☐	OAD6/CI/4348 ☐
500 mm	OAD6/CI/3550 ☐	OAD6/CI/3850 ☐	OAD6/CI/4050 ☐	OAD6/CI/4350 ☐
530 mm	OAD6/CI/3553 ☐	OAD6/CI/3853 ☐	OAD6/CI/4053 ☐	OAD6/CI/4353 ☐
Cushion depth	Cushion width			
	450 mm	480 mm	500 mm	530 mm
350 mm	OAD6/CI/4535 ☐	OAD6/CI/4835 ☐	OAD6/CI/5035 ☐	OAD6/CI/5335 ☐
380 mm	OAD6/CI/4538 ☐	OAD6/CI/4838 ☐	OAD6/CI/5038 ☐	OAD6/CI/5338 ☐
400 mm	OAD6/CI/4540 ☐	OAD6/CI/4840 ☐	OAD6/CI/5040 ☐	OAD6/CI/5340 ☐
430 mm	OAD6/CI/4543 ☐	OAD6/CI/4843 ☐	OAD6/CI/5043 ☐	OAD6/CI/5343 ☐
450 mm	OAD6/CI/4545 ☐	OAD6/CI/4845 ☐	OAD6/CI/5045 ☐	OAD6/CI/5345 ☐
480 mm	OAD6/CI/4548 ☐	OAD6/CI/4848 ☐	OAD6/CI/5048 ☐	OAD6/CI/5348 ☐
500 mm	OAD6/CI/4550 ☐	OAD6/CI/4850 ☐	OAD6/CI/5050 ☐	OAD6/CI/5350 ☐
530 mm	OAD6/CI/4553 ☐	OAD6/CI/4853 ☐	OAD6/CI/5053 ☐	OAD6/CI/5353 ☐

Height 100 mm - Incontinence Cover
User max weight : 250 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OAD10/CI/3535 ☐	OAD10/CI/3835 ☐	OAD10/CI/4035 ☐	OAD10/CI/4335 ☐	OAD10/CI/4535 ☐	OAD10/CI/4835 ☐
380 mm	OAD10/CI/3538 ☐	OAD10/CI/3838 ☐	OAD10/CI/4038 ☐	OAD10/CI/4338 ☐	OAD10/CI/4538 ☐	OAD10/CI/4838 ☐
400 mm	OAD10/CI/3540 ☐	OAD10/CI/3840 ☐	OAD10/CI/4040 ☐	OAD10/CI/4340 ☐	OAD10/CI/4540 ☐	OAD10/CI/4840 ☐
430 mm	OAD10/CI/3543 ☐	OAD10/CI/3843 ☐	OAD10/CI/4043 ☐	OAD10/CI/4343 ☐	OAD10/CI/4543 ☐	OAD10/CI/4843 ☐
450 mm	OAD10/CI/3545 ☐	OAD10/CI/3845 ☐	OAD10/CI/4045 ☐	OAD10/CI/4345 ☐	OAD10/CI/4545 ☐	OAD10/CI/4845 ☐
480 mm	OAD10/CI/3548 ☐	OAD10/CI/3848 ☐	OAD10/CI/4048 ☐	OAD10/CI/4348 ☐	OAD10/CI/4548 ☐	OAD10/CI/4848 ☐
500 mm	OAD10/CI/3550 ☐	OAD10/CI/3850 ☐	OAD10/CI/4050 ☐	OAD10/CI/4350 ☐	OAD10/CI/4550 ☐	OAD10/CI/4850 ☐
530 mm	OAD10/CI/3553 ☐	OAD10/CI/3853 ☐	OAD10/CI/4053 ☐	OAD10/CI/4353 ☐	OAD10/CI/4553 ☐	OAD10/CI/4853 ☐
550 mm	OAD10/CI/3555 ☐	OAD10/CI/3855 ☐	OAD10/CI/4055 ☐	OAD10/CI/4355 ☐	OAD10/CI/4555 ☐	OAD10/CI/4855 ☐
580 mm	OAD10/CI/3558 ☐	OAD10/CI/3858 ☐	OAD10/CI/4058 ☐	OAD10/CI/4358 ☐	OAD10/CI/4558 ☐	OAD10/CI/4858 ☐
600 mm	OAD10/CI/3560 ☐	OAD10/CI/3860 ☐	OAD10/CI/4060 ☐	OAD10/CI/4360 ☐	OAD10/CI/4560 ☐	OAD10/CI/4860 ☐
Cushion depth	Cushion width					
	500 mm	530 mm	550 mm	580 mm	600 mm	
350 mm	OAD10/CI/5035 ☐	OAD10/CI/5335 ☐	OAD10/CI/5535 ☐	OAD10/CI/5835 ☐	OAD10/CI/6035 ☐	
380 mm	OAD10/CI/5038 ☐	OAD10/CI/5338 ☐	OAD10/CI/5538 ☐	OAD10/CI/5838 ☐	OAD10/CI/6038 ☐	
400 mm	OAD10/CI/5040 ☐	OAD10/CI/5340 ☐	OAD10/CI/5540 ☐	OAD10/CI/5840 ☐	OAD10/CI/6040 ☐	
430 mm	OAD10/CI/5043 ☐	OAD10/CI/5343 ☐	OAD10/CI/5543 ☐	OAD10/CI/5843 ☐	OAD10/CI/6043 ☐	
450 mm	OAD10/CI/5045 ☐	OAD10/CI/5345 ☐	OAD10/CI/5545 ☐	OAD10/CI/5845 ☐	OAD10/CI/6045 ☐	
480 mm	OAD10/CI/5048 ☐	OAD10/CI/5348 ☐	OAD10/CI/5548 ☐	OAD10/CI/5848 ☐	OAD10/CI/6048 ☐	
500 mm	OAD10/CI/5050 ☐	OAD10/CI/5350 ☐	OAD10/CI/5550 ☐	OAD10/CI/5850 ☐	OAD10/CI/6050 ☐	
530 mm	OAD10/CI/5053 ☐	OAD10/CI/5353 ☐	OAD10/CI/5553 ☐	OAD10/CI/5853 ☐	OAD10/CI/6053 ☐	
550 mm	OAD10/CI/5055 ☐	OAD10/CI/5355 ☐	OAD10/CI/5555 ☐	OAD10/CI/5855 ☐	OAD10/CI/6055 ☐	
580 mm	OAD10/CI/5058 ☐	OAD10/CI/5358 ☐	OAD10/CI/5558 ☐	OAD10/CI/5858 ☐	OAD10/CI/6058 ☐	
600 mm	OAD10/CI/5060 ☐	OAD10/CI/5360 ☐	OAD10/CI/5560 ☐	OAD10/CI/5860 ☐	OAD10/CI/6060 ☐	

Vicair® Adjuster O2



Height 60 mm - Two covers type O2 Top Cover
User max weight : 250 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	OAD6/TP/3535 ☐	OAD6/TP/3835 ☐	OAD6/TP/4035 ☐	OAD6/TP/4335 ☐
380 mm	OAD6/TP/3538 ☐	OAD6/TP/3838 ☐	OAD6/TP/4038 ☐	OAD6/TP/4338 ☐
400 mm	OAD6/TP/3540 ☐	OAD6/TP/3840 ☐	OAD6/TP/4040 ☐	OAD6/TP/4340 ☐
430 mm	OAD6/TP/3543 ☐	OAD6/TP/3843 ☐	OAD6/TP/4043 ☐	OAD6/TP/4343 ☐
450 mm	OAD6/TP/3545 ☐	OAD6/TP/3845 ☐	OAD6/TP/4045 ☐	OAD6/TP/4345 ☐
480 mm	OAD6/TP/3548 ☐	OAD6/TP/3848 ☐	OAD6/TP/4048 ☐	OAD6/TP/4348 ☐
500 mm	OAD6/TP/3550 ☐	OAD6/TP/3850 ☐	OAD6/TP/4050 ☐	OAD6/TP/4350 ☐
530 mm	OAD6/TP/3553 ☐	OAD6/TP/3853 ☐	OAD6/TP/4053 ☐	OAD6/TP/4353 ☐
Cushion depth	Cushion width			
	450 mm	480 mm	500 mm	530 mm
350 mm	OAD6/TP/4535 ☐	OAD6/TP/4835 ☐	OAD6/TP/5035 ☐	OAD6/TP/5335 ☐
380 mm	OAD6/TP/4538 ☐	OAD6/TP/4838 ☐	OAD6/TP/5038 ☐	OAD6/TP/5338 ☐
400 mm	OAD6/TP/4540 ☐	OAD6/TP/4840 ☐	OAD6/TP/5040 ☐	OAD6/TP/5340 ☐
430 mm	OAD6/TP/4543 ☐	OAD6/TP/4843 ☐	OAD6/TP/5043 ☐	OAD6/TP/5343 ☐
450 mm	OAD6/TP/4545 ☐	OAD6/TP/4845 ☐	OAD6/TP/5045 ☐	OAD6/TP/5345 ☐
480 mm	OAD6/TP/4548 ☐	OAD6/TP/4848 ☐	OAD6/TP/5048 ☐	OAD6/TP/5348 ☐
500 mm	OAD6/TP/4550 ☐	OAD6/TP/4850 ☐	OAD6/TP/5050 ☐	OAD6/TP/5350 ☐
530 mm	OAD6/TP/4553 ☐	OAD6/TP/4853 ☐	OAD6/TP/5053 ☐	OAD6/TP/5353 ☐

Height 100 mm - Two covers type O2 Top Cover
Max user weight : 250 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OAD10/TP/3535 ☐	OAD10/TP/3835 ☐	OAD10/TP/4035 ☐	OAD10/TP/4335 ☐	OAD10/TP/4535 ☐	OAD10/TP/4835 ☐
380 mm	OAD10/TP/3538 ☐	OAD10/TP/3838 ☐	OAD10/TP/4038 ☐	OAD10/TP/4338 ☐	OAD10/TP/4538 ☐	OAD10/TP/4838 ☐
400 mm	OAD10/TP/3540 ☐	OAD10/TP/3840 ☐	OAD10/TP/4040 ☐	OAD10/TP/4340 ☐	OAD10/TP/4540 ☐	OAD10/TP/4840 ☐
430 mm	OAD10/TP/3543 ☐	OAD10/TP/3843 ☐	OAD10/TP/4043 ☐	OAD10/TP/4343 ☐	OAD10/TP/4543 ☐	OAD10/TP/4843 ☐
450 mm	OAD10/TP/3545 ☐	OAD10/TP/3845 ☐	OAD10/TP/4045 ☐	OAD10/TP/4345 ☐	OAD10/TP/4545 ☐	OAD10/TP/4845 ☐
480 mm	OAD10/TP/3548 ☐	OAD10/TP/3848 ☐	OAD10/TP/4048 ☐	OAD10/TP/4348 ☐	OAD10/TP/4548 ☐	OAD10/TP/4848 ☐
500 mm	OAD10/TP/3550 ☐	OAD10/TP/3850 ☐	OAD10/TP/4050 ☐	OAD10/TP/4350 ☐	OAD10/TP/4550 ☐	OAD10/TP/4850 ☐
530 mm	OAD10/TP/3553 ☐	OAD10/TP/3853 ☐	OAD10/TP/4053 ☐	OAD10/TP/4353 ☐	OAD10/TP/4553 ☐	OAD10/TP/4853 ☐
550 mm	OAD10/TP/3555 ☐	OAD10/TP/3855 ☐	OAD10/TP/4055 ☐	OAD10/TP/4355 ☐	OAD10/TP/4555 ☐	OAD10/TP/4855 ☐
580 mm	OAD10/TP/3558 ☐	OAD10/TP/3858 ☐	OAD10/TP/4058 ☐	OAD10/TP/4358 ☐	OAD10/TP/4558 ☐	OAD10/TP/4858 ☐
600 mm	OAD10/TP/3560 ☐	OAD10/TP/3860 ☐	OAD10/TP/4060 ☐	OAD10/TP/4360 ☐	OAD10/TP/4560 ☐	OAD10/TP/4860 ☐
Cushion depth	Cushion width					
	500 mm	530 mm	550 mm	580 mm	600 mm	
350 mm	OAD10/TP/5035 ☐	OAD10/TP/5335 ☐	OAD10/TP/5535 ☐	OAD10/TP/5835 ☐	OAD10/TP/6035 ☐	
380 mm	OAD10/TP/5038 ☐	OAD10/TP/5338 ☐	OAD10/TP/5538 ☐	OAD10/TP/5838 ☐	OAD10/TP/6038 ☐	
400 mm	OAD10/TP/5040 ☐	OAD10/TP/5340 ☐	OAD10/TP/5540 ☐	OAD10/TP/5840 ☐	OAD10/TP/6040 ☐	
430 mm	OAD10/TP/5043 ☐	OAD10/TP/5343 ☐	OAD10/TP/5543 ☐	OAD10/TP/5843 ☐	OAD10/TP/6043 ☐	
450 mm	OAD10/TP/5045 ☐	OAD10/TP/5345 ☐	OAD10/TP/5545 ☐	OAD10/TP/5845 ☐	OAD10/TP/6045 ☐	
480 mm	OAD10/TP/5048 ☐	OAD10/TP/5348 ☐	OAD10/TP/5548 ☐	OAD10/TP/5848 ☐	OAD10/TP/6048 ☐	
500 mm	OAD10/TP/5050 ☐	OAD10/TP/5350 ☐	OAD10/TP/5550 ☐	OAD10/TP/5850 ☐	OAD10/TP/6050 ☐	
530 mm	OAD10/TP/5053 ☐	OAD10/TP/5353 ☐	OAD10/TP/5553 ☐	OAD10/TP/5853 ☐	OAD10/TP/6053 ☐	
550 mm	OAD10/TP/5055 ☐	OAD10/TP/5355 ☐	OAD10/TP/5555 ☐	OAD10/TP/5855 ☐	OAD10/TP/6055 ☐	
580 mm	OAD10/TP/5058 ☐	OAD10/TP/5358 ☐	OAD10/TP/5558 ☐	OAD10/TP/5858 ☐	OAD10/TP/6058 ☐	
600 mm	OAD10/TP/5060 ☐	OAD10/TP/5360 ☐	OAD10/TP/5560 ☐	OAD10/TP/5860 ☐	OAD10/TP/6060 ☐	

Vicair® Active O2



Height 60 mm

User max weight : 200 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	OCT6/3535 ☐	OCT6/3835 ☐	OCT6/4035 ☐	OCT6/4335 ☐
380 mm	OCT6/3538 ☐	OCT6/3838 ☐	OCT6/4038 ☐	OCT6/4338 ☐
400 mm	OCT6/3540 ☐	OCT6/3840 ☐	OCT6/4040 ☐	OCT6/4340 ☐
430 mm	OCT6/3543 ☐	OCT6/3843 ☐	OCT6/4043 ☐	OCT6/4343 ☐
450 mm	OCT6/3545 ☐	OCT6/3845 ☐	OCT6/4045 ☐	OCT6/4345 ☐
480 mm	OCT6/3548 ☐	OCT6/3848 ☐	OCT6/4048 ☐	OCT6/4348 ☐
500 mm	OCT6/3550 ☐	OCT6/3850 ☐	OCT6/4050 ☐	OCT6/4350 ☐
530 mm	OCT6/3553 ☐	OCT6/3853 ☐	OCT6/4053 ☐	OCT6/4353 ☐

Cushion depth	Cushion width			
	450 mm	480 mm	500 mm	530 mm
350 mm	OCT6/4535 ☐	OCT6/4835 ☐	OCT6/5035 ☐	OCT6/5335 ☐
380 mm	OCT6/4538 ☐	OCT6/4838 ☐	OCT6/5038 ☐	OCT6/5338 ☐
400 mm	OCT6/4540 ☐	OCT6/4840 ☐	OCT6/5040 ☐	OCT6/5340 ☐
430 mm	OCT6/4543 ☐	OCT6/4843 ☐	OCT6/5043 ☐	OCT6/5343 ☐
450 mm	OCT6/4545 ☐	OCT6/4845 ☐	OCT6/5045 ☐	OCT6/5345 ☐
480 mm	OCT6/4548 ☐	OCT6/4848 ☐	OCT6/5048 ☐	OCT6/5348 ☐
500 mm	OCT6/4550 ☐	OCT6/4850 ☐	OCT6/5050 ☐	OCT6/5350 ☐
530 mm	OCT6/4553 ☐	OCT6/4853 ☐	OCT6/5053 ☐	OCT6/5353 ☐

Height 90 mm

User max weight : 200 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OCT9/3535 ☐	OCT9/3835 ☐	OCT9/4035 ☐	OCT9/4335 ☐	OCT9/4535 ☐	OCT9/4835 ☐
380 mm	OCT9/3538 ☐	OCT9/3838 ☐	OCT9/4038 ☐	OCT9/4338 ☐	OCT9/4538 ☐	OCT9/4838 ☐
400 mm	OCT9/3540 ☐	OCT9/3840 ☐	OCT9/4040 ☐	OCT9/4340 ☐	OCT9/4540 ☐	OCT9/4840 ☐
430 mm	OCT9/3543 ☐	OCT9/3843 ☐	OCT9/4043 ☐	OCT9/4343 ☐	OCT9/4543 ☐	OCT9/4843 ☐
450 mm	OCT9/3545 ☐	OCT9/3845 ☐	OCT9/4045 ☐	OCT9/4345 ☐	OCT9/4545 ☐	OCT9/4845 ☐
480 mm	OCT9/3548 ☐	OCT9/3848 ☐	OCT9/4048 ☐	OCT9/4348 ☐	OCT9/4548 ☐	OCT9/4848 ☐
500 mm	OCT9/3550 ☐	OCT9/3850 ☐	OCT9/4050 ☐	OCT9/4350 ☐	OCT9/4550 ☐	OCT9/4850 ☐
530 mm	OCT9/3553 ☐	OCT9/3853 ☐	OCT9/4053 ☐	OCT9/4353 ☐	OCT9/4553 ☐	OCT9/4853 ☐
550 mm	OCT9/3555 ☐	OCT9/3855 ☐	OCT9/4055 ☐	OCT9/4355 ☐	OCT9/4555 ☐	OCT9/4855 ☐
580 mm	OCT9/3558 ☐	OCT9/3858 ☐	OCT9/4058 ☐	OCT9/4358 ☐	OCT9/4558 ☐	OCT9/4858 ☐
600 mm	OCT9/3560 ☐	OCT9/3860 ☐	OCT9/4060 ☐	OCT9/4360 ☐	OCT9/4560 ☐	OCT9/4860 ☐

Cushion depth	Cushion width				
	500 mm	530 mm	550 mm	580 mm	600 mm
350 mm	OCT9/5035 ☐	OCT9/5335 ☐	OCT9/5535 ☐	OCT9/5835 ☐	OCT9/6035 ☐
380 mm	OCT9/5038 ☐	OCT9/5338 ☐	OCT9/5538 ☐	OCT9/5838 ☐	OCT9/6038 ☐
400 mm	OCT9/5040 ☐	OCT9/5340 ☐	OCT9/5540 ☐	OCT9/5840 ☐	OCT9/6040 ☐
430 mm	OCT9/5043 ☐	OCT9/5343 ☐	OCT9/5543 ☐	OCT9/5843 ☐	OCT9/6043 ☐
450 mm	OCT9/5045 ☐	OCT9/5345 ☐	OCT9/5545 ☐	OCT9/5845 ☐	OCT9/6045 ☐
480 mm	OCT9/5048 ☐	OCT9/5348 ☐	OCT9/5548 ☐	OCT9/5848 ☐	OCT9/6048 ☐
500 mm	OCT9/5050 ☐	OCT9/5350 ☐	OCT9/5550 ☐	OCT9/5850 ☐	OCT9/6050 ☐
530 mm	OCT9/5053 ☐	OCT9/5353 ☐	OCT9/5553 ☐	OCT9/5853 ☐	OCT9/6053 ☐
550 mm	OCT9/5055 ☐	OCT9/5355 ☐	OCT9/5555 ☐	OCT9/5855 ☐	OCT9/6055 ☐
580 mm	OCT9/5058 ☐	OCT9/5358 ☐	OCT9/5558 ☐	OCT9/5858 ☐	OCT9/6058 ☐
600 mm	OCT9/5060 ☐	OCT9/5360 ☐	OCT9/5560 ☐	OCT9/5860 ☐	OCT9/6060 ☐

Vicair® Vector O2



Height 60 mm - Comfair cover
User max weight : 200 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	OVR6/CC/3535 ☐	OVR6/CC/3835 ☐	OVR6/CC/4035 ☐	OVR6/CC/4335 ☐
380 mm	OVR6/CC/3538 ☐	OVR6/CC/3838 ☐	OVR6/CC/4038 ☐	OVR6/CC/4338 ☐
400 mm	OVR6/CC/3540 ☐	OVR6/CC/3840 ☐	OVR6/CC/4040 ☐	OVR6/CC/4340 ☐
430 mm	OVR6/CC/3543 ☐	OVR6/CC/3843 ☐	OVR6/CC/4043 ☐	OVR6/CC/4343 ☐
450 mm	OVR6/CC/3545 ☐	OVR6/CC/3845 ☐	OVR6/CC/4045 ☐	OVR6/CC/4345 ☐
480 mm	OVR6/CC/3548 ☐	OVR6/CC/3848 ☐	OVR6/CC/4048 ☐	OVR6/CC/4348 ☐
500 mm	OVR6/CC/3550 ☐	OVR6/CC/3850 ☐	OVR6/CC/4050 ☐	OVR6/CC/4350 ☐
530 mm	OVR6/CC/3553 ☐	OVR6/CC/3853 ☐	OVR6/CC/4053 ☐	OVR6/CC/4353 ☐
Cushion depth	Cushion width			
	450 mm	480 mm	500 mm	530 mm
350 mm	OVR6/CC/4535 ☐	OVR6/CC/4835 ☐	OVR6/CC/5035 ☐	OVR6/CC/5335 ☐
380 mm	OVR6/CC/4538 ☐	OVR6/CC/4838 ☐	OVR6/CC/5038 ☐	OVR6/CC/5338 ☐
400 mm	OVR6/CC/4540 ☐	OVR6/CC/4840 ☐	OVR6/CC/5040 ☐	OVR6/CC/5340 ☐
430 mm	OVR6/CC/4543 ☐	OVR6/CC/4843 ☐	OVR6/CC/5043 ☐	OVR6/CC/5343 ☐
450 mm	OVR6/CC/4545 ☐	OVR6/CC/4845 ☐	OVR6/CC/5045 ☐	OVR6/CC/5345 ☐
480 mm	OVR6/CC/4548 ☐	OVR6/CC/4848 ☐	OVR6/CC/5048 ☐	OVR6/CC/5348 ☐
500 mm	OVR6/CC/4550 ☐	OVR6/CC/4850 ☐	OVR6/CC/5050 ☐	OVR6/CC/5350 ☐
530 mm	OVR6/CC/4553 ☐	OVR6/CC/4853 ☐	OVR6/CC/5053 ☐	OVR6/CC/5353 ☐

Height 100 mm - Comfair cover
Max user weight : 200 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OVR10/CC/3535 ☐	OVR10/CC/3835 ☐	OVR10/CC/4035 ☐	OVR10/CC/4335 ☐	OVR10/CC/4535 ☐	OVR10/CC/4835 ☐
380 mm	OVR10/CC/3538 ☐	OVR10/CC/3838 ☐	OVR10/CC/4038 ☐	OVR10/CC/4338 ☐	OVR10/CC/4538 ☐	OVR10/CC/4838 ☐
400 mm	OVR10/CC/3540 ☐	OVR10/CC/3840 ☐	OVR10/CC/4040 ☐	OVR10/CC/4340 ☐	OVR10/CC/4540 ☐	OVR10/CC/4840 ☐
430 mm	OVR10/CC/3543 ☐	OVR10/CC/3843 ☐	OVR10/CC/4043 ☐	OVR10/CC/4343 ☐	OVR10/CC/4543 ☐	OVR10/CC/4843 ☐
450 mm	OVR10/CC/3545 ☐	OVR10/CC/3845 ☐	OVR10/CC/4045 ☐	OVR10/CC/4345 ☐	OVR10/CC/4545 ☐	OVR10/CC/4845 ☐
480 mm	OVR10/CC/3548 ☐	OVR10/CC/3848 ☐	OVR10/CC/4048 ☐	OVR10/CC/4348 ☐	OVR10/CC/4548 ☐	OVR10/CC/4848 ☐
500 mm	OVR10/CC/3550 ☐	OVR10/CC/3850 ☐	OVR10/CC/4050 ☐	OVR10/CC/4350 ☐	OVR10/CC/4550 ☐	OVR10/CC/4850 ☐
530 mm	OVR10/CC/3553 ☐	OVR10/CC/3853 ☐	OVR10/CC/4053 ☐	OVR10/CC/4353 ☐	OVR10/CC/4553 ☐	OVR10/CC/4853 ☐
550 mm	OVR10/CC/3555 ☐	OVR10/CC/3855 ☐	OVR10/CC/4055 ☐	OVR10/CC/4355 ☐	OVR10/CC/4555 ☐	OVR10/CC/4855 ☐
580 mm	OVR10/CC/3558 ☐	OVR10/CC/3858 ☐	OVR10/CC/4058 ☐	OVR10/CC/4358 ☐	OVR10/CC/4558 ☐	OVR10/CC/4858 ☐
600 mm	OVR10/CC/3560 ☐	OVR10/CC/3860 ☐	OVR10/CC/4060 ☐	OVR10/CC/4360 ☐	OVR10/CC/4560 ☐	OVR10/CC/4860 ☐
Cushion depth	Cushion width					
	500 mm	530 mm	550 mm	580 mm	600 mm	
350 mm	OVR10/CC/5035 ☐	OVR10/CC/5335 ☐	OVR10/CC/5535 ☐	OVR10/CC/5835 ☐	OVR10/CC/6035 ☐	
380 mm	OVR10/CC/5038 ☐	OVR10/CC/5338 ☐	OVR10/CC/5538 ☐	OVR10/CC/5838 ☐	OVR10/CC/6038 ☐	
400 mm	OVR10/CC/5040 ☐	OVR10/CC/5340 ☐	OVR10/CC/5540 ☐	OVR10/CC/5840 ☐	OVR10/CC/6040 ☐	
430 mm	OVR10/CC/5043 ☐	OVR10/CC/5343 ☐	OVR10/CC/5543 ☐	OVR10/CC/5843 ☐	OVR10/CC/6043 ☐	
450 mm	OVR10/CC/5045 ☐	OVR10/CC/5345 ☐	OVR10/CC/5545 ☐	OVR10/CC/5845 ☐	OVR10/CC/6045 ☐	
480 mm	OVR10/CC/5048 ☐	OVR10/CC/5348 ☐	OVR10/CC/5548 ☐	OVR10/CC/5848 ☐	OVR10/CC/6048 ☐	
500 mm	OVR10/CC/5050 ☐	OVR10/CC/5350 ☐	OVR10/CC/5550 ☐	OVR10/CC/5850 ☐	OVR10/CC/6050 ☐	
530 mm	OVR10/CC/5053 ☐	OVR10/CC/5353 ☐	OVR10/CC/5553 ☐	OVR10/CC/5853 ☐	OVR10/CC/6053 ☐	
550 mm	OVR10/CC/5055 ☐	OVR10/CC/5355 ☐	OVR10/CC/5555 ☐	OVR10/CC/5855 ☐	OVR10/CC/6055 ☐	
580 mm	OVR10/CC/5058 ☐	OVR10/CC/5358 ☐	OVR10/CC/5558 ☐	OVR10/CC/5858 ☐	OVR10/CC/6058 ☐	
600 mm	OVR10/CC/5060 ☐	OVR10/CC/5360 ☐	OVR10/CC/5560 ☐	OVR10/CC/5860 ☐	OVR10/CC/6060 ☐	

Vicair® Vector O2

Height 60 mm - Incontinence cover
Max user weight : 200 kg



 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	OVR6/CI/3535 ☐	OVR6/CI/3835 ☐	OVR6/CI/4035 ☐	OVR6/CI/4335 ☐
380 mm	OVR6/CI/3538 ☐	OVR6/CI/3838 ☐	OVR6/CI/4038 ☐	OVR6/CI/4338 ☐
400 mm	OVR6/CI/3540 ☐	OVR6/CI/3840 ☐	OVR6/CI/4040 ☐	OVR6/CI/4340 ☐
430 mm	OVR6/CI/3543 ☐	OVR6/CI/3843 ☐	OVR6/CI/4043 ☐	OVR6/CI/4343 ☐
450 mm	OVR6/CI/3545 ☐	OVR6/CI/3845 ☐	OVR6/CI/4045 ☐	OVR6/CI/4345 ☐
480 mm	OVR6/CI/3548 ☐	OVR6/CI/3848 ☐	OVR6/CI/4048 ☐	OVR6/CI/4348 ☐
500 mm	OVR6/CI/3550 ☐	OVR6/CI/3850 ☐	OVR6/CI/4050 ☐	OVR6/CI/4350 ☐
530 mm	OVR6/CI/3553 ☐	OVR6/CI/3853 ☐	OVR6/CI/4053 ☐	OVR6/CI/4353 ☐

Cushion depth	Cushion width			
	450 mm	480 mm	500 mm	530 mm
350 mm	OVR6/CI/4535 ☐	OVR6/CI/4835 ☐	OVR6/CI/5035 ☐	OVR6/CI/5335 ☐
380 mm	OVR6/CI/4538 ☐	OVR6/CI/4838 ☐	OVR6/CI/5038 ☐	OVR6/CI/5338 ☐
400 mm	OVR6/CI/4540 ☐	OVR6/CI/4840 ☐	OVR6/CI/5040 ☐	OVR6/CI/5340 ☐
430 mm	OVR6/CI/4543 ☐	OVR6/CI/4843 ☐	OVR6/CI/5043 ☐	OVR6/CI/5343 ☐
450 mm	OVR6/CI/4545 ☐	OVR6/CI/4845 ☐	OVR6/CI/5045 ☐	OVR6/CI/5345 ☐
480 mm	OVR6/CI/4548 ☐	OVR6/CI/4848 ☐	OVR6/CI/5048 ☐	OVR6/CI/5348 ☐
500 mm	OVR6/CI/4550 ☐	OVR6/CI/4850 ☐	OVR6/CI/5050 ☐	OVR6/CI/5350 ☐
530 mm	OVR6/CI/4553 ☐	OVR6/CI/4853 ☐	OVR6/CI/5053 ☐	OVR6/CI/5353 ☐

Height 100 mm - Incontinence cover
User max weight : 200 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OVR10/CI/3535 ☐	OVR10/CI/3835 ☐	OVR10/CI/4035 ☐	OVR10/CI/4335 ☐	OVR10/CI/4535 ☐	OVR10/CI/4835 ☐
380 mm	OVR10/CI/3538 ☐	OVR10/CI/3838 ☐	OVR10/CI/4038 ☐	OVR10/CI/4338 ☐	OVR10/CI/4538 ☐	OVR10/CI/4838 ☐
400 mm	OVR10/CI/3540 ☐	OVR10/CI/3840 ☐	OVR10/CI/4040 ☐	OVR10/CI/4340 ☐	OVR10/CI/4540 ☐	OVR10/CI/4840 ☐
430 mm	OVR10/CI/3543 ☐	OVR10/CI/3843 ☐	OVR10/CI/4043 ☐	OVR10/CI/4343 ☐	OVR10/CI/4543 ☐	OVR10/CI/4843 ☐
450 mm	OVR10/CI/3545 ☐	OVR10/CI/3845 ☐	OVR10/CI/4045 ☐	OVR10/CI/4345 ☐	OVR10/CI/4545 ☐	OVR10/CI/4845 ☐
480 mm	OVR10/CI/3548 ☐	OVR10/CI/3848 ☐	OVR10/CI/4048 ☐	OVR10/CI/4348 ☐	OVR10/CI/4548 ☐	OVR10/CI/4848 ☐
500 mm	OVR10/CI/3550 ☐	OVR10/CI/3850 ☐	OVR10/CI/4050 ☐	OVR10/CI/4350 ☐	OVR10/CI/4550 ☐	OVR10/CI/4850 ☐
530 mm	OVR10/CI/3553 ☐	OVR10/CI/3853 ☐	OVR10/CI/4053 ☐	OVR10/CI/4353 ☐	OVR10/CI/4553 ☐	OVR10/CI/4853 ☐
550 mm	OVR10/CI/3555 ☐	OVR10/CI/3855 ☐	OVR10/CI/4055 ☐	OVR10/CI/4355 ☐	OVR10/CI/4555 ☐	OVR10/CI/4855 ☐
580 mm	OVR10/CI/3558 ☐	OVR10/CI/3858 ☐	OVR10/CI/4058 ☐	OVR10/CI/4358 ☐	OVR10/CI/4558 ☐	OVR10/CI/4858 ☐
600 mm	OVR10/CI/3560 ☐	OVR10/CI/3860 ☐	OVR10/CI/4060 ☐	OVR10/CI/4360 ☐	OVR10/CI/4560 ☐	OVR10/CI/4860 ☐

Cushion depth	Cushion width				
	500 mm	530 mm	550 mm	580 mm	600 mm
350 mm	OVR10/CI/5035 ☐	OVR10/CI/5335 ☐	OVR10/CI/5535 ☐	OVR10/CI/5835 ☐	OVR10/CI/6035 ☐
380 mm	OVR10/CI/5038 ☐	OVR10/CI/5338 ☐	OVR10/CI/5538 ☐	OVR10/CI/5838 ☐	OVR10/CI/6038 ☐
400 mm	OVR10/CI/5040 ☐	OVR10/CI/5340 ☐	OVR10/CI/5540 ☐	OVR10/CI/5840 ☐	OVR10/CI/6040 ☐
430 mm	OVR10/CI/5043 ☐	OVR10/CI/5343 ☐	OVR10/CI/5543 ☐	OVR10/CI/5843 ☐	OVR10/CI/6043 ☐
450 mm	OVR10/CI/5045 ☐	OVR10/CI/5345 ☐	OVR10/CI/5545 ☐	OVR10/CI/5845 ☐	OVR10/CI/6045 ☐
480 mm	OVR10/CI/5048 ☐	OVR10/CI/5348 ☐	OVR10/CI/5548 ☐	OVR10/CI/5848 ☐	OVR10/CI/6048 ☐
500 mm	OVR10/CI/5050 ☐	OVR10/CI/5350 ☐	OVR10/CI/5550 ☐	OVR10/CI/5850 ☐	OVR10/CI/6050 ☐
530 mm	OVR10/CI/5053 ☐	OVR10/CI/5353 ☐	OVR10/CI/5553 ☐	OVR10/CI/5853 ☐	OVR10/CI/6053 ☐
550 mm	OVR10/CI/5055 ☐	OVR10/CI/5355 ☐	OVR10/CI/5555 ☐	OVR10/CI/5855 ☐	OVR10/CI/6055 ☐
580 mm	OVR10/CI/5058 ☐	OVR10/CI/5358 ☐	OVR10/CI/5558 ☐	OVR10/CI/5858 ☐	OVR10/CI/6058 ☐
600 mm	OVR10/CI/5060 ☐	OVR10/CI/5360 ☐	OVR10/CI/5560 ☐	OVR10/CI/5860 ☐	OVR10/CI/6060 ☐

Vicair® Vector O2



Height 60 mm - Two covers type O2 Top Cover
User max weight : 200 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	OVR6/TP/3535 ☐	OVR6/TP/3835 ☐	OVR6/TP/4035 ☐	OVR6/TP/4335 ☐
380 mm	OVR6/TP/3538 ☐	OVR6/TP/3838 ☐	OVR6/TP/4038 ☐	OVR6/TP/4338 ☐
400 mm	OVR6/TP/3540 ☐	OVR6/TP/3840 ☐	OVR6/TP/4040 ☐	OVR6/TP/4340 ☐
430 mm	OVR6/TP/3543 ☐	OVR6/TP/3843 ☐	OVR6/TP/4043 ☐	OVR6/TP/4343 ☐
450 mm	OVR6/TP/3545 ☐	OVR6/TP/3845 ☐	OVR6/TP/4045 ☐	OVR6/TP/4345 ☐
480 mm	OVR6/TP/3548 ☐	OVR6/TP/3848 ☐	OVR6/TP/4048 ☐	OVR6/TP/4348 ☐
500 mm	OVR6/TP/3550 ☐	OVR6/TP/3850 ☐	OVR6/TP/4050 ☐	OVR6/TP/4350 ☐
530 mm	OVR6/TP/3553 ☐	OVR6/TP/3853 ☐	OVR6/TP/4053 ☐	OVR6/TP/4353 ☐

Cushion depth	Cushion width			
	450 mm	480 mm	500 mm	530 mm
350 mm	OVR6/TP/4535 ☐	OVR6/TP/4835 ☐	OVR6/TP/5035 ☐	OVR6/TP/5335 ☐
380 mm	OVR6/TP/4538 ☐	OVR6/TP/4838 ☐	OVR6/TP/5038 ☐	OVR6/TP/5338 ☐
400 mm	OVR6/TP/4540 ☐	OVR6/TP/4840 ☐	OVR6/TP/5040 ☐	OVR6/TP/5340 ☐
430 mm	OVR6/TP/4543 ☐	OVR6/TP/4843 ☐	OVR6/TP/5043 ☐	OVR6/TP/5343 ☐
450 mm	OVR6/TP/4545 ☐	OVR6/TP/4845 ☐	OVR6/TP/5045 ☐	OVR6/TP/5345 ☐
480 mm	OVR6/TP/4548 ☐	OVR6/TP/4848 ☐	OVR6/TP/5048 ☐	OVR6/TP/5348 ☐
500 mm	OVR6/TP/4550 ☐	OVR6/TP/4850 ☐	OVR6/TP/5050 ☐	OVR6/TP/5350 ☐
530 mm	OVR6/TP/4553 ☐	OVR6/TP/4853 ☐	OVR6/TP/5053 ☐	OVR6/TP/5353 ☐

Height 100 mm - Two covers type O2 Top Cover
User max weight : 200 kg

 : STANDARD

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OVR10/TP/3535 ☐	OVR10/TP/3835 ☐	OVR10/TP/4035 ☐	OVR10/TP/4335 ☐	OVR10/TP/4535 ☐	OVR10/TP/4835 ☐
380 mm	OVR10/TP/3538 ☐	OVR10/TP/3838 ☐	OVR10/TP/4038 ☐	OVR10/TP/4338 ☐	OVR10/TP/4538 ☐	OVR10/TP/4838 ☐
400 mm	OVR10/TP/3540 ☐	OVR10/TP/3840 ☐	OVR10/TP/4040 ☐	OVR10/TP/4340 ☐	OVR10/TP/4540 ☐	OVR10/TP/4840 ☐
430 mm	OVR10/TP/3543 ☐	OVR10/TP/3843 ☐	OVR10/TP/4043 ☐	OVR10/TP/4343 ☐	OVR10/TP/4543 ☐	OVR10/TP/4843 ☐
450 mm	OVR10/TP/3545 ☐	OVR10/TP/3845 ☐	OVR10/TP/4045 ☐	OVR10/TP/4345 ☐	OVR10/TP/4545 ☐	OVR10/TP/4845 ☐
480 mm	OVR10/TP/3548 ☐	OVR10/TP/3848 ☐	OVR10/TP/4048 ☐	OVR10/TP/4348 ☐	OVR10/TP/4548 ☐	OVR10/TP/4848 ☐
500 mm	OVR10/TP/3550 ☐	OVR10/TP/3850 ☐	OVR10/TP/4050 ☐	OVR10/TP/4350 ☐	OVR10/TP/4550 ☐	OVR10/TP/4850 ☐
530 mm	OVR10/TP/3553 ☐	OVR10/TP/3853 ☐	OVR10/TP/4053 ☐	OVR10/TP/4353 ☐	OVR10/TP/4553 ☐	OVR10/TP/4853 ☐
550 mm	OVR10/TP/3555 ☐	OVR10/TP/3855 ☐	OVR10/TP/4055 ☐	OVR10/TP/4355 ☐	OVR10/TP/4555 ☐	OVR10/TP/4855 ☐
580 mm	OVR10/TP/3558 ☐	OVR10/TP/3858 ☐	OVR10/TP/4058 ☐	OVR10/TP/4358 ☐	OVR10/TP/4558 ☐	OVR10/TP/4858 ☐
600 mm	OVR10/TP/3560 ☐	OVR10/TP/3860 ☐	OVR10/TP/4060 ☐	OVR10/TP/4360 ☐	OVR10/TP/4560 ☐	OVR10/TP/4860 ☐

Cushion depth	Cushion width				
	500 mm	530 mm	550 mm	580 mm	600 mm
350 mm	OVR10/TP/5035 ☐	OVR10/TP/5335 ☐	OVR10/TP/5535 ☐	OVR10/TP/5835 ☐	OVR10/TP/6035 ☐
380 mm	OVR10/TP/5038 ☐	OVR10/TP/5338 ☐	OVR10/TP/5538 ☐	OVR10/TP/5838 ☐	OVR10/TP/6038 ☐
400 mm	OVR10/TP/5040 ☐	OVR10/TP/5340 ☐	OVR10/TP/5540 ☐	OVR10/TP/5840 ☐	OVR10/TP/6040 ☐
430 mm	OVR10/TP/5043 ☐	OVR10/TP/5343 ☐	OVR10/TP/5543 ☐	OVR10/TP/5843 ☐	OVR10/TP/6043 ☐
450 mm	OVR10/TP/5045 ☐	OVR10/TP/5345 ☐	OVR10/TP/5545 ☐	OVR10/TP/5845 ☐	OVR10/TP/6045 ☐
480 mm	OVR10/TP/5048 ☐	OVR10/TP/5348 ☐	OVR10/TP/5548 ☐	OVR10/TP/5848 ☐	OVR10/TP/6048 ☐
500 mm	OVR10/TP/5050 ☐	OVR10/TP/5350 ☐	OVR10/TP/5550 ☐	OVR10/TP/5850 ☐	OVR10/TP/6050 ☐
530 mm	OVR10/TP/5053 ☐	OVR10/TP/5353 ☐	OVR10/TP/5553 ☐	OVR10/TP/5853 ☐	OVR10/TP/6053 ☐
550 mm	OVR10/TP/5055 ☐	OVR10/TP/5355 ☐	OVR10/TP/5555 ☐	OVR10/TP/5855 ☐	OVR10/TP/6055 ☐
580 mm	OVR10/TP/5058 ☐	OVR10/TP/5358 ☐	OVR10/TP/5558 ☐	OVR10/TP/5858 ☐	OVR10/TP/6058 ☐
600 mm	OVR10/TP/5060 ☐	OVR10/TP/5360 ☐	OVR10/TP/5560 ☐	OVR10/TP/5860 ☐	OVR10/TP/6060 ☐

Vicair® Xxtra O2



Height 100 mm - Comfair cover
Max user weight : 500 kg

 : STANDARD

 : SPECIAL + 180 € HT

 : SPECIAL + 270 € HT

AUCUNE TAILLE SPÉCIALE NE SERA REPRISE OU ÉCHANGÉE

Cushion depth	Cushion width					
	550 mm	600 mm	650 mm	700 mm	750 mm	
450 mm	OBA/CC/5545 ☐	OBA/CC/6045 ☐	OBA/CC/6545 ☐	OBA/CC/7045 ☐	OBA/CC/7545	
500 mm	OBA/CC/5550 ☐	OBA/CC/6050 ☐	OBA/CC/6550 ☐	OBA/CC/7050 ☐	OBA/CC/7550	
550 mm	OBA/CC/5555 ☐	OBA/CC/6055 ☐	OBA/CC/6555 ☐	OBA/CC/7055 ☐	OBA/CC/7555	
600 mm	OBA/CC/5560 ☐	OBA/CC/6060 ☐	OBA/CC/6560 ☐	OBA/CC/7060 ☐	OBA/CC/7560	
650 mm	OBA/CC/5565 ☐	OBA/CC/6065 ☐	OBA/CC/6565 ☐	OBA/CC/7065 ☐	OBA/CC/7565	
700 mm	OBA/CC/5570 ☐	OBA/CC/6070 ☐	OBA/CC/6570 ☐	OBA/CC/7070 ☐	OBA/CC/7575	
750 mm	OBA/CC/5575 ☐	OBA/CC/6075 ☐	OBA/CC/6575 ☐	OBA/CC/7075 ☐	OBA/CC/7575	

Height 100 mm - Incontinence cover
User max weight : 500 kg

 : STANDARD

 : SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	550 mm	600 mm	650 mm	700 mm	750 mm	
450 mm	OBA/CI/5545 ☐	OBA/CI/6045 ☐	OBA/CI/6545 ☐	OBA/CI/7045 ☐	OBA/CI/7545	
500 mm	OBA/CI/5550 ☐	OBA/CI/6050 ☐	OBA/CI/6550 ☐	OBA/CI/7050 ☐	OBA/CI/7550	
550 mm	OBA/CI/5555 ☐	OBA/CI/6055 ☐	OBA/CI/6555 ☐	OBA/CI/7055 ☐	OBA/CI/7555	
600 mm	OBA/CI/5560 ☐	OBA/CI/6060 ☐	OBA/CI/6560 ☐	OBA/CI/7060 ☐	OBA/CI/7560	
650 mm	OBA/CI/5565 ☐	OBA/CI/6065 ☐	OBA/CI/6565 ☐	OBA/CI/7065 ☐	OBA/CI/7565	
700 mm	OBA/CI/5570 ☐	OBA/CI/6070 ☐	OBA/CI/6570 ☐	OBA/CI/7070 ☐	OBA/CI/7575	
750 mm	OBA/CI/5575 ☐	OBA/CI/6075 ☐	OBA/CI/6575 ☐	OBA/CI/7075 ☐	OBA/CI/7575	

Height 100 mm - Two covers type O2 Top Cover
User max weight : 500 kg

 : STANDARD

 : SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	550 mm	600 mm	650 mm	700 mm	750 mm	
450 mm	OBA/TP/5545 ☐	OBA/TP/6045 ☐	OBA/TP/6545 ☐	OBA/TP/7045 ☐	OBA/TP/7545	
500 mm	OBA/TP/5550 ☐	OBA/TP/6050 ☐	OBA/TP/6550 ☐	OBA/TP/7050 ☐	OBA/TP/7550	
550 mm	OBA/TP/5555 ☐	OBA/TP/6055 ☐	OBA/TP/6555 ☐	OBA/TP/7055 ☐	OBA/TP/7555	
600 mm	OBA/TP/5560 ☐	OBA/TP/6060 ☐	OBA/TP/6560 ☐	OBA/TP/7060 ☐	OBA/TP/7560	
650 mm	OBA/TP/5565 ☐	OBA/TP/6065 ☐	OBA/TP/6565 ☐	OBA/TP/7065 ☐	OBA/TP/7565	
700 mm	OBA/TP/5570 ☐	OBA/TP/6070 ☐	OBA/TP/6570 ☐	OBA/TP/7070 ☐	OBA/TP/7575	
750 mm	OBA/TP/5575 ☐	OBA/TP/6075 ☐	OBA/TP/6575 ☐	OBA/TP/7075 ☐	OBA/TP/7575	

Vicair® Adjuster 12 O2



Height 120 mm - Comfair cover
User max weight : 250 kg

: STANDARD

: SPECIAL + 180 € HT

: SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OAD12/CC/3535 ☐	OAD12/CC/3835 ☐	OAD12/CC/4035 ☐	OAD12/CC/4335 ☐	OAD12/CC/4535 ☐	OAD12/CC/4835 ☐
380 mm	OAD12/CC/3538 ☐	OAD12/CC/3838 ☐	OAD12/CC/4038 ☐	OAD12/CC/4338 ☐	OAD12/CC/4538 ☐	OAD12/CC/4838 ☐
400 mm	OAD12/CC/3540 ☐	OAD12/CC/3840 ☐	OAD12/CC/4040 ☐	OAD12/CC/4340 ☐	OAD12/CC/4540 ☐	OAD12/CC/4840 ☐
430 mm	OAD12/CC/3543 ☐	OAD12/CC/3843 ☐	OAD12/CC/4043 ☐	OAD12/CC/4343 ☐	OAD12/CC/4543 ☐	OAD12/CC/4843 ☐
450 mm	OAD12/CC/3545 ☐	OAD12/CC/3845 ☐	OAD12/CC/4045 ☐	OAD12/CC/4345 ☐	OAD12/CC/4545 ☐	OAD12/CC/4845 ☐
480 mm	OAD12/CC/3548 ☐	OAD12/CC/3848 ☐	OAD12/CC/4048 ☐	OAD12/CC/4348 ☐	OAD12/CC/4548 ☐	OAD12/CC/4848 ☐
500 mm	OAD12/CC/3550 ☐	OAD12/CC/3850 ☐	OAD12/CC/4050 ☐	OAD12/CC/4350 ☐	OAD12/CC/4550 ☐	OAD12/CC/4850 ☐
530 mm	OAD12/CC/3553 ☐	OAD12/CC/3853 ☐	OAD12/CC/4053 ☐	OAD12/CC/4353 ☐	OAD12/CC/4553 ☐	OAD12/CC/4853 ☐
550 mm	OAD12/CC/3555 ☐	OAD12/CC/3855 ☐	OAD12/CC/4055 ☐	OAD12/CC/4355 ☐	OAD12/CC/4555 ☐	OAD12/CC/4855 ☐
580 mm	OAD12/CC/3558 ☐	OAD12/CC/3858 ☐	OAD12/CC/4058 ☐	OAD12/CC/4358 ☐	OAD12/CC/4558 ☐	OAD12/CC/4858 ☐
600 mm	OAD12/CC/3560 ☐	OAD12/CC/3860 ☐	OAD12/CC/4060 ☐	OAD12/CC/4360 ☐	OAD12/CC/4560 ☐	OAD12/CC/4860 ☐

Cushion depth	Cushion width				
	500 mm	530 mm	550 mm	580 mm	600 mm
350 mm	OAD12/CC/5035 ☐	OAD12/CC/5335 ☐	OAD12/CC/5535 ☐	OAD12/CC/5835 ☐	OAD12/CC/6035 ☐
380 mm	OAD12/CC/5038 ☐	OAD12/CC/5338 ☐	OAD12/CC/5538 ☐	OAD12/CC/5838 ☐	OAD12/CC/6038 ☐
400 mm	OAD12/CC/5040 ☐	OAD12/CC/5340 ☐	OAD12/CC/5540 ☐	OAD12/CC/5840 ☐	OAD12/CC/6040 ☐
430 mm	OAD12/CC/5043 ☐	OAD12/CC/5343 ☐	OAD12/CC/5543 ☐	OAD12/CC/5843 ☐	OAD12/CC/6043 ☐
450 mm	OAD12/CC/5045 ☐	OAD12/CC/5345 ☐	OAD12/CC/5545 ☐	OAD12/CC/5845 ☐	OAD12/CC/6045 ☐
480 mm	OAD12/CC/5048 ☐	OAD12/CC/5348 ☐	OAD12/CC/5548 ☐	OAD12/CC/5848 ☐	OAD12/CC/6048 ☐
500 mm	OAD12/CC/5050 ☐	OAD12/CC/5350 ☐	OAD12/CC/5550 ☐	OAD12/CC/5850 ☐	OAD12/CC/6050 ☐
530 mm	OAD12/CC/5053 ☐	OAD12/CC/5353 ☐	OAD12/CC/5553 ☐	OAD12/CC/5853 ☐	OAD12/CC/6053 ☐
550 mm	OAD12/CC/5055 ☐	OAD12/CC/5355 ☐	OAD12/CC/5555 ☐	OAD12/CC/5855 ☐	OAD12/CC/6055 ☐
580 mm	OAD12/CC/5058 ☐	OAD12/CC/5358 ☐	OAD12/CC/5558 ☐	OAD12/CC/5858 ☐	OAD12/CC/6058 ☐
600 mm	OAD12/CC/5060 ☐	OAD12/CC/5360 ☐	OAD12/CC/5560 ☐	OAD12/CC/5860 ☐	OAD12/CC/6060 ☐

Height 120 mm - Two covers type O2 Top Cover

User max weight : 250 kg

: STANDARD

: SPECIAL + 180 € HT

: SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OAD12/CI/3535 ☐	OAD12/CI/3835 ☐	OAD12/CI/4035 ☐	OAD12/CI/4335 ☐	OAD12/CI/4535 ☐	OAD12/CI/4835 ☐
380 mm	OAD12/CI/3538 ☐	OAD12/CI/3838 ☐	OAD12/CI/4038 ☐	OAD12/CI/4338 ☐	OAD12/CI/4538 ☐	OAD12/CI/4838 ☐
400 mm	OAD12/CI/3540 ☐	OAD12/CI/3840 ☐	OAD12/CI/4040 ☐	OAD12/CI/4340 ☐	OAD12/CI/4540 ☐	OAD12/CI/4840 ☐
430 mm	OAD12/CI/3543 ☐	OAD12/CI/3843 ☐	OAD12/CI/4043 ☐	OAD12/CI/4343 ☐	OAD12/CI/4543 ☐	OAD12/CI/4843 ☐
450 mm	OAD12/CI/3545 ☐	OAD12/CI/3845 ☐	OAD12/CI/4045 ☐	OAD12/CI/4345 ☐	OAD12/CI/4545 ☐	OAD12/CI/4845 ☐
480 mm	OAD12/CI/3548 ☐	OAD12/CI/3848 ☐	OAD12/CI/4048 ☐	OAD12/CI/4348 ☐	OAD12/CI/4548 ☐	OAD12/CI/4848 ☐
500 mm	OAD12/CI/3550 ☐	OAD12/CI/3850 ☐	OAD12/CI/4050 ☐	OAD12/CI/4350 ☐	OAD12/CI/4550 ☐	OAD12/CI/4850 ☐
530 mm	OAD12/CI/3553 ☐	OAD12/CI/3853 ☐	OAD12/CI/4053 ☐	OAD12/CI/4353 ☐	OAD12/CI/4553 ☐	OAD12/CI/4853 ☐
550 mm	OAD12/CI/3555 ☐	OAD12/CI/3855 ☐	OAD12/CI/4055 ☐	OAD12/CI/4355 ☐	OAD12/CI/4555 ☐	OAD12/CI/4855 ☐
580 mm	OAD12/CI/3558 ☐	OAD12/CI/3858 ☐	OAD12/CI/4058 ☐	OAD12/CI/4358 ☐	OAD12/CI/4558 ☐	OAD12/CI/4858 ☐
600 mm	OAD12/CI/3560 ☐	OAD12/CI/3860 ☐	OAD12/CI/4060 ☐	OAD12/CI/4360 ☐	OAD12/CI/4560 ☐	OAD12/CI/4860 ☐

Cushion depth	Cushion width				
	500 mm	530 mm	550 mm	580 mm	600 mm
350 mm	OAD12/CI/5035 ☐	OAD12/CI/5335 ☐	OAD12/CI/5535 ☐	OAD12/CI/5835 ☐	OAD12/CI/6035 ☐
380 mm	OAD12/CI/5038 ☐	OAD12/CI/5338 ☐	OAD12/CI/5538 ☐	OAD12/CI/5838 ☐	OAD12/CI/6038 ☐
400 mm	OAD12/CI/5040 ☐	OAD12/CI/5340 ☐	OAD12/CI/5540 ☐	OAD12/CI/5840 ☐	OAD12/CI/6040 ☐
430 mm	OAD12/CI/5043 ☐	OAD12/CI/5343 ☐	OAD12/CI/5543 ☐	OAD12/CI/5843 ☐	OAD12/CI/6043 ☐
450 mm	OAD12/CI/5045 ☐	OAD12/CI/5345 ☐	OAD12/CI/5545 ☐	OAD12/CI/5845 ☐	OAD12/CI/6045 ☐
480 mm	OAD12/CI/5048 ☐	OAD12/CI/5348 ☐	OAD12/CI/5548 ☐	OAD12/CI/5848 ☐	OAD12/CI/6048 ☐
500 mm	OAD12/CI/5050 ☐	OAD12/CI/5350 ☐	OAD12/CI/5550 ☐	OAD12/CI/5850 ☐	OAD12/CI/6050 ☐
530 mm	OAD12/CI/5053 ☐	OAD12/CI/5353 ☐	OAD12/CI/5553 ☐	OAD12/CI/5853 ☐	OAD12/CI/6053 ☐
550 mm	OAD12/CI/5055 ☐	OAD12/CI/5355 ☐	OAD12/CI/5555 ☐	OAD12/CI/5855 ☐	OAD12/CI/6055 ☐
580 mm	OAD12/CI/5058 ☐	OAD12/CI/5358 ☐	OAD12/CI/5558 ☐	OAD12/CI/5858 ☐	OAD12/CI/6058 ☐
600 mm	OAD12/CI/5060 ☐	OAD12/CI/5360 ☐	OAD12/CI/5560 ☐	OAD12/CI/5860 ☐	OAD12/CI/6060 ☐

Vicair® Adjuster 12 O2



Height 120 mm - Two covers type O2 Top Cover

Max user weight : 250 kg

: STANDARD

: SPECIAL + 180 € HT

: SPECIAL + 270 € HT

AUCUNE TAILLE SPÉCIALE NE SERA REPRISE OU ÉCHANGÉE

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OAD12/TP/3535 ☐	OAD12/TP/3835 ☐	OAD12/TP/4035 ☐	OAD12/TP/4335 ☐	OAD12/TP/4535 ☐	OAD12/TP/4835 ☐
380 mm	OAD12/TP/3538 ☐	OAD12/TP/3838 ☐	OAD12/TP/4038 ☐	OAD12/TP/4338 ☐	OAD12/TP/4538 ☐	OAD12/TP/4838 ☐
400 mm	OAD12/TP/3540 ☐	OAD12/TP/3840 ☐	OAD12/TP/4040 ☐	OAD12/TP/4340 ☐	OAD12/TP/4540 ☐	OAD12/TP/4840 ☐
430 mm	OAD12/TP/3543 ☐	OAD12/TP/3843 ☐	OAD12/TP/4043 ☐	OAD12/TP/4343 ☐	OAD12/TP/4543 ☐	OAD12/TP/4843 ☐
450 mm	OAD12/TP/3545 ☐	OAD12/TP/3845 ☐	OAD12/TP/4045 ☐	OAD12/TP/4345 ☐	OAD12/TP/4545 ☐	OAD12/TP/4845 ☐
480 mm	OAD12/TP/3548 ☐	OAD12/TP/3848 ☐	OAD12/TP/4048 ☐	OAD12/TP/4348 ☐	OAD12/TP/4548 ☐	OAD12/TP/4848 ☐
500 mm	OAD12/TP/3550 ☐	OAD12/TP/3850 ☐	OAD12/TP/4050 ☐	OAD12/TP/4350 ☐	OAD12/TP/4550 ☐	OAD12/TP/4850 ☐
530 mm	OAD12/TP/3553 ☐	OAD12/TP/3853 ☐	OAD12/TP/4053 ☐	OAD12/TP/4353 ☐	OAD12/TP/4553 ☐	OAD12/TP/4853 ☐
550 mm	OAD12/TP/3555 ☐	OAD12/TP/3855 ☐	OAD12/TP/4055 ☐	OAD12/TP/4355 ☐	OAD12/TP/4555 ☐	OAD12/TP/4855 ☐
580 mm	OAD12/TP/3558 ☐	OAD12/TP/3858 ☐	OAD12/TP/4058 ☐	OAD12/TP/4358 ☐	OAD12/TP/4558 ☐	OAD12/TP/4858 ☐
600 mm	OAD12/TP/3560 ☐	OAD12/TP/3860 ☐	OAD12/TP/4060 ☐	OAD12/TP/4360 ☐	OAD12/TP/4560 ☐	OAD12/TP/4860 ☐

Cushion depth	Cushion width					
	500 mm	530 mm	550 mm	580 mm	600 mm	
350 mm	OAD12/TP/5035 ☐	OAD12/TP/5335 ☐	OAD12/TP/5535 ☐	OAD12/TP/5835 ☐	OAD12/TP/6035 ☐	
380 mm	OAD12/TP/5038 ☐	OAD12/TP/5338 ☐	OAD12/TP/5538 ☐	OAD12/TP/5838 ☐	OAD12/TP/6038 ☐	
400 mm	OAD12/TP/5040 ☐	OAD12/TP/5340 ☐	OAD12/TP/5540 ☐	OAD12/TP/5840 ☐	OAD12/TP/6040 ☐	
430 mm	OAD12/TP/5043 ☐	OAD12/TP/5343 ☐	OAD12/TP/5543 ☐	OAD12/TP/5843 ☐	OAD12/TP/6043 ☐	
450 mm	OAD12/TP/5045 ☐	OAD12/TP/5345 ☐	OAD12/TP/5545 ☐	OAD12/TP/5845 ☐	OAD12/TP/6045 ☐	
480 mm	OAD12/TP/5048 ☐	OAD12/TP/5348 ☐	OAD12/TP/5548 ☐	OAD12/TP/5848 ☐	OAD12/TP/6048 ☐	
500 mm	OAD12/TP/5050 ☐	OAD12/TP/5350 ☐	OAD12/TP/5550 ☐	OAD12/TP/5850 ☐	OAD12/TP/6050 ☐	
530 mm	OAD12/TP/5053 ☐	OAD12/TP/5353 ☐	OAD12/TP/5553 ☐	OAD12/TP/5853 ☐	OAD12/TP/6053 ☐	
550 mm	OAD12/TP/5055 ☐	OAD12/TP/5355 ☐	OAD12/TP/5555 ☐	OAD12/TP/5855 ☐	OAD12/TP/6055 ☐	
580 mm	OAD12/TP/5058 ☐	OAD12/TP/5358 ☐	OAD12/TP/5558 ☐	OAD12/TP/5858 ☐	OAD12/TP/6058 ☐	
600 mm	OAD12/TP/5060 ☐	OAD12/TP/5360 ☐	OAD12/TP/5560 ☐	OAD12/TP/5860 ☐	OAD12/TP/6060 ☐	

Vicair® Centre O2



Height 100 mm - Comfair cover

User max weight : 250 kg

: STANDARD

: SPECIAL + 180 € HT

: SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OCR/CC/3535 ☐	OCR/CC/3835 ☐	OCR/CC/4035 ☐	OCR/CC/4335 ☐	OCR/CC/4535 ☐	OCR/CC/4835 ☐
380 mm	OCR/CC/3538 ☐	OCR/CC/3838 ☐	OCR/CC/4038 ☐	OCR/CC/4338 ☐	OCR/CC/4538 ☐	OCR/CC/4838 ☐
400 mm	OCR/CC/3540 ☐	OCR/CC/3840 ☐	OCR/CC/4040 ☐	OCR/CC/4340 ☐	OCR/CC/4540 ☐	OCR/CC/4840 ☐
430 mm	OCR/CC/3543 ☐	OCR/CC/3843 ☐	OCR/CC/4043 ☐	OCR/CC/4343 ☐	OCR/CC/4543 ☐	OCR/CC/4843 ☐
450 mm	OCR/CC/3545 ☐	OCR/CC/3845 ☐	OCR/CC/4045 ☐	OCR/CC/4345 ☐	OCR/CC/4545 ☐	OCR/CC/4845 ☐
480 mm	OCR/CC/3548 ☐	OCR/CC/3848 ☐	OCR/CC/4048 ☐	OCR/CC/4348 ☐	OCR/CC/4548 ☐	OCR/CC/4848 ☐
500 mm	OCR/CC/3550 ☐	OCR/CC/3850 ☐	OCR/CC/4050 ☐	OCR/CC/4350 ☐	OCR/CC/4550 ☐	OCR/CC/4850 ☐
530 mm	OCR/CC/3553 ☐	OCR/CC/3853 ☐	OCR/CC/4053 ☐	OCR/CC/4353 ☐	OCR/CC/4553 ☐	OCR/CC/4853 ☐
550 mm	OCR/CC/3555 ☐	OCR/CC/3855 ☐	OCR/CC/4055 ☐	OCR/CC/4355 ☐	OCR/CC/4555 ☐	OCR/CC/4855 ☐
580 mm	OCR/CC/3558 ☐	OCR/CC/3858 ☐	OCR/CC/4058 ☐	OCR/CC/4358 ☐	OCR/CC/4558 ☐	OCR/CC/4858 ☐
600 mm	OCR/CC/3560 ☐	OCR/CC/3860 ☐	OCR/CC/4060 ☐	OCR/CC/4360 ☐	OCR/CC/4560 ☐	OCR/CC/4860 ☐

Cushion depth	Cushion width					
	500 mm	530 mm	550 mm	580 mm	600 mm	
350 mm	OCR/CC/5035 ☐	OCR/CC/5335 ☐	OCR/CC/5535 ☐	OCR/CC/5835 ☐	OCR/CC/6035 ☐	
380 mm	OCR/CC/5038 ☐	OCR/CC/5338 ☐	OCR/CC/5538 ☐	OCR/CC/5838 ☐	OCR/CC/6038 ☐	
400 mm	OCR/CC/5040 ☐	OCR/CC/5340 ☐	OCR/CC/5540 ☐	OCR/CC/5840 ☐	OCR/CC/6040 ☐	
430 mm	OCR/CC/5043 ☐	OCR/CC/5343 ☐	OCR/CC/5543 ☐	OCR/CC/5843 ☐	OCR/CC/6043 ☐	
450 mm	OCR/CC/5045 ☐	OCR/CC/5345 ☐	OCR/CC/5545 ☐	OCR/CC/5845 ☐	OCR/CC/6045 ☐	
480 mm	OCR/CC/5048 ☐	OCR/CC/5348 ☐	OCR/CC/5548 ☐	OCR/CC/5848 ☐	OCR/CC/6048 ☐	
500 mm	OCR/CC/5050 ☐	OCR/CC/5350 ☐	OCR/CC/5550 ☐	OCR/CC/5850 ☐	OCR/CC/6050 ☐	
530 mm	OCR/CC/5053 ☐	OCR/CC/5353 ☐	OCR/CC/5553 ☐	OCR/CC/5853 ☐	OCR/CC/6053 ☐	
550 mm	OCR/CC/5055 ☐	OCR/CC/5355 ☐	OCR/CC/5555 ☐	OCR/CC/5855 ☐	OCR/CC/6055 ☐	
580 mm	OCR/CC/5058 ☐	OCR/CC/5358 ☐	OCR/CC/5558 ☐	OCR/CC/5858 ☐	OCR/CC/6058 ☐	
600 mm	OCR/CC/5060 ☐	OCR/CC/5360 ☐	OCR/CC/5560 ☐	OCR/CC/5860 ☐	OCR/CC/6060 ☐	

Vicair® Centre O2



Height 100 mm - Incontinence cover
User max weight : 250 kg

 : STANDARD

 : SPECIAL + 180 € HT

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OCR/CI/3535 ☐	OCR/CI/3835 ☐	OCR/CI/4035 ☐	OCR/CI/4335 ☐	OCR/CI/4535 ☐	OCR/CI/4835 ☐
380 mm	OCR/CI/3538 ☐	OCR/CI/3838 ☐	OCR/CI/4038 ☐	OCR/CI/4338 ☐	OCR/CI/4538 ☐	OCR/CI/4838 ☐
400 mm	OCR/CI/3540 ☐	OCR/CI/3840 ☐	OCR/CI/4040 ☐	OCR/CI/4340 ☐	OCR/CI/4540 ☐	OCR/CI/4840 ☐
430 mm	OCR/CI/3543 ☐	OCR/CI/3843 ☐	OCR/CI/4043 ☐	OCR/CI/4343 ☐	OCR/CI/4543 ☐	OCR/CI/4843 ☐
450 mm	OCR/CI/3545 ☐	OCR/CI/3845 ☐	OCR/CI/4045 ☐	OCR/CI/4345 ☐	OCR/CI/4545 ☐	OCR/CI/4845 ☐
480 mm	OCR/CI/3548 ☐	OCR/CI/3848 ☐	OCR/CI/4048 ☐	OCR/CI/4348 ☐	OCR/CI/4548 ☐	OCR/CI/4848 ☐
500 mm	OCR/CI/3550 ☐	OCR/CI/3850 ☐	OCR/CI/4050 ☐	OCR/CI/4350 ☐	OCR/CI/4550 ☐	OCR/CI/4850 ☐
530 mm	OCR/CI/3553 ☐	OCR/CI/3853 ☐	OCR/CI/4053 ☐	OCR/CI/4353 ☐	OCR/CI/4553 ☐	OCR/CI/4853 ☐
550 mm	OCR/CI/3555 ☐	OCR/CI/3855 ☐	OCR/CI/4055 ☐	OCR/CI/4355 ☐	OCR/CI/4555 ☐	OCR/CI/4855 ☐
580 mm	OCR/CI/3558 ☐	OCR/CI/3858 ☐	OCR/CI/4058 ☐	OCR/CI/4358 ☐	OCR/CI/4558 ☐	OCR/CI/4858 ☐
600 mm	OCR/CI/3560 ☐	OCR/CI/3860 ☐	OCR/CI/4060 ☐	OCR/CI/4360 ☐	OCR/CI/4560 ☐	OCR/CI/4860 ☐

Cushion depth	Cushion width				
	500 mm	530 mm	550 mm	580 mm	600 mm
350 mm	OCR/CI/5035 ☐	OCR/CI/5335 ☐	OCR/CI/5535 ☐	OCR/CI/5835 ☐	OCR/CI/6035 ☐
380 mm	OCR/CI/5038 ☐	OCR/CI/5338 ☐	OCR/CI/5538 ☐	OCR/CI/5838 ☐	OCR/CI/6038 ☐
400 mm	OCR/CI/5040 ☐	OCR/CI/5340 ☐	OCR/CI/5540 ☐	OCR/CI/5840 ☐	OCR/CI/6040 ☐
430 mm	OCR/CI/5043 ☐	OCR/CI/5343 ☐	OCR/CI/5543 ☐	OCR/CI/5843 ☐	OCR/CI/6043 ☐
450 mm	OCR/CI/5045 ☐	OCR/CI/5345 ☐	OCR/CI/5545 ☐	OCR/CI/5845 ☐	OCR/CI/6045 ☐
480 mm	OCR/CI/5048 ☐	OCR/CI/5348 ☐	OCR/CI/5548 ☐	OCR/CI/5848 ☐	OCR/CI/6048 ☐
500 mm	OCR/CI/5050 ☐	OCR/CI/5350 ☐	OCR/CI/5550 ☐	OCR/CI/5850 ☐	OCR/CI/6050 ☐
530 mm	OCR/CI/5053 ☐	OCR/CI/5353 ☐	OCR/CI/5553 ☐	OCR/CI/5853 ☐	OCR/CI/6053 ☐
550 mm	OCR/CI/5055 ☐	OCR/CI/5355 ☐	OCR/CI/5555 ☐	OCR/CI/5855 ☐	OCR/CI/6055 ☐
580 mm	OCR/CI/5058 ☐	OCR/CI/5358 ☐	OCR/CI/5558 ☐	OCR/CI/5858 ☐	OCR/CI/6058 ☐
600 mm	OCR/CI/5060 ☐	OCR/CI/5360 ☐	OCR/CI/5560 ☐	OCR/CI/5860 ☐	OCR/CI/6060 ☐

Height 100 mm - Two covers type O2 Top Cover
User max weight : 250 kg

 : STANDARD

 : SPECIAL + 180 € HT

 : SPECIAL + 270 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	350 mm	380 mm	400 mm	430 mm	450 mm	480 mm
350 mm	OCR/TP/3535 ☐	OCR/TP/3835 ☐	OCR/TP/4035 ☐	OCR/TP/4335 ☐	OCR/TP/4535 ☐	OCR/TP/4835 ☐
380 mm	OCR/TP/3538 ☐	OCR/TP/3838 ☐	OCR/TP/4038 ☐	OCR/TP/4338 ☐	OCR/TP/4538 ☐	OCR/TP/4838 ☐
400 mm	OCR/TP/3540 ☐	OCR/TP/3840 ☐	OCR/TP/4040 ☐	OCR/TP/4340 ☐	OCR/TP/4540 ☐	OCR/TP/4840 ☐
430 mm	OCR/TP/3543 ☐	OCR/TP/3843 ☐	OCR/TP/4043 ☐	OCR/TP/4343 ☐	OCR/TP/4543 ☐	OCR/TP/4843 ☐
450 mm	OCR/TP/3545 ☐	OCR/TP/3845 ☐	OCR/TP/4045 ☐	OCR/TP/4345 ☐	OCR/TP/4545 ☐	OCR/TP/4845 ☐
480 mm	OCR/TP/3548 ☐	OCR/TP/3848 ☐	OCR/TP/4048 ☐	OCR/TP/4348 ☐	OCR/TP/4548 ☐	OCR/TP/4848 ☐
500 mm	OCR/TP/3550 ☐	OCR/TP/3850 ☐	OCR/TP/4050 ☐	OCR/TP/4350 ☐	OCR/TP/4550 ☐	OCR/TP/4850 ☐
530 mm	OCR/TP/3553 ☐	OCR/TP/3853 ☐	OCR/TP/4053 ☐	OCR/TP/4353 ☐	OCR/TP/4553 ☐	OCR/TP/4853 ☐
550 mm	OCR/TP/3555 ☐	OCR/TP/3855 ☐	OCR/TP/4055 ☐	OCR/TP/4355 ☐	OCR/TP/4555 ☐	OCR/TP/4855 ☐
580 mm	OCR/TP/3558 ☐	OCR/TP/3858 ☐	OCR/TP/4058 ☐	OCR/TP/4358 ☐	OCR/TP/4558 ☐	OCR/TP/4858 ☐
600 mm	OCR/TP/3560 ☐	OCR/TP/3860 ☐	OCR/TP/4060 ☐	OCR/TP/4360 ☐	OCR/TP/4560 ☐	OCR/TP/4860 ☐

Cushion depth	Cushion width				
	500 mm	530 mm	550 mm	580 mm	600 mm
350 mm	OCR/TP/5035 ☐	OCR/TP/5335 ☐	OCR/TP/5535 ☐	OCR/TP/5835 ☐	OCR/TP/6035 ☐
380 mm	OCR/TP/5038 ☐	OCR/TP/5338 ☐	OCR/TP/5538 ☐	OCR/TP/5838 ☐	OCR/TP/6038 ☐
400 mm	OCR/TP/5040 ☐	OCR/TP/5340 ☐	OCR/TP/5540 ☐	OCR/TP/5840 ☐	OCR/TP/6040 ☐
430 mm	OCR/TP/5043 ☐	OCR/TP/5343 ☐	OCR/TP/5543 ☐	OCR/TP/5843 ☐	OCR/TP/6043 ☐
450 mm	OCR/TP/5045 ☐	OCR/TP/5345 ☐	OCR/TP/5545 ☐	OCR/TP/5845 ☐	OCR/TP/6045 ☐
480 mm	OCR/TP/5048 ☐	OCR/TP/5348 ☐	OCR/TP/5548 ☐	OCR/TP/5848 ☐	OCR/TP/6048 ☐
500 mm	OCR/TP/5050 ☐	OCR/TP/5350 ☐	OCR/TP/5550 ☐	OCR/TP/5850 ☐	OCR/TP/6050 ☐
530 mm	OCR/TP/5053 ☐	OCR/TP/5353 ☐	OCR/TP/5553 ☐	OCR/TP/5853 ☐	OCR/TP/6053 ☐
550 mm	OCR/TP/5055 ☐	OCR/TP/5355 ☐	OCR/TP/5555 ☐	OCR/TP/5855 ☐	OCR/TP/6055 ☐
580 mm	OCR/TP/5058 ☐	OCR/TP/5358 ☐	OCR/TP/5558 ☐	OCR/TP/5858 ☐	OCR/TP/6058 ☐
600 mm	OCR/TP/5060 ☐	OCR/TP/5360 ☐	OCR/TP/5560 ☐	OCR/TP/5860 ☐	OCR/TP/6060 ☐

Vicair® Junior O2

Height 60 mm - Comfair cover
User max weight : 100 kg

 : STANDARD

 : SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED



Cushion depth	Cushion width					
	250 mm	280 mm	300 mm	330 mm	350 mm	
250 mm	OJVR/CC/2525 ☐	OJVR/CC/2825 ☐	OJVR/CC/3025 ☐	OJVR/CC/3325 ☐	OJVR/CC/3525	
280 mm	OJVR/CC/2528 ☐	OJVR/CC/2828 ☐	OJVR/CC/3028 ☐	OJVR/CC/3328 ☐	OJVR/CC/3528	
300 mm	OJVR/CC/2530 ☐	OJVR/CC/2830 ☐	OJVR/CC/3030 ☐	OJVR/CC/3330 ☐	OJVR/CC/3530	
330 mm	OJVR/CC/2533 ☐	OJVR/CC/2833 ☐	OJVR/CC/3033 ☐	OJVR/CC/3333 ☐	OJVR/CC/3533	
350 mm	OJVR/CC/2535 ☐	OJVR/CC/2835 ☐	OJVR/CC/3035 ☐	OJVR/CC/3335 ☐	OJVR/CC/3535	

Height 60 mm - Incontinence cover
User max weight : 100 kg

 : STANDARD

 : SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	250 mm	280 mm	300 mm	330 mm	350 mm	
250 mm	OJVR/CI/2525 ☐	OJVR/CI/2825 ☐	OJVR/CI/3025 ☐	OJVR/CI/3325 ☐	OJVR/CI/3525	
280 mm	OJVR/CI/2528 ☐	OJVR/CI/2828 ☐	OJVR/CI/3028 ☐	OJVR/CI/3328 ☐	OJVR/CI/3528	
300 mm	OJVR/CI/2530 ☐	OJVR/CI/2830 ☐	OJVR/CI/3030 ☐	OJVR/CI/3330 ☐	OJVR/CI/3530	
330 mm	OJVR/CI/2533 ☐	OJVR/CI/2833 ☐	OJVR/CI/3033 ☐	OJVR/CI/3333 ☐	OJVR/CI/3533	
350 mm	OJVR/CI/2535 ☐	OJVR/CI/2835 ☐	OJVR/CI/3035 ☐	OJVR/CI/3335 ☐	OJVR/CI/3535	

Height 60 mm - Two covers type O2 Top Cover
User max weight : 100 kg

 : STANDARD

 : SPECIAL + 180 € HT

NO SPECIAL SIZES WILL BE RETURNED OR EXCHANGED

Cushion depth	Cushion width					
	250 mm	280 mm	300 mm	330 mm	350 mm	
250 mm	OJVR/TP/2525 ☐	OJVR/TP/2825 ☐	OJVR/TP/3025 ☐	OJVR/TP/3325 ☐	OJVR/TP/3525	
280 mm	OJVR/TP/2528 ☐	OJVR/TP/2828 ☐	OJVR/TP/3028 ☐	OJVR/TP/3328 ☐	OJVR/TP/3528	
300 mm	OJVR/TP/2530 ☐	OJVR/TP/2830 ☐	OJVR/TP/3030 ☐	OJVR/TP/3330 ☐	OJVR/TP/3530	
330 mm	OJVR/TP/2533 ☐	OJVR/TP/2833 ☐	OJVR/TP/3033 ☐	OJVR/TP/3333 ☐	OJVR/TP/3533	
350 mm	OJVR/TP/2535 ☐	OJVR/TP/2835 ☐	OJVR/TP/3035 ☐	OJVR/TP/3335 ☐	OJVR/TP/3535	

Vicair® Liberty Basic



Height 60 mm - Without cover
User max weight : 150 kg

Cushion depth	Cushion width			
	400 mm	430 mm	450 mm	500 mm
400 mm			LBA/4540	
430 mm		LBA/4343		
450 mm	LBA/4045		LBA/4545	LBA/5045
500 mm			LBA/4550	LBA/5050

Height 60 mm - Comfair cover
User max weight : 150 kg

Cushion depth	Cushion width			
	400 mm	430 mm	450 mm	500 mm
400 mm	LBA/CK/4040		LBA/CK/4540	
430 mm		LBA/CK/4343		
450 mm	LBA/CK/4045		LBA/CK/4545	LBA/CK/5045
500 mm			LBA/CK/4550	LBA/CK/5050

Height 60 mm - Incontinence cover
User max weight : 100 kg

Cushion depth	Cushion width			
	350 mm	380 mm	400 mm	430 mm
350 mm	LBA/IN/4040		LBA/IN/4540	
380 mm		LBA/IN/4343		
400 mm	LBA/IN/4045		LBA/IN/4545	LBA/IN/5045
430 mm			LBA/IN/4550	LBA/IN/5050

Vicair® Liberty Profile



Height 60 mm - AX cover
User max weight : 150 kg

Cushion depth	Cushion width			
	400 mm	430 mm	450 mm	500 mm
400 mm	LPR/AX/4040		LPR/AX/4540	
430 mm		LPR/AX/4343		
450 mm	LPR/AX/4045		LPR/AX/4545	LPR/AX/5045
500 mm			LPR/AX/4550	LPR/AX/5050

Height 60 mm - Incontinence cover
User max weight : 150 kg

Cushion depth	Cushion width			
	400 mm	430 mm	450 mm	500 mm
400 mm	LPR/IN/4040		LPR/IN/4540	
430 mm		LPR/IN/4343		
450 mm	LPR/IN/4045		LPR/IN/4545	LPR/IN/5045
500 mm			LPR/IN/4550	LPR/IN/5050

Vicair® Liberty Toilet



Height 60 mm
User max weight : 150 kg

Size 1	430 x 430 mm	LTC/1	☐
Size 2	500 x 450 mm	LTC/2	☐